

R.15-03-010 COM/MGA/lil



PROPOSED DE

FILED

4-07-17

01:36 PM

ATTACHMENT A

Assembly Bill 2672

ATTACHMENT A

THE PEOPLE OF THE STATE OF CALIFORNIA DO ENACT AS FOLLOWS:

SECTION 1. The Legislature finds and declares the following:

(a) Many low-income communities throughout California's San Joaquin Valley lack access to natural gas lines.

(b) Increasing access to affordable energy can improve the health, safety, and air quality of these communities.

SEC. 2. Section 783.5 is added to the Public Utilities Code, to read:

783.5. (a) For purposes of this section, the following terms have the following meanings:

(1) "Disadvantaged community" means a San Joaquin Valley community that meets all of the following criteria:

(A) At least 25 percent of residential households with electrical service are enrolled in the CARE program pursuant to Section 739.1.

(B) Has a population greater than 100 persons within its geographic boundaries as identified by the most recent United States Census or a community survey.

(C) Has geographic boundaries no farther than seven miles from the nearest natural gas pipeline operated by a gas corporation.

(2) "San Joaquin Valley" means the counties of Fresno, Kern, Kings, Madera, Merced, San Joaquin, Stanislaus, and Tulare.

(b) No later than March 31, 2015, the commission shall initiate a new proceeding to do all of the following:

(1) Identify disadvantaged communities based on the criteria specified in subdivision (a).

(2) Analyze the economic feasibility of the following options:

(A) Extending natural gas pipelines to those disadvantaged communities.

(B) Increasing subsidies for electricity for residential customers in those disadvantaged communities.

(C) Other alternatives that would increase access to affordable energy in those disadvantaged communities that the commission deems appropriate.

(c) The commission shall determine whether any of the options analyzed in the proceeding would increase access to affordable energy in a cost-effective manner. For these options, the commission shall take appropriate action and determine appropriate funding sources.

SEC. 3. The Legislature finds and declares that a special law is necessary and that a general law cannot be made applicable within the meaning of Section 16 of Article IV of the California Constitution because of the unique circumstance that the San Joaquin Valley is home to many communities that lack access to natural gas service and it is necessary to ensure more affordable and cleaner alternatives are available.

(END OF ATTACHMENT A)

ATTACHMENT B

**Public Version of the Data Working
Group's Final Report**

BEFORE THE PUBLIC UTILITIES COMMISSION
OF THE STATE OF CALIFORNIA



FILED
9-28-16
04:59 PM

Order Instituting Rulemaking to Identify Disadvantaged Communities in the San Joaquin Valley and Analyze Economically Feasible Options to Increase Access to Affordable Energy in Those Disadvantaged Communities.

Rulemaking No. 15-03-010
(Filed March 26, 2015)

**FINAL REPORT OF THE DATA WORKING GROUP
(PUBLIC VERSION)**

DARRYL GRUEN
Attorney for

Office of Ratepayer Advocates
California Public Utilities Commission
505 Van Ness Avenue
San Francisco, CA 94102
Telephone: (415) 703-1973
Email: djg@cpuc.ca.gov

KIM HASSAN
Attorney for

Southern California Gas Company
555 West Fifth Street, GT14E7
Los Angeles, CA 90013
Telephone: (619) 890-4851
Email: KHassan@SemptraUtilities.com

CHARLES MIDDLEKAUF
Attorney for

Pacific Gas & Electric Company
Law Department
P. O. Box 7442, MC-B30A-2475
San Francisco, CA 94120
Telephone: 415-973-6971
Email: crmd@pge.com

ANDREA TOZER
Sr. Attorney for

Southern California Edison Company
2244 Walnut Grove Ave./PO Box 800
Rosemead, CA 91770
Telephone: (626) 302-6713
Email: Andrea.Tozer@sce.com

September 28, 2016

BEFORE THE PUBLIC UTILITIES COMMISSION
OF THE STATE OF CALIFORNIA

Order Instituting Rulemaking to Identify Disadvantaged Communities in the San Joaquin Valley and Analyze Economically Feasible Options to Increase Access to Affordable Energy in Those Disadvantaged Communities.

Rulemaking No. 15-03-010
(Filed March 26, 2015)

**FINAL REPORT OF THE DATA WORKING GROUP
(PUBLIC VERSION)**

Pursuant to the *Administrative Law Judge’s Email Ruling issued on September 26, 2016, which allows the Final Data Working Group Report to be filed September 28* (“Ruling”), the Data Working Group¹ provides the following final report summarizing the activities of the Data Working Group and the information requested in the Ruling. This report is an update to the report of the Data Working Group filed August 29, 2016, in advance of the August 31 workshop. As directed in Administrative Law Judge McKinney’s ruling on September 8, 2016, on September 12, 2016, the Data Working Group filed a list of representative communities for cost estimates and criteria used to select them. The final public list of communities is attached as attachment A, the confidential version of the final list of communities will be filed under seal.²

ORA updated the illustrative map shown at the August 31 workshop and filed and served it to the service list on September 15, in compliance with the ALJ’s rulings. The map is available at the following link:

<https://drive.google.com/open?id=1dO8DKLsfk9injmoRKwQrYoAUjJQ>

¹ The Data Working Group consists of the Commission’s Energy Division staff, Pacific Gas and Electric Company (“PG&E”), Southern California Gas Company (“SoCalGas”), Southern California Edison Company (“SCE”), the Office of Ratepayer Advocates (“ORA”), and other interested parties.

² Consistent with Commission rules regarding the confidentiality of customer information, information in the public version is redacted to reflect situations involving less than 100 customers.

Since the August 31, 2016 workshop, the Data Working Group has focused on finalizing a list of ten representative communities for which to develop cost estimates to extend gas service, and on confirming and updating the pipeline distance data in the master spreadsheet. ORA sent a joint data request to Pacific Gas and Electric Company (“PG&E”) and Southern California Gas Company (“SoCalGas”) on August 31, with a due date of September 15. ORA received responses from PG&E on September 15 and from SoCalGas on September 23.

With this new data, a new tab was added to the spread sheet “Distances” that includes the distances from the city center point and the approximate city boundary to the nearest gas transmission line and the nearest gas distribution line (Columns C-F for PG&E and Columns G-J for SoCalGas).³ Column “D” on the tab “SJV Master” was updated based on the minimum distance to either transmission or distribution line as well. None of this new data has been marked confidential. Even with the addition of this new data, the data set assumptions identified in the workshop on August 31st are the same.

The Data Working Group jointly selected ten communities for which to develop high-level cost estimates for gas facility extension projects. PG&E and SoCalGas are preparing these estimates, which are due to the proceeding’s service list on October 12, 2016.

Having completed the work initially assigned to the group when it was formed, this report is the final report of the Data Working Group.

³ SoCalGas must consider more than just the distance between a community and a transmission line when developing service extension cost estimates. In order to provide service from a Transmission line, SoCalGas’ policy requires Transmission tap application criteria to be met (i.e. load, pipe diameter size). As a result, although distances may show Transmission as the closest source of supply, if Transmission service requirements are not met, service will need to be supplied from the closest Distribution facilities.

Respectfully submitted,

/s/ DARRYL GRUEN

DARRYL GRUEN

Attorney for
Office of Ratepayer Advocates
California Public Utilities Commission
505 Van Ness Avenue
San Francisco, CA 94102
Telephone: (415) 703-1973
Email: djg@cpuc.ca.gov

/s/ KIM HASSAN

KIM HASSAN

Attorney for
Southern California Gas Company
555 West Fifth Street, GT14E7
Los Angeles, CA 90013
Telephone: (619) 890-4851
Email: KHassan@SempraUtilities.com

/s/ CHARLES MIDDLEKAUF


CHARLES MIDDLEKAUF

Attorney for
Pacific Gas & Electric Company
Law Department
P. O. Box 7442, MC-B30A-2475
San Francisco, CA 94120
Telephone: 415-973-6971
Email: crmd@pge.com

/s/ ANDREW TOZER

ANDREA TOZER

Sr. Attorney for
Southern California Edison Company
2244 Walnut Grove Ave./PO Box 800
Rosemead, CA 91770
Telephone: (626) 302-6713
Email: Andrea.Tozer@sce.com



FILED
9-28-16
04:59 PM

ATTACHMENT A

0.00	1,291	1,263	Yes	0	X	Yes	1,291	1,291	PGE	1,291	PGE	X	PGE&SCG	98.8%	X	95%-100%
0.00	1,882	1,661	Yes	0	140	Yes	1,882	1,882	PGE	1,882	PGE		PGE&SCG	101.9%	97.5%	95%-100%
0.00	1,500	1,777	Yes	0	0	No	1,500	1,500	Irrigation district - Merced	1,777	PGE		PGE&SCG	80.4%	95.2%	95%-100%
0.00	2,845	2,796	Yes	0	0	No	2,845	2,845		2,796	PGE		PGE	96.9%	95.2%	95%-100%
0.00	1,205	1,181	Yes	0	0	Yes	1,205	1,205		1,181	PGE		PGE	86.9%	85.2%	95%-100%
0.00	4,173	0	No	0	4,146	Yes	4,173	4,173		4,146	SCG		SCG	104.9%	104.2%	95%-100%
0.00	3,297	0	No	0	3,259	Yes	3,297	3,297		3,259	SCG		SCG	94.6%	93.5%	95%-100%
0.00	1,380	1,372	Yes	0	0	No	1,380	1,380		1,372	PGE		PGE	94.9%	94.4%	95%-100%
0.00	3,303	3,174	Yes	0	0	No	3,303	3,303		3,174	PGE		PGE	100.0%	96.1%	95%-100%
0.00	3,101	0	No	0	3,071	Yes	3,101	3,101		3,071	SCG		SCG	88.8%	87.9%	95%-100%
0.00	7,172	7,119	Yes	0	0	Yes	7,172	7,172		7,119	PGE		PGE	103.2%	102.4%	95%-100%
0.00	6,816	5,613	Yes	0	1,095	Yes	6,816	6,816		6,708	PGE&SCG		PGE&SCG	100.9%	99.3%	95%-100%
0.00	2,336	2,201	Yes	0	X	Yes	2,336	2,336		2,336	PGE	X	PGE&SCG	96.6%	X	95%-100%
0.00	5,621	0	No	X	5,464	Yes	5,621	X		5,464	SCG	X	SCG	101.0%	101.0%	95%-100%
0.00	2,563	2,822	Yes	0	0	No	2,563	2,563	Irrigation district - Merced	2,822	PGE		PGE	88.0%	96.8%	95%-100%
0.00	X	0	No	2,150	2,052	Yes	X	X		2,052	SCG	X	SCG	100.8%	X	95%-100%
0.00	1,704	1,608	Yes	0	0	No	1,704	1,704		1,704	PGE		PGE	108.1%	102.0%	90%-95%
0.00	0	0	No	1,739	1,576	Yes	1,739	1,739		1,739	SCE		SCG	86.6%	78.5%	90%-95%
0.00	0	0	No	3,779	3,491	Yes	3,779	3,779		3,491	SCG		SCG	105.9%	97.9%	90%-95%
0.00	2,128	2,005	Yes	0	0	No	2,128	2,128		2,128	PGE		PGE	98.5%	92.8%	90%-95%
0.00	2,182	2,044	Yes	0	0	No	2,182	2,182		2,182	PGE		PGE	109.0%	102.1%	90%-95%
0.00	1,435	1,354	Yes	0	0	No	1,435	1,435		1,435	PGE		PGE	90.0%	84.9%	90%-95%
0.00	0	0	No	1,314	1,208	Yes	1,314	1,314		1,314	SCE		SCG	110.0%	101.1%	90%-95%
0.00	0	0	No	3,404	3,162	Yes	3,404	3,404		3,404	SCE		SCG	105.0%	97.5%	90%-95%
0.00	1,184	1,105	Yes	0	0	No	1,184	1,184		1,184	PGE		PGE	99.7%	93.1%	90%-95%
0.00	2,269	0	Yes	927	3,012	Yes	3,196	3,196	PGE&SCE	3,012	SCG		SCG	102.9%	97.0%	90%-95%
0.00	2,641	2,438	Yes	0	0	No	2,641	2,641		2,641	PGE		PGE	103.0%	95.0%	90%-95%
0.00	1,320	1,197	Yes	0	0	No	1,320	1,320	Irrigation district - Merced	1,320	PGE		PGE	113.5%	102.9%	90%-95%
0.00	4,939	X	No	0	4,614	Yes	4,939	4,939		4,939	PGE	X	PGE&SCG	111.6%	X	90%-95%
0.00	0	0	No	3,920	3,639	Yes	3,920	3,920		3,920	SCE		SCG	115.5%	107.2%	90%-95%
0.00	0	0	No	1,345	1,119	Yes	1,345	1,345		1,345	SCE		SCG	113.1%	94.1%	80%-90%
0.00	0	898	Yes	1,052	0	No	1,052	1,052		1,052	SCE		SCG	91.5%	78.1%	80%-90%
0.00	0	0	No	1,784	1,460	Yes	1,784	1,784		1,784	SCE		SCG	105.7%	86.5%	80%-90%
0.00	0	0	No	3,169	2,658	Yes	3,169	3,169		3,169	SCE		SCG	117.5%	98.6%	80%-90%
0.00	0	0	No	7,371	6,120	Yes	7,371	7,371		7,371	SCE		SCG	109.4%	90.8%	80%-90%
0.00	0	0	No	1,811	1,377	Yes	1,811	1,811		1,811	SCE		SCG	102.2%	77.7%	70%-80%
0.00	0	0	No	4,937	3,180	Yes	4,937	4,937		4,937	SCE		SCG	99.4%	64.4%	50%-70%
0.00	X	1,362	Yes	2,797	0	Yes	X	X	PGE&SCE	1,362	PGE	X	PGE	59.0%	X	0.1%-50%
0.00	4,178	X	Yes	0	0	No	4,178	4,178		4,178	PGE	X	PGE	99.0%	X	0.1%-50%
0.00	2,426	X	Yes	0	0	No	2,426	2,426		2,426	PGE	X	PGE	98.3%	X	0.1%-50%
0.00	36,727	36,808	Yes	0	0	No	36,727	36,727		36,727	PGE		PGE	99.9%	100.1%	100% & over
0.00	23,775	24,252	Yes	0	0	No	23,775	23,775		24,252	PGE		PGE	98.9%	100.9%	100% & over
0.00	12,190	5,787	Yes	X	6,562	Yes	X	X	PGE&SCE	12,349	PGE&SCG	X	PGE&SCG	94.3%	X	100% & over
0.00	93,171	97,892	Yes	0	0	No	93,171	93,171	Port of Stockton (small)	97,892	PGE		PGE	96.3%	101.2%	100% & over
0.00	25,567	25,719	Yes	0	0	No	25,567	25,567		25,719	PGE		PGE	101.8%	102.4%	100% & over
0.00	0	0	No	10,744	10,536	Yes	10,744	10,744		10,744	SCE		SCG	101.7%	99.7%	95%-100%
0.00	X	0	No	18,097	17,488	Yes	X	X	PGE&SCE	17,488	SCG	X	SCG	95.6%	X	95%-100%
0.00	258	22,595	Yes	0	0	No	258	258	Lodi Electric Utility	22,595	PGE		PGE	1.1%	97.7%	95%-100%
0.00	11,715	11,535	Yes	0	0	No	11,715	11,715		11,715	PGE		PGE	107.4%	105.7%	95%-100%
0.00	16,830	16,520	Yes	0	0	No	16,830	16,830		16,830	PGE		PGE	100.6%	98.7%	95%-100%
0.00	22,443	25,588	Yes	0	0	No	22,443	22,443	Irrigation district - Merced	25,588	PGE		PGE	85.0%	96.9%	95%-100%
0.00	0	0	No	19,284	18,579	Yes	19,284	19,284		19,284	SCE		SCG	102.1%	98.3%	95%-100%
0.00	0	0	No	45,079	44,260	Yes	45,079	45,079		44,260	SCG		SCG	101.4%	99.6%	95%-100%
0.00	0	0	No	17,274	16,320	Yes	17,274	17,274		17,274	SCE		SCG	105.0%	99.2%	90%-95%

0.00	116,470	80,560	Yes	Yes	X	35,668	Yes	X			X	PGE&SCE	116,228	PGE&SOG	96.3%	X	95%-100%
------	---------	--------	-----	-----	---	--------	-----	---	--	--	---	---------	---------	---------	-------	---	----------

0.84	0	No	X	Yes	X		X SCE	X SCG	X	X	100% & over	
0.00	X	Yes	X	Yes	X		X PGE	X SCG	X	X	100% & over	
1.77	X	No	X	Yes	X		X PGE	X SCG	X	X	100% & over	
0.08	X	No	X	Yes	X		X PGE&SCE	X SCG	X	X	100% & over	
0.23	104	No	0	Yes	104		104 PGE	131 SCG	88.1%	111.0%	126.0% 100% & over	
0.00	240	No	0	Yes	240		240 PGE	242 SCG	102.1%	103.0%	100.8% 100% & over	
0.00	0	No	553	Yes	695		553 SCE	695 SCG	67.8%	85.2%	125.7% 100% & over	
0.00	0	No	436	Yes	446		436 SCE	446 SCG	102.3%	104.7%	102.3% 100% & over	
0.50	0	No	201	Yes	201		201 SCE	216 SCG	102.6%	110.2%	107.5% 100% & over	
1.87	381	No	0	Yes	524		381 PGE	524 SCG	96.2%	132.3%	137.5% 100% & over	
0.00	220	Yes	0	No	220		220 PGE	220 PGE	83.7%	83.7%	100.0% 100% & over	
0.00	0	No	330	Yes	377		330 SCE	377 SCG	98.8%	112.9%	114.2% 100% & over	
1.94	X	No	0	Yes	156		X PGE	156 SCG	X	300.0%	X	100% & over
0.13	0	No	273	Yes	319		273 SCE	319 SCG	125.2%	146.3%	116.8% 100% & over	
0.00	0	No	376	Yes	441		376 SCE	441 SCG	113.9%	133.6%	117.3% 100% & over	
0.00	0	No	588	Yes	594		588 SCE	594 SCG	91.4%	92.4%	101.0% 100% & over	
0.00	3,680	Yes	0	No	3,680		3,680 PGE	3,787 PGE	102.6%	105.6%	102.9% 100% & over	
0.00	1,068	No	X	Yes	1,080		X PGE&SCE	1,080 SCG	X	95.7%	X	100% & over
0.00	X	Yes	0	No	0		X PGE	1,497 PGE	X	100.1%	X	100% & over
0.00	2,409	Yes	0	No	2,409		2,409 PGE	2,552 PGE	94.8%	100.4%	105.9% 100% & over	
0.00	0	No	925	Yes	1,171		925 SCE	1,171 SCG	77.7%	98.4%	126.6% 100% & over	
0.00	1,980	No	0	Yes	2,013		1,980 PGE	2,013 SCG	99.7%	101.4%	101.7% 100% & over	
0.00	4,060	Yes	0	No	4,060		4,060 PGE	4,159 PGE	102.0%	104.5%	102.4% 100% & over	
0.00	5,678	Yes	0	No	5,678		5,678 PGE	5,711 PGE	102.7%	103.3%	100.6% 100% & over	
0.00	1,535	Yes	0	No	1,535		1,535 PGE	1,540 PGE	95.3%	95.7%	100.3% 100% & over	
0.00	2,505	Yes	0	No	3,417		3,417 PGE	3,417 PGE	76.8%	104.8%	104.8% 100% & over	
0.00	6,786	Yes	0	No	7,659		7,659 PGE	7,659 PGE	89.1%	100.6%	100% & over	
0.00	2,015	No	0	Yes	2,083		2,015 PGE	2,083 SCG	97.9%	101.2%	103.4% 100% & over	
0.00	4,838	Yes	0	No	7,083		6,789 PGE	7,083 PGE	71.3%	104.3%	104.3% 100% & over	
0.00	1,471	Yes	0	No	1,471		1,471 PGE	1,521 PGE	92.2%	95.4%	103.4% 100% & over	
0.00	1,292	Yes	0	No	1,292		1,292 PGE	1,295 PGE	98.9%	99.1%	100.2% 100% & over	
0.00	36,727	Yes	0	No	36,727		36,727 PGE	36,808 PGE	99.9%	100.1%	100.2% 100% & over	
0.00	23,775	Yes	0	No	23,775		23,775 PGE	24,252 PGE	98.9%	100.9%	102.0% 100% & over	
0.00	12,190	Yes	X	Yes	6,562		X PGE&SCE	12,349 PGE&SCG	X	94.3%	X	100% & over
0.00	93,171	Yes	0	No	93,171		96,740 PGE	97,892 PGE	96.3%	101.2%	101.2% 100% & over	
0.00	25,567	Yes	0	No	25,567		25,567 PGE	25,719 PGE	101.8%	102.4%	100.6% 100% & over	
0.00	163,180	Yes	0	No	163,180		163,180 PGE	165,731 PGE	95.6%	97.1%	101.6% 100% & over	
1.00	X	No	0	Yes	X		X PGE	X SCG	X	X	X	95%-100%
0.00	438	Yes	0	No	438		438 PGE	420 PGE	85.2%	81.7%	95.9%	95%-100%
0.00	359	No	0	Yes	344		360 PGE	X PGE&SCG	91.3%	X	X	95%-100%
0.00	105	Yes	0	No	105		105 PGE	102 PGE	107.1%	104.1%	97.1%	95%-100%
0.00	234	Yes	0	No	234		234 PGE	227 PGE	85.7%	83.2%	97.0%	95%-100%
0.00	786	Yes	0	No	786		786 PGE	774 PGE	98.5%	97.0%	98.5%	95%-100%
0.00	545	Yes	0	No	545		545 PGE	541 PGE	90.2%	89.6%	99.3%	95%-100%
0.25	0	No	530	Yes	519		530 SCE	519 SCG	103.9%	101.8%	97.9%	95%-100%
0.00	565	Yes	0	No	565		565 PGE	555 PGE	106.2%	104.3%	98.2%	95%-100%
0.00	581	Yes	0	Yes	581		581 PGE	565 PGE	85.3%	83.0%	97.2%	95%-100%
0.00	684	Yes	0	Yes	684		684 PGE	670 PGE	94.6%	92.7%	98.0%	95%-100%
0.00	371	Yes	0	No	371		371 PGE	362 PGE	93.2%	91.0%	97.6%	95%-100%
0.96	535	Yes	0	Yes	527		535 PGE	527 SCG	83.2%	82.0%	98.5%	95%-100%
0.00	4,275	No	0	Yes	4,192		4,275 PGE	4,192 SCG	94.6%	92.8%	98.1%	95%-100%
0.00	8,332	Yes	0	No	8,332		9,485 PGE	9,248 PGE	87.8%	97.5%	97.5%	95%-100%
0.00	2,417	Yes	0	No	2,417		2,417 PGE	2,385 PGE	97.8%	96.5%	98.7%	95%-100%
0.00	2,300	Yes	0	Yes	2,300		2,300 PGE	2,254 PGE	97.9%	96.0%	98.0%	95%-100%
0.00	4,051	Yes	0	No	4,051		4,051 PGE	3,961 PGE	97.0%	94.9%	97.8%	95%-100%

0.00	1,500	1,777	Yes	0	0	No	1,500	Irrigation district - Merced	1,866	PGE	1,777	PGE	80.4%	95.2%	95%-100%
0.00	2,845	2,796	Yes	0	0	No	2,845		2,845	PGE	2,796	PGE	96.9%	95.2%	95%-100%
0.00	1,205	1,181	Yes	0	0	Yes	1,205		1,205	PGE	1,181	PGE	86.9%	85.2%	95%-100%
0.00	4,173	0	No	4,146	Yes	4,173	4,173		4,173	PGE	4,146	SCG	104.9%	104.2%	95%-100%
0.00	3,297	0	No	3,259	Yes	3,297	3,297		3,297	PGE	3,259	SCG	94.6%	93.5%	95%-100%
0.00	1,380	1,372	Yes	0	0	No	1,380		1,380	PGE	1,372	PGE	94.9%	94.4%	95%-100%
0.00	3,303	3,174	Yes	0	0	No	3,303		3,303	PGE	3,174	PGE	100.0%	96.1%	95%-100%
0.00	3,101	0	No	3,071	Yes	3,101	3,101		3,101	PGE	3,071	SCG	88.8%	87.9%	95%-100%
0.00	7,172	7,119	Yes	0	0	Yes	7,172		7,172	PGE	7,119	PGE	103.2%	102.4%	95%-100%
0.00	6,816	5,613	Yes	0	1,095	Yes	6,816		6,816	PGE	6,708	PGE&SCG	100.9%	99.3%	95%-100%
0.00	2,336	2,201	Yes	0	0	Yes	2,336		2,336	PGE	0	PGE&SCG	96.6%	0	95%-100%
0.00	5,621	0	No	5,464	Yes	5,621	5,464		0	PGE&SCE	5,464	SCG	101.0%	101.0%	95%-100%
0.00	2,563	2,822	Yes	0	0	No	2,563	Irrigation district - Merced	2,914	PGE	2,822	PGE	88.0%	96.8%	95%-100%
0.00	0	0	No	2,150	Yes	2,150	2,150		0	PGE&SCE	2,052	SCG	100.8%	99.7%	95%-100%
0.00	0	0	No	10,744	Yes	10,744	10,744		10,744	SCE	10,536	SCG	101.7%	99.7%	95%-100%
0.00	0	0	No	18,097	Yes	18,097	17,488		0	PGE&SCE	17,488	SCG	0	95.6%	95%-100%
0.00	258	22,595	Yes	0	0	No	258	Ludi Electric Utility	23,132	PGE	22,595	PGE	1.1%	97.7%	95%-100%
0.00	11,715	11,535	Yes	0	0	No	11,715		11,715	PGE	11,535	PGE	107.4%	105.7%	95%-100%
0.00	16,830	16,520	Yes	0	0	No	16,830		16,830	PGE	16,520	PGE	100.6%	98.7%	95%-100%
0.00	22,443	25,588	Yes	0	0	No	22,443	Irrigation district - Merced	26,415	PGE	25,588	PGE	85.0%	96.9%	95%-100%
0.00	0	0	No	19,284	Yes	19,284	19,284		19,284	SCE	18,579	SCG	102.1%	98.3%	95%-100%
0.00	0	0	No	45,079	Yes	45,079	45,079		45,079	SCE	44,260	SCG	101.4%	99.6%	95%-100%
0.00	116,470	80,560	Yes	0	35,668	Yes	0		0	PGE&SCE	116,228	PGE&SCG	0	96.3%	95%-100%
0.00	0	0	Yes	0	0	Yes	0		0	PGE	0	SCG	0	0	90%-95%
1.10	0	0	No	0	0	Yes	0		0	SCE	0	SCG	0	0	90%-95%
0.00	253	236	Yes	0	0	No	253		253	PGE	236	PGE	71.5%	66.7%	90%-95%
0.47	0	0	No	453	424	Yes	453		453	SCE	424	SCG	98.5%	92.2%	90%-95%
0.00	602	542	Yes	0	0	No	602		602	PGE	542	PGE	85.8%	77.2%	90%-95%
0.00	914	863	Yes	0	0	No	914		914	PGE	863	PGE	98.6%	93.1%	90%-95%
0.00	179	0	Yes	0	166	Yes	179		179	PGE	166	SCG	97.3%	90.2%	90%-95%
0.00	1,704	1,608	Yes	0	0	No	1,704		1,704	PGE	1,608	PGE	108.1%	102.0%	90%-95%
0.00	0	0	No	1,739	1,576	Yes	1,739		1,739	SCE	1,576	SCG	86.6%	78.5%	90%-95%
0.00	0	0	No	3,779	3,491	Yes	3,779		3,779	SCE	3,491	SCG	105.9%	97.9%	90%-95%
0.00	2,128	2,005	Yes	0	0	No	2,128		2,128	PGE	2,005	PGE	98.5%	92.8%	90%-95%
0.00	2,182	2,044	Yes	0	0	No	2,182		2,182	PGE	2,044	PGE	109.0%	102.1%	90%-95%
0.00	1,435	1,354	Yes	0	0	No	1,435		1,435	PGE	1,354	PGE	90.0%	84.9%	90%-95%
0.00	0	0	No	1,314	1,208	Yes	1,314		1,314	SCE	1,208	SCG	110.0%	101.1%	90%-95%
0.00	0	0	No	3,404	3,162	Yes	3,404		3,404	SCE	3,162	SCG	105.0%	97.5%	90%-95%
0.00	1,184	1,105	Yes	0	0	No	1,184		1,184	PGE	1,105	PGE	99.7%	93.3%	90%-95%
0.00	2,269	0	Yes	927	3,012	Yes	3,196		3,196	PGE&SCE	3,012	SCG	102.7%	97.0%	90%-95%
0.00	2,641	2,438	Yes	0	0	No	2,641		2,641	PGE	2,438	PGE	103.0%	95.0%	90%-95%
0.00	1,320	1,197	Yes	0	0	No	1,320	Irrigation district - Merced	1,320	PGE	1,197	PGE	113.5%	102.9%	90%-95%
0.00	4,939	0	No	0	4,614	Yes	4,939		4,939	PGE	0	PGE&SCG	111.6%	0	90%-95%
0.00	0	0	No	3,920	3,639	Yes	3,920		3,920	SCE	3,639	SCG	115.5%	107.2%	90%-95%
0.00	0	0	No	17,274	16,320	Yes	17,274		17,274	SCE	16,320	SCG	105.0%	99.2%	90%-95%
0.00	0	0	Yes	0	0	No	0	Irrigation district - Merced	0	PGE	0	PGE	0	0	80%-90%
0.00	0	0	Yes	0	0	Yes	0		0	PGE	0	PGE	0	0	80%-90%
0.00	0	0	No	0	0	Yes	0		0	SCE	0	SCG	0	0	80%-90%
0.00	638	0	No	558	0	Yes	638		638	PGE	558	SCG	96.4%	84.3%	80%-90%
0.00	632	556	Yes	0	0	Yes	632		632	PGE	556	PGE	97.7%	85.9%	80%-90%
0.01	227	0	No	195	0	Yes	227		227	PGE	0	PGE&SCG	77.2%	0	80%-90%
0.00	361	317	Yes	0	0	Yes	361		361	PGE	317	PGE	98.4%	86.4%	80%-90%
0.00	167	0	Yes	0	141	Yes	167		167	PGE	141	SCG	117.5%	90.2%	90%-95%
0.00	0	0	Yes	0	0	Yes	0		0	PGE	0	SCG	0	0	90%-95%

0.00	X	0	No	756	656	Yes	X	632	X PGE&SCE	656	SCG	76.6%	X	80%-90%
0.00	0	0	No	632	518	Yes	632	632	SCE	518	SCG	85.9%	82.0%	80%-90%
0.00	528	424	Yes	0	0	No	528	528	PGE	424	PGE	91.2%	80.3%	80%-90%
0.00	0	0	No	485	409	Yes	485	485	SCE	409	SCG	86.3%	84.3%	80%-90%
0.00	0	0	No	725	606	Yes	725	725	SCE	606	SCG	81.5%	83.6%	80%-90%
0.00	0	0	No	827	683	Yes	827	827	SCE	683	SCG	84.5%	82.6%	80%-90%
0.00	0	0	No	1,345	1,119	Yes	1,345	1,345	SCE	1,119	SCG	94.1%	83.2%	80%-90%
0.00	0	898	Yes	1,052	0	No	1,052	1,052	SCE	898	PGE	78.1%	85.4%	80%-90%
0.00	0	0	No	1,784	1,460	Yes	1,784	1,784	SCE	1,460	SCG	86.5%	81.8%	80%-90%
0.00	0	0	No	3,169	2,658	Yes	3,169	3,169	SCE	2,658	SCG	98.6%	83.9%	80%-90%
0.00	0	0	No	7,371	6,120	Yes	7,371	7,371	SCE	6,120	SCG	90.8%	83.0%	80%-90%

0.06	X	0	Yes	0	X	Yes	X		X	PGE	X	SCG	X	X	70%-80%
0.37	X	0	Yes	0	X	Yes	X		X	PGE	X	SCG	X	X	70%-80%
0.00	104	X	Yes	0	0	No	104		104	PGE	X	PGE	105.1%	X	70%-80%
0.00	502	0	No	0	370	Yes	502		502	PGE	370	SCG	127.7%	73.7%	70%-80%
0.00	0	617	Yes	876	0	No	876		876	SCE	876	PGE	112.2%	79.0%	70%-80%
0.25	150	0	Yes	0	108	Yes	150		150	PGE	108	SCG	96.2%	72.0%	70%-80%
0.00	227	0	No	0	160	Yes	227		227	PGE	160	SCG	97.8%	70.5%	70%-80%
0.00	127	X	Yes	0	0	No	127		127	PGE	X	PGE	50.8%	X	70%-80%
0.00	203	151	Yes	0	0	No	203		203	PGE	151	PGE	120.1%	89.3%	70%-80%
0.00	0	0	No	1,811	1,377	Yes	1,811		1,811	SCE	1,377	SCG	102.2%	77.7%	70%-80%
0.00	X	X	Yes	0	0	No	X		X	PGE	X	PGE	X	X	50%-70%
0.00	X	X	Yes	0	0	No	X		X	PGE	X	PGE	X	X	50%-70%
0.02	267	0	No	0	165	Yes	267		267	PGE	165	SCG	67.3%	61.8%	50%-70%
0.00	731	496	Yes	0	0	No	731		731	PGE	496	PGE	107.5%	67.9%	50%-70%
1.50	0	0	No	225	116	Yes	225		225	SCE	116	SCG	80.9%	41.7%	50%-70%
0.00	729	473	Yes	0	0	No	729		729	PGE	473	PGE	132.3%	85.8%	50%-70%
0.00	425	0	No	289	448	Yes	714		714	PGE&SCE	448	SCG	128.0%	80.3%	50%-70%
0.00	322	202	Yes	0	0	No	322		322	PGE	202	PGE	101.3%	63.5%	50%-70%
0.00	260	0	No	X	165	Yes	X		X	PGE&SCE	165	SCG	91.2%	X	50%-70%
0.00	273	162	Yes	0	0	No	273		273	PGE	162	PGE	86.4%	51.3%	50%-70%
0.00	0	0	No	4,937	3,180	Yes	4,937		4,937	SCE	3,180	SCG	99.4%	64.0%	50%-70%
0.85	X	0	Yes	0	X	Yes	X		X	PGE	X	SCG	X	X	0.1%-50%
2.45	126	X	Yes	0	0	No	126		126	PGE	126	PGE	104.1%	X	0.1%-50%
2.16	X	X	Yes	0	0	No	X		X	PGE	X	PGE	X	X	0.1%-50%
0.00	310	136	Yes	0	0	No	310		310	PGE	136	PGE	80.5%	35.3%	0.1%-50%
0.05	201	X	Yes	0	0	No	201		201	PGE	201	PGE	86.3%	X	0.1%-50%
0.00	0	264	Yes	533	0	No	533		533	SCE	264	PGE	103.5%	49.5%	0.1%-50%
0.00	0	0	No	654	285	Yes	654		654	SCE	285	SCG	108.6%	47.3%	0.1%-50%
1.82	223	X	Yes	0	0	No	223		223	PGE	X	PGE	116.1%	X	0.1%-50%
0.00	0	0	No	243	X	Yes	243		243	SCE	X	SCG	58.4%	X	0.1%-50%
0.00	X	1,362	Yes	2,797	0	Yes	X		X	PGE&SCE	1,362	PGE	99.0%	X	0.1%-50%
0.00	4,178	X	Yes	0	0	No	4,178		4,178	PGE	X	PGE	99.0%	X	0.1%-50%
0.00	2,426	X	Yes	0	0	No	2,426		2,426	PGE	X	PGE	98.3%	X	0.1%-50%
2.92	X	0	Yes	0	0	No	X		X	PGE	0	None	0.0%	0.0%	Zero%
0.00	X	0	Yes	0	0	No	X		X	PGE	0	None	0.0%	0.0%	Zero%
0.01	108	0	No	X	0	Yes	X		X	PGE&SCE	0	None	0.0%	0.0%	Zero%
1.34	119	0	Yes	0	0	No	119		119	PGE	119	None	99.2%	0.0%	Zero%
3.17	0	0	No	206	0	No	206		206	SCE	206	None	139.2%	0.0%	Zero%
2.70	122	0	Yes	0	0	No	122		122	PGE	122	None	118.4%	0.0%	Zero%
0.63	0	0	Yes	130	0	No	130		130	SCE	130	None	107.4%	0.0%	Zero%
2.81	142	0	Yes	0	0	No	142		142	PGE	142	None	211.9%	0.0%	Zero%
4.18	512	0	Yes	0	0	No	512		512	PGE	0	None	106.9%	0.0%	Zero%
1.80	0	0	No	117	0	No	117		117	SCE	0	None	85.4%	0.0%	Zero%
1.21	X	0	No	X	0	Yes	X		X	PGE&SCE	0	None	0.0%	0.0%	Zero%
3.58	108	0	Yes	0	0	No	108		108	PGE	0	None	105.9%	0.0%	Zero%
0.29	0	0	No	134	0	Yes	134		134	SCE	0	None	88.7%	0.0%	Zero%

SJV Distances to Gas Pipelines

#	Community Name	City Center Point to PGE Gas Trans (miles)	City Polygon Edge to PGE Gas Trans (miles)	City Center Point to PGE Gas Dist (miles)	City Polygon Edge to PGE Gas Dist (miles)	City Center Point to SCG Gas Trans (miles)	City Polygon Edge to SCG Gas Trans (miles)	City Center Point to SCG Gas Dist (miles)	City Polygon Edge to SCG Gas Dist (miles)	Minimum Distance to Transmission Line (miles)	Minimum Distance to Distribution Line (miles)	Minimum Distance to Distribution or Transmission Line (miles)	Old Miles to Gas Line (from Draft Report) (miles)
1	ACAMPO CDP	0.3933	0.0000	0.0166	0.0000					0.0000	0.0000	0.0000	0.0000
2	ALLENSWORTH CDP	17.8651	16.7816	18.3608	17.2340	3.7840	2.7134	1.1400	0.0102	2.7134	0.0102	0.0102	0.0080
3	ALPAUGH CDP	15.8999	15.1888	19.7223	19.2016	9.2650	8.7611	0.5211	0.0229	8.7611	0.0229	0.0229	0.0229
4	ARMONA CDP	18.2311	17.3931	16.5514	15.6042	5.6809	4.8883	0.2945	0.0000	4.8883	0.0000	0.0000	0.0000
5	ARVIN CITY	1.8006	0.1852	2.0753	0.5594	14.3194	12.7474	0.0038	0.0000	0.1852	0.0000	0.0000	0.0000
6	ATWATER CITY	0.7604	0.0000	0.0450	0.0000					0.0000	0.0000	0.0000	0.0000
7	AUGUST CDP	0.6410	0.0680	0.0200	0.0000					0.0680	0.0000	0.0000	0.0680
8	AVENAL CITY	0.9467	0.0000	1.4428	0.0000	0.2249	0.0000	0.2251	0.0000	0.0000	0.0000	0.0000	0.0000
9	BAKERSFIELD CITY	1.7099	0.0000	0.0253	0.0000	5.9053	0.0000	1.8556	0.0000	0.0000	0.0000	0.0000	0.0000
10	BEAR CREEK CDP	0.1071	0.0047	0.0358	0.0000					0.0047	0.0000	0.0000	0.0047
11	BEAR VALLEY SPRINGS CDP	1.1680	0.0000	0.3734	0.0000	20.7392	17.0033	4.9627	1.0594	0.0000	0.0000	0.0000	0.0000
12	BIOLA CDP	1.4660	0.9913	0.1069	0.0000					0.9913	0.0000	0.0000	0.9913
13	BORON CDP	1.7878	0.0000	0.5411	0.0000	8.2200	6.0500	20.5534	18.2743	0.0000	0.0000	0.0000	6.0495
14	BOULES CDP	1.7571	0.9978	0.8263	0.0579	20.5663	19.8115	1.8241	1.0718	0.9978	0.0579	0.0579	0.9978
15	BUTTONWILLOW CDP	5.1380	3.4724	6.6353	4.4982	8.8240	5.7558	0.2123	0.0000	3.4724	0.0000	0.0000	0.0000
16	CALIFORNIA CITY	9.2352	0.0000	8.5023	4.4587	22.9037	13.1355	7.7478	0.0000	0.0000	0.0000	0.0000	0.0000
17	CALWA CDP	0.8629	0.4121	0.0247	0.0000					0.4121	0.0000	0.0000	0.4121
18	CANTUA CREEK CDP	3.8282	2.4470	4.0290	2.5400					2.4470	2.5400	2.4470	2.4470
19	CARUTHERS CDP	3.0930	2.0847	6.2495	5.3925	15.7275	15.1295	0.8432	0.0000	2.0847	0.0000	0.0000	0.0000
20	CHEROKEE STRIP CDP	3.9733	3.5667	3.9798	3.5741	0.0213	0.0000	1.1010	0.7579	0.0000	0.7579	0.0000	0.0000
21	CHINA LAKE ACRES CDP	5.3582	4.0687	0.0390	0.0000					4.0687	0.0000	0.0000	0.0000
22	CHOWHILLA CITY	0.1095	0.0000	0.1299	0.0000					0.0000	0.0000	0.0000	0.0000
23	CLOVIS CITY	1.3737	0.0000	0.0013	0.0000					0.0000	0.0000	0.0000	0.0000
24	COALINGA CITY	2.1214	0.0000	2.1007	0.0116					0.0000	0.0116	0.0000	0.0000
25	COLLIERVILLE CDP	0.3309	0.0000	0.1032	0.0000					0.0000	0.0000	0.0000	0.0000
26	COUNTRY CLUB CDP	1.2166	0.4953	0.1083	0.0000					0.4953	0.0000	0.0000	0.4953
27	CRESSEY CDP	2.3037	1.5243	2.1788	1.3444					1.5243	1.3444	1.3444	1.5243
28	CUTLER CDP	18.2198	17.3062	17.2524	16.3080	15.8081	15.4142	0.2434	0.0000	15.4142	0.0000	0.0000	0.0000
29	DEL REY CDP	1.4748	0.9937	1.9362	1.2447	24.9897	24.3369	0.0145	0.0000	0.9937	0.0000	0.0000	0.0000
30	DELANO CITY	17.4752	13.5988	17.7228	13.8219	0.7109	0.0000	0.2881	0.0000	0.0000	0.0000	0.0000	0.0000
31	DELT COLONY CDP	10.6024	10.4288	8.4666	8.6813	13.0632	12.9103	0.3904	0.2268	10.4288	0.2268	0.2268	0.2268
32	DENAIR CDP	0.0758	0.0000	0.0152	0.0000					0.0000	0.0000	0.0000	0.0000
33	DINUBA CITY	12.4628	10.2300	10.9816	8.7284	15.3380	14.0577	0.0339	0.0000	10.2300	0.0000	0.0000	0.0000
34	DOS PALOS CITY	1.2480	0.5028	0.0227	0.0000					0.5028	0.0000	0.0000	0.5028
35	DOS PALOS Y CDP	5.4594	4.4715	3.1711	2.1600					4.4715	2.1600	2.1600	4.4715
36	DUCCOR CDP	22.1029	21.6323	32.7866	32.3098	14.8138	14.2334	3.7724	3.1736	14.2334	3.1736	3.1736	3.1736
37	DUSTIN ACRES CDP	6.2966	4.6860	5.8753	4.4940	0.1971	0.0000	1.2077	0.0127	0.0000	0.0127	0.0000	0.0000
38	EARLIMART CDP	23.3403	22.4534	23.4935	22.6100	2.8485	2.0265	0.4155	0.0000	2.0265	0.0000	0.0000	0.0000
39	EAST PORTERVILLE CDP	33.2807	32.7426	43.3298	41.9952	19.6255	17.5801	0.0477	0.0000	17.5801	0.0000	0.0000	0.0000
40	EAST TULARE VILLA CDP	31.8618	31.3740	29.9203	29.4313	4.9087	4.4363	1.8283	1.4964	4.4363	1.4964	1.4964	1.4964
41	EASTON CDP	0.9995	0.0000	0.0001	0.0000	23.3613	22.5869	4.6140	3.3747	0.0000	0.0000	0.0000	0.0000
42	EDMUNDSON ACRES CDP	4.0902	3.8322	4.2565	4.0056	15.5864	15.3365	1.0773	1.0045	3.8322	1.0045	1.0045	1.0045
43	EL NIDO CDP	3.6012	2.7003	3.7903	2.8875					2.7003	2.8875	2.7003	2.7003
44	EL RANCHO CDP	39.3165	39.0546	37.3949	37.1319	16.5601	16.2865	1.0653	0.8367	16.2865	0.8367	0.8367	0.8367
45	ESCALON CITY	0.1577	0.0000	0.0985	0.0000					0.0000	0.0000	0.0000	0.0000
46	EXETER CITY	32.8085	31.6131	30.9020	29.7073	14.7075	12.7143	0.1609	0.0000	12.7143	0.0000	0.0000	0.0000
47	FAIRMEAD CDP	0.2111	0.0000	0.0097	0.0000					0.0000	0.0000	0.0000	0.0000

SJV Distances to Gas Pipelines

#	Community Name	City Center Point to PGE Gas Trans (miles)	City Polygon Edge to PGE Gas Trans (miles)	City Center Point to PGE Gas Dist (miles)	City Polygon Edge to PGE Gas Dist (miles)	City Center Point to SCG Gas Trans (miles)	City Polygon Edge to SCG Gas Trans (miles)	City Center Point to SCG Gas Dist (miles)	City Polygon Edge to SCG Gas Dist (miles)	Minimum Distance to Transmission Line (miles)	Minimum Distance to Distribution Line (miles)	Minimum Distance to Distribution or Transmission Line (miles)	Old Miles to Gas Line (from Draft Report) (miles)
48	FARMERSVILLE CITY	29.5842	28.4087	27.6596	26.4981	11.8919	10.8441	0.5174	0.0000	10.8441	0.0000	0.0000	0.0000
49	FELLOWS CDP	5.0045	4.4115	0.1097	0.0000	0.6631	0.1759	0.6405	0.0488	0.1759	0.0000	0.0000	0.0488
50	FREBAUGH CITY	0.2091	0.0000	0.0401	0.0000					0.0000	0.0000	0.0000	0.0000
51	FORD CITY CDP	0.9836	0.0000	0.1485	0.0000	1.0189	0.0000	0.5424	0.0000	0.0000	0.0000	0.0000	0.0000
52	FORT WASHINGTON CDP	1.2886	1.0229	0.0209	0.0000					1.0229	0.0000	0.0000	1.0229
53	FOWLER CITY	0.6723	0.0000	0.0240	0.0000	22.6848	21.5609	3.3380	1.7105	0.0000	0.0000	0.0000	0.0000
54	FRANKLIN CDP	0.6407	0.0000	0.0105	0.0000					0.0000	0.0000	0.0000	0.0000
55	FRAZIER PARK CDP	24.7563	23.3007	24.5889	23.1574	3.8646	1.5340	0.7320	0.0000	1.5340	0.0000	0.0000	0.0000
56	FRENCH CAMP CDP	0.4532	0.0000	0.1520	0.0000					0.0000	0.0000	0.0000	0.0000
57	FRESNO CITY	0.4466	0.0000	0.0320	0.0000					0.0000	0.0000	0.0000	0.0000
58	FRIANT CDP	4.8252	4.0637	1.1210	0.0466					4.0637	0.0466	0.0466	4.0637
59	FULLER ACRES CDP	4.5934	4.0110	1.1966	0.6140	8.6959	8.1480	0.4328	0.0092	4.0110	0.0092	0.0092	0.0092
60	GARDEN ACRES CDP	0.5752	0.0000	0.0193	0.0000					0.0000	0.0000	0.0000	0.0000
61	GOSHEN CDP	19.0276	17.5147	17.0892	15.5744	1.9375	0.9452	0.3169	0.0000	0.9452	0.0000	0.0000	0.0000
62	GRAYSON CDP	2.7684	1.6530	0.8536	0.0000					1.6530	0.0000	0.0000	1.6530
63	GREENACRES CDP	0.5273	0.0000	2.4890	1.6769	2.0311	0.9952	0.9772	0.0042	0.0000	0.0042	0.0000	0.0000
64	GREENFIELD CDP	1.4884	0.6607	0.0320	0.0000	9.4441	8.6298	5.4835	4.6331	0.6607	0.0000	0.6607	0.6607
65	GUSTINE CITY	0.7383	0.0000	0.0281	0.0000					0.0000	0.0000	0.0000	0.0000
66	HANFORD CITY	17.3013	14.0999	15.4967	12.2319	8.5886	6.5197	0.2164	0.0000	6.5197	0.0000	0.0000	0.0000
67	HOME GARDEN CDP	18.8572	18.1449	16.9587	16.2493	9.5190	9.0238	0.9429	0.4735	9.0238	0.4735	0.4735	0.4735
68	HURON CITY	0.6826	0.0000	0.0061	0.0000					0.0000	0.0000	0.0000	0.0000
69	INYO KERN CDP	8.2287	6.0167	0.2458	0.0000					6.0167	0.0000	0.0000	0.0000
70	IVANHOE CDP	25.7444	24.7203	23.8972	22.8809	12.0671	11.2728	0.2425	0.0000	11.2728	0.0000	0.0000	0.0000
71	JOHANNESBURG CDP	1.8635	1.1361	1.1673	0.6298	27.3767	25.9350	26.5347	25.7633	1.1361	0.6298	0.6298	1.8500
72	KENNEDY CDP	0.5357	0.0000	0.0911	0.0000					0.0000	0.0000	0.0000	0.0000
73	KERWAN CITY	0.8163	0.0000	0.0141	0.0000					0.0000	0.0000	0.0000	0.0000
74	KETTLEMAN CITY CDP	0.3741	0.0968	0.0108	0.0000	6.8691	6.5444	5.7798	5.4687	0.0968	0.0000	0.0000	0.0968
75	KINGSBURG CITY	4.5487	2.3846	2.6005	0.5132	16.0432	14.4295	0.0460	0.0000	2.3846	0.0000	0.0000	0.0000
76	LA VINA CDP	3.8887	3.2519	3.0706	2.8105					3.2519	2.8105	2.8105	3.2519
77	LAKE OF THE WOODS CDP	24.4951	23.5839	24.2691	23.3471	6.6842	5.0649	0.2127	0.0000	5.0649	0.0000	0.0000	0.0000
78	LAMONT CDP	3.8981	1.8136	3.7570	2.1229	11.1245	9.5742	1.1304	0.0000	1.8136	0.0000	0.0000	0.0000
79	LAVARE CDP	4.1008	3.0247	2.0566	0.9806	11.0266	10.0220	0.4511	0.0000	3.0247	0.0000	0.0000	0.0000
80	LATHROP CITY	1.2430	0.0000	0.0532	0.0000					0.0000	0.0000	0.0000	0.0000
81	LE GRAND CDP	5.1173	4.4404	4.9905	4.1813					4.4404	4.1813	4.1813	4.4404
82	LEBEC CDP	22.2246	19.3563	22.0712	19.2283	2.0268	0.0000	1.8605	0.0000	0.0000	0.0000	0.0000	0.0000
83	LINCOLN VILLAGE CDP	0.3038	0.0000	0.0042	0.0000					0.0000	0.0000	0.0000	0.0000
84	LINDCOVE CDP	33.9784	33.3868	32.1801	31.5924	19.6253	19.1158	2.3618	1.8031	19.1158	1.8031	1.8031	1.8031
85	LINDSAY CITY	38.9648	37.7210	37.0319	35.7837	15.2233	13.9155	0.1855	0.0000	13.9155	0.0000	0.0000	0.0000
86	LINNELL CAMP CDP	28.8067	28.5588	28.8786	28.6320	11.0927	10.9747	0.7571	0.5023	10.9747	0.5023	0.5023	0.5023
87	LIVINGSTON CITY	0.0052	0.0000	0.0091	0.0000					0.0000	0.0000	0.0000	0.0000
88	LOCKEFORD CDP	0.1422	0.0000	0.0429	0.0000					0.0000	0.0000	0.0000	0.0000
89	LODI CITY	0.9293	0.0000	0.0510	0.0000					0.0000	0.0000	0.0000	0.0000
90	LONDON CDP	11.7728	11.2209	9.8940	9.3560	10.9240	10.3781	2.1910	1.8698	10.3781	1.8698	1.8698	1.8698
91	LOS BANOS CITY	0.7962	0.0000	0.0349	0.0000					0.0000	0.0000	0.0000	0.0000
92	LOST HILLS CDP	2.5864	1.2882	0.7364	0.79794	6.6509	5.3887	1.3205	0.0586	1.2882	0.0586	0.0586	0.0586
93	MADERA ACRES CDP	1.5628	0.0000	0.0068	0.0000					0.0000	0.0000	0.0000	0.0000
94	MADERA CITY	0.5734	0.0000	0.0171	0.0000					0.0000	0.0000	0.0000	0.0000
95	MALAGA CDP	0.4807	0.1413	0.0171	0.0000					0.1413	0.0000	0.0000	0.1413
96	MANTECA CITY	0.4826	0.0000	0.0052	0.0000					0.0000	0.0000	0.0000	0.0000
97	MARICOPA CITY	0.3839	0.0000	0.0148	0.0000	2.9942	2.0435	0.1596	0.0000	0.0000	0.0000	0.0000	0.0000
98	MATHERY CDP	31.7229	31.3099	28.7774	28.3617	0.4100	0.0033	0.6144	0.0000	0.0033	0.0000	0.0000	0.0000

SJV Distances to Gas Pipelines

#	Community Name	City Center Point to PGE Gas Trans (miles)	City Polygon Edge to PGE Gas Trans (miles)	City Center Point to PGE Gas Dist (miles)	City Polygon Edge to PGE Gas Dist (miles)	City Center Point to SCG Gas Trans (miles)	City Polygon Edge to SCG Gas Trans (miles)	City Center Point to SCG Gas Dist (miles)	City Polygon Edge to SCG Gas Dist (miles)	Minimum Distance to Transmission Line (miles)	Minimum Distance to Distribution Line (miles)	Minimum Distance to Distribution or Transmission Line (miles)	Old Miles to Gas Line (from Draft Report) (miles)
99	MAYFAIR CDP	0.2156	0.0000	0.0053	0.0000					0.0000	0.0000	0.0000	0.0000
100	MCFARLAND CITY	12.8578	12.1851	15.1213	13.5228	2.0564	0.0000	0.2361	0.0000	0.0000	0.0000	0.0000	0.0000
101	MENDOTA CITY	0.4638	0.0000	0.0393	0.0000					0.0000	0.0000	0.0000	0.0000
102	MERCED CITY	0.5624	0.0000	0.0115	0.0000					0.0000	0.0000	0.0000	0.0000
103	MEXICAN COLONY CDP	3.8870	3.7568	3.8902	3.7596	0.4300	0.3726	1.1278	1.0002	0.3726	1.0002	0.3726	0.3720
104	MCJAVE CDP	1.3573	0.0000	15.3658	10.3903	31.4591	26.1425	0.2999	0.0000	0.0000	0.0000	0.0000	0.0000
105	MONMOUTH CDP	4.6731	4.2952	3.8372	3.5835	17.7492	17.4354	0.1874	0.0000	4.2952	0.0000	0.0000	0.0000
106	MONSON CDP	16.8158	16.2449	15.1239	14.5656	12.5943	12.1454	2.3117	1.9361	12.1454	1.9361	1.9361	1.9361
107	NEWMAN CITY	0.0951	0.0000	0.0588	0.0000					0.0000	0.0000	0.0000	0.0000
108	OKDALE CITY	0.0419	0.0000	0.0212	0.0000					0.0000	0.0000	0.0000	0.0000
109	OLDDALE CDP	1.3901	0.0000	0.4105	0.0000	1.6307	0.0000	0.3585	0.0000	0.0000	0.0000	0.0000	0.0000
110	OROSI CDP	17.4730	16.4631	17.0178	16.1916	16.8159	15.6609	0.0641	0.0000	15.6609	0.0000	0.0000	0.0000
111	PARKSDALE CDP	0.8687	0.0000	0.0055	0.0000					0.0000	0.0000	0.0000	0.0000
112	PARKWOOD CDP	0.2216	0.0000	0.0409	0.0000					0.0000	0.0000	0.0000	0.0000
113	PARLIER CITY	4.3869	2.4913	3.6309	1.6101	20.7740	19.6836	0.2243	0.0000	2.4913	0.0000	0.0000	0.0000
114	PATTERSON TRACT CDP	22.5801	21.8814	20.6706	19.9718	7.9884	7.2195	0.7067	0.2542	7.2195	0.2542	0.2542	0.2542
115	PIXLEY CDP	28.0747	26.8614	28.6540	27.5060	1.8542	0.9998	0.6812	0.0000	0.9998	0.0000	0.0000	0.0000
116	PLAINVIEW CDP	39.6354	39.3416	38.3053	37.9236	11.7779	10.7816	0.5904	0.1275	10.7816	0.1275	0.1275	0.1275
117	PLAMADA CDP	4.7528	4.0101	0.0314	0.0000					4.0101	0.0000	0.0000	4.0101
118	POPLAR-COTTON CENTER CDP	33.8936	32.9243	37.2860	36.6335	9.6669	8.9876	0.6527	0.0000	8.9876	0.0000	0.0000	0.0000
119	PORTERVILLE CITY	33.7139	30.0505	41.5543	36.2772	16.1441	12.5382	0.1049	0.0000	12.5382	0.0000	0.0000	0.0000
120	RAISIN CITY CDP	1.6039	0.8497	3.6115	3.0775	20.7503	20.2144	2.4541	1.7657	0.8497	1.7657	0.8497	0.8497
121	RICHGROVE CDP	15.8660	15.4118	26.2224	25.7084	9.5418	9.0775	0.0778	0.0000	9.0775	0.0000	0.0000	0.0000
122	RIVERBANK CITY	0.0571	0.0000	0.0102	0.0000					0.0000	0.0000	0.0000	0.0000
123	ROSAMOND CDP	11.7684	7.4787	15.9813	11.5973	21.4415	18.0945	0.1363	0.0000	7.4787	0.0000	0.0000	0.0000
124	SAN JOAQUIN CITY	0.1639	0.0000	0.0150	0.0000					0.0000	0.0000	0.0000	0.0000
125	SANGER CITY	0.1323	0.0000	0.0041	0.0000	26.9939	22.8539	2.6573	0.0000	0.0000	0.0000	0.0000	0.0000
126	SANTA NELLA CDP	0.0135	0.0000	0.0135	0.0000					0.0000	0.0000	0.0000	0.0000
127	SANITA CITY	0.2496	0.0000	0.0175	0.0000	20.4009	18.6428	0.1336	0.0000	0.0000	0.0000	0.0000	0.0000
128	SEVILLE CDP	22.7279	21.9783	21.2288	20.3460	15.6378	14.8564	2.1116	1.2087	14.8564	1.2087	1.2087	1.2088
129	SHAFTER CITY	6.0191	0.0000	6.1408	2.8866	3.4778	0.0000	1.4996	0.0000	0.0000	0.0000	0.0000	0.0000
130	SMITH CORNER CDP	4.4694	4.1766	4.5648	4.2596	0.9154	0.6177	0.4483	0.2507	0.6177	0.2507	0.2507	0.2507
131	SOUTH DOS PALOS CDP	0.2321	0.0000	0.0436	0.0000					0.0000	0.0000	0.0000	0.0000
132	SOUTH TAFT CDP	1.5709	0.9983	0.0766	0.0000	1.2381	0.4857	0.4010	0.0000	0.4857	0.0000	0.0000	0.0000
133	SPRINGVILLE CDP	38.4079	37.3160	46.9694	45.0149	27.3982	25.9059	0.4870	0.0000	25.9059	0.0000	0.0000	0.0000
134	STEVENSON CDP	4.4121	3.5913	4.3972	3.5764					3.5913	3.5764	3.5764	3.5913
135	STOCKTON CITY	0.3935	0.0000	0.0767	0.0000					0.0000	0.0000	0.0000	0.0000
136	STRATHMORE CDP	39.3150	38.4241	41.2052	40.1802	15.2385	14.6595	0.0503	0.0000	14.6595	0.0000	0.0000	0.0000
137	SULTANA CDP	15.2529	14.5787	14.4609	13.7032	16.0723	15.5967	0.0772	0.0000	14.5787	0.0000	0.0000	0.0000
138	SUNNYSIDE CDP	1.9563	1.1878	0.0263	0.0000					1.1878	0.0000	0.0000	1.1878
139	TAFT CITY	2.8623	0.0020	1.4924	0.0000	2.1767	0.0000	1.5288	0.0000	0.0000	0.0000	0.0000	0.0000
140	TAFT HEIGHTS CDP	1.2586	1.0004	0.0110	0.0000	0.6449	0.2387	0.3085	0.0000	0.2387	0.0000	0.0000	0.0000
141	TAFT MOSSWOOD CDP	0.9104	0.781	0.0600	0.0000					0.1781	0.0000	0.0000	0.1781
142	TARPEY VILLAGE CDP	0.0271	0.0000	0.0019	0.0000					0.0000	0.0000	0.0000	0.0000
143	TEHACHAPI CITY	2.7831	0.0703	7.3142	6.6446	26.7260	21.4206	0.8939	0.0000	0.0703	0.0000	0.0000	0.0000
144	TERMINOUS CITY	2.5612	1.8227	5.3766	4.5117					1.8227	4.5117	1.8227	1.8227
145	TERRA BELLA CDP	26.3477	25.5648	36.2644	35.0748	16.2067	15.0402	0.3480	0.0000	15.0402	0.0000	0.0000	0.0000
146	TEVISTON CDP	25.8801	24.8690	26.0038	24.9982	2.4603	1.5329	0.6730	0.0000	1.5329	0.0000	0.0000	0.0000
147	THORNTON CDP	0.2328	0.0000	0.1202	0.0000					0.0000	0.0000	0.0000	0.0000
148	THREE ROCKS CDP	0.5035	0.0040	0.1721	0.0000					0.0040	0.0000	0.0000	0.0040
149	TIPTON CDP	31.1160	30.4050	33.3493	32.7096	0.5053	0.0000	0.3792	0.0000	0.0000	0.0000	0.0000	0.0000

SJV Distances to Gas Pipelines

#	Community Name	City Center Point to PGE Gas Trans (miles)	City Polygon Edge to PGE Gas Trans (miles)	City Center Point to PGE Gas Dist (miles)	City Polygon Edge to PGE Gas Dist (miles)	City Center Point to SCG Gas Trans (miles)	City Polygon Edge to SCG Gas Trans (miles)	City Center Point to SCG Gas Dist (miles)	City Polygon Edge to SCG Gas Dist (miles)	Minimum Distance to Transmission Line (miles)	Minimum Distance to Distribution Line (miles)	Minimum Distance to Distribution or Transmission Line (miles)	Old Miles to Gas Line (from Draft Report) (miles)
150	TONYVILLE CDP	37.2277	37.0458	35.3130	35.1325	15.9348	15.7907	1.2281	1.0999	15.7907	1.0999	1.0999	1.0999
151	TOOLEVILLE CDP	34.4409	34.2579	32.5429	32.3603	15.8825	15.7053	0.1475	0.0000	15.7053	0.0000	0.0000	0.0000
152	TRACY CITY	1.1414	0.0000	0.0133	0.0000					0.0000	0.0000	0.0000	0.0000
153	TRANQUILLITY CDP	0.7103	0.0000	0.0173	0.0000					0.0000	0.0000	0.0000	0.0000
154	TRAYER CDP	11.4410	10.6981	9.4900	8.7472	9.5271	8.8503	0.4343	0.0000	8.8503	0.0000	0.0000	0.0000
155	TULARE CITY	30.2612	27.1563	28.3428	25.2311	2.4230	0.0000	0.1864	0.0000	0.0000	0.0000	0.0000	0.0000
156	TUPMAN CDP	4.4565	3.5767	7.8350	6.9431	2.5562	1.7671	2.6070	1.8353	1.7671	1.8353	1.7671	1.7671
157	TUTTLE CDP	1.5326	0.5207	0.0033	0.0000					0.5207	0.0000	0.0000	0.5207
158	VALLEY ACRES CDP	4.9994	3.5507	4.1490	2.6959	0.0680	0.0000	1.1704	0.0000	0.0000	0.0000	0.0000	0.0000
159	VALLEY HOME CDP	4.5609	3.9080	3.6019	2.9200					3.9080	2.9200	2.9200	3.9080
160	VISALIA CITY	23.6248	18.5788	21.6746	16.6284	5.2808	0.0000	0.7188	0.0000	0.0000	0.0000	0.0000	0.0000
161	VOLTA CDP	0.7747	0.0000	2.0193	1.2135					0.0000	1.2135	0.0000	0.0000
162	WASCO CITY	6.5231	3.7042	6.4536	4.7740	2.1414	0.5899	0.4674	0.0000	0.5899	0.0000	0.0000	0.0000
163	WEEDPATCH CDP	2.3722	0.9555	3.3769	2.0036	13.0648	11.8596	2.6550	1.4252	0.9555	1.4252	0.9555	0.9555
164	WEST GOSHEN CDP	18.2513	17.4745	16.3375	15.5253	2.4367	1.6086	0.8102	0.2899	1.6086	0.2899	0.2899	0.2899
165	WEST PARK CDP	2.5688	1.4790	0.0768	0.0000					1.4790	0.0000	0.0000	1.4790
166	WESTLEY CDP	0.9335	0.0000	0.6148	0.0000					0.0000	0.0000	0.0000	0.0000
167	WINTON CDP	0.7396	0.0000	0.0032	0.0000					0.0000	0.0000	0.0000	0.0000
168	WOODLAKE CITY	31.0876	29.2445	29.3626	27.4959	18.9356	17.1042	0.3361	0.0000	17.1042	0.0000	0.0000	0.0000
169	WOODVILLE CDP	36.8399	35.4226	37.7288	36.4582	6.5871	5.0256	0.4672	0.0000	5.0256	0.0000	0.0000	0.0000
170	YETTEM CDP	21.2256	20.8924	19.5839	19.2452	14.5682	14.1385	0.4392	0.0786	14.1385	0.0786	0.0786	0.0786

Community potentially served with municipality or irrigation district