BEFORE THE PUBLIC UTILITIES COMMISSION OF THE STATE OF CALIFORNIA



FILED06/10/25
09:52 AM
A2503016

Application of Union Pacific Railroad Company, d/b/a Keene Water System (U 0434 W) for Adjustments to Revenue Requirement, Rate Design, and Rates

A.25-03-016

UNION PACIFIC RAILROAD COMPANY D/B/A KEENE WATER SYSTEM (U 434 W)

THREE-DAY NOTICE OF EX PARTE COMMUNICATION

Sarah J. Banola Patrick M. Rosvall BRB Law LLP 492 9th Street, Suite 220 Oakland, CA 94607 Telephone: (510) 955-1082

Email: sarah@brblawgroup.com

Attorneys for Union Pacific Railroad Company d/b/a Keene Water System

June 10, 2025

Pursuant to Public Utilities Code Section 1701.3(h)(2) and Rule 8.2(c)(2)(B) of the California Public Utilities Commission ("Commission")'s Rules of Practice and Procedure ("Rules"), Union Pacific Railroad Company d/b/a Keene Water System ("KWS") hereby notifies the parties and the service list for docket A.25-03-016 of an upcoming *ex parte* meeting. KWS had requested a meeting with Commissioner John Reynolds' office to discuss the proceeding status and background information. The meeting is scheduled for Friday, June 13, 2025 at 4:00 p.m. The meeting is scheduled to last 30 minutes and will be conducted via WebEx.

The anticipated attendees from KWS are: Sarah Banola, Partner at BRB Law LLP; Patrick Rosvall, Partner at BRB Law LLP; Robert Bylsma, Senior General Attorney at KWS; Trudie McGavock, Paralegal at KWS; Barbara Orr, Director of Financial Reporting at KWS; Anne Walsh, Director of Environmental Programs at KWS. The representative from Commissioner Reynolds' office is expected to be Advisor Andrew Klutey. KWS will also file the required *ex parte* notice following the meeting, in accordance with Rule 8.4.

Executed at Oakland, California on this 10th day of June 2025.

Sarah J. Banola Patrick M. Rosvall BRB Law LLP 492 9th Street, Suite 220 Oakland, CA 94607 Phone: (510) 955-1082

Email: sarah@brblawgroup.com

By: /s/ Sarah J. Banola Sarah J. Banola

Attorneys for Union Pacific Railroad Company d/b/a Keene Water System