

**BEFORE THE PUBLIC UTILITIES COMMISSION
OF THE STATE OF CALIFORNIA**



FILED

11/19/25

03:32 PM

R1812005

Order Instituting Rulemaking to Examine
Electric Utility De-Energization of Power
Lines in Dangerous Conditions.

Rulemaking 18-12-005
(Filed December 13, 2018)

**LIBERTY UTILITIES (CALPECO ELECTRIC) LLC'S (U 933-E)
PUBLIC SAFETY POWER SHUTOFF POST-EVENT REPORT FOR
NOVEMBER 5, 2025 EVENT**

Dated: November 19, 2025

Jordan Parrillo
Manager, Rates & Regulatory Affairs
Liberty Utilities (CalPeco Electric) LLC
701 National Avenue
Tahoe Vista, CA 96148
Telephone: (530) 721-7818
Jordan.Parrillo@libertyutilities.com

**BEFORE THE PUBLIC UTILITIES COMMISSION
OF THE STATE OF CALIFORNIA**

Order Instituting Rulemaking to Examine
Electric Utility De-Energization of Power
Lines in Dangerous Conditions.

Rulemaking 18-12-005
(Filed December 13, 2018)

**LIBERTY UTILITIES (CALPECO ELECTRIC) LLC’S (U 933-E)
PUBLIC SAFETY POWER SHUTOFF POST-EVENT REPORT FOR
NOVEMBER 5, 2025 EVENT**

Liberty Utilities (CalPeco Electric) LLC (“Liberty”) hereby submits its Public Safety Power Shutoff (“PSPS”) 2025 Post-Event Report pursuant to Commission Decision 21-06-034 in Phase Three of R.18-12-005.

In compliance with California Public Utilities Commission Public Safety Power Shutoff (“PSPS”) Order Instituting Rulemaking Phase 1 Decision (D.) 19-05-042, Phase 2 D.20-05-051, Phase 3 D.21-06-034 and PSPS Order Instituting Investigation D.21-06-014, Liberty Utilities (CalPeco Electric) LLC (“Liberty”) hereby submits this report regarding the PSPS event that occurred in Liberty’s service territory on November 5, 2025. In accordance with D.19-05-042 and D.21-06-014, this report is being distributed to the service lists for the following Commission rulemaking proceedings: R.18-10-007 and R.18-12-005 as well as all affected local and county public safety partners.

Liberty hereby provides the following link to access and download the report and attachments (geodatabase files and Excel workbook) to its PSPS Post-Event Report:

<https://california.libertyutilities.com/uploads/Liberty%20Post-Event%20Report%20on%20November%205%202025%20PSPS%20Event.pdf>.

Respectfully submitted,

/s/ Jordan Parrillo

Jordan Parrillo
Manager, Rates & Regulatory Affairs
Liberty Utilities (CalPeco Electric) LLC
701 National Avenue, Tahoe Vista, CA 96148
Telephone: (530) 721-7818
Jordan.Parrillo@libertyutilities.com

Dated: November 19, 2025

Attachment
Public Safety Power Shutoff Post-Event Report, November 5, 2025



Liberty
933 Eloise Avenue
South Lake Tahoe, CA 96150
Tel: 800-782-2506
libertyutilities.com

November 19, 2025

Leslie Palmer, Director
Safety and Enforcement Division
California Public Utilities Commission
505 Van Ness Avenue
San Francisco, CA 94102

Re: Liberty Post-Event Report on Public Safety Power Shutoff ("PSPS") Event on November 5, 2025

Dear Director Palmer:

Liberty Utilities (CalPeco Electric) LLC ("Liberty") respectfully submits the attached report regarding its PSPS event on November 5, 2025, in compliance with PSPS Post-Event Reporting requirements in Resolution ESRB-8 and California Public Utilities Commission ("CPUC") Decision ("D.") 19-05-042, D.20-05-051, D.21-06-014 and D.21-06-034. This report has been verified by an officer of Liberty in accordance with Rule 1.11 of the Commission's Rules of Practice and Procedure.

Sincerely,

Jordan Parrillo
Manager, Regulatory Affairs
Liberty

cc: ESRB_ComplianceFilings@cpuc.ca.gov

Ronald DeMayo, Ronald.DeMayo@cpuc.ca.gov

Anthony Noll, Anthony.Noll@cpuc.ca.gov



Liberty
933 Eloise Avenue
South Lake Tahoe, CA 96150
Tel: 800-782-2506
libertyutilities.com

**Liberty Utilities (CalPeco Electric) LLC
Public Safety Power Shutoff (“PSPS”) Post-Event Reporting for
November 5, 2025, PSPS Event**

**Submitted to:
California Public Utilities Commission
Director of the Safety and Enforcement Division
November 19, 2025**



Liberty
933 Eloise Avenue
South Lake Tahoe, CA 96150
Tel: 800-782-2506
libertyutilities.com

Table of Contents

1	Executive Summary	1
2	Decision-Making Process	4
3	Description of the Event	17
4	Damage and Hazards to Overhead Facilities	20
5	Notifications	22
6	Local and State Public Safety Partner Engagement	28
7	Complaints and Claims	33
8	Power Restoration	34
9	Community Resource Centers	37
10	Mitigations to Reduce Impact to Customers	40
11	Lessons Learned from this Event	41
12	Other Relevant Information	42
13	Officer Verification	43
14	Appendix A – Customer Notifications	1
15	Appendix B – Public Safety Partner Notifications	2
16	Appendix C – CPUC Notifications	3
17	Appendix D - PSPS Event Data Workbook (Excel File)	4



Liberty
933 Eloise Avenue
South Lake Tahoe, CA 96150
Tel: 800-782-2506
libertyutilities.com

Introduction

Liberty Utilities (CalPeco Electric) LLC (“Liberty”) submits this post-event report in compliance with California Public Utilities Commission’s PSPS post event requirements, including Resolution ESRB-8 and California Public Utilities Commission (“CPUC”) Decision (“D.”) 19-05-042, D.20-05-051, D.21-06-014 and D.21-06-034.¹

This report addresses the event that started on November 3, 2025, when Liberty activated its PSPS Incident Management Team (“IMT”) to further monitor the forecasted extreme weather condition and ended on November 6, 2025, when the IMT was demobilized and after re-energization of all impacted customers within the Markleeville, Woodfords, and Desolation Hotel (Hope Valley) areas in Alpine County and the Topaz, Coleville, and Walker areas in Mono County. Approximately 1,443 customers were de-energized during this event. This report explains Liberty’s decision to call, sustain, and conclude the de-energization event, and provides detailed information to facilitate the Commission’s evaluation of Liberty’s compliance with applicable PSPS guidelines.

Liberty recognizes that de-energization poses significant challenges and hardships for customers and the public safety partners that provide services to the affected communities. As such, Liberty’s decision to activate its PSPS protocol for this event is based on the consideration of multiple factors. These included forecasted extreme fire weather conditions including sustained winds of 30-40 mph with gusts exceeding 60 mph, relative humidity near 20%, and critically low fuel moisture levels. Wildfire risk modeling indicated a likelihood of fire spread and a high difficulty of suppression if an ignition occurred during these conditions. Additional considerations included the time of day, as the weather event was forecasted to occur overnight when notification and evacuation would be more challenging, increasing the risk to public safety.

Liberty is committed to continuously improving its PSPS processes and welcomes input from customers, public safety partners, community representatives, and local governments on ways to minimize the impact of PSPS events.

¹ This PSPS post-event report is based on the information and data available as of the submission of the report. Liberty continues to gather, analyze, and validate some of the underlying data, and will supplement this report with updated information, as needed

1 Executive Summary

1.1 Brief description of the PSPS event starting from the time when the utility's Emergency Operation Center is activated until service to all customers have been restored.

On November 3, 2025, at 08:30 a.m., Liberty's fire science experts identified conditions that would increase the high fire risk for the Muller 1296 circuit and the Topaz 1202 circuit. The conditions included forecasted high wind gusts and low relative humidity for the Markleeville, Woodfords, and Desolation Hotel (Hope Valley) areas in Alpine County and the Topaz, Coleville, and Walker areas in Mono County. The fuel moisture levels of vegetation in the impacted areas were critically low. Together, Liberty recognized that these conditions created an elevated fire-weather environment. These conditions were initially forecasted to begin late on November 4, 2025. Liberty had been monitoring the conditions since the week prior, but long-range models were not predicting elevated fire weather conditions at that time.

In response to these forecasted conditions, on November 3, 2025, at 11:00 a.m., Liberty activated its dedicated PSPS Incident Management Team ("IMT") to monitor the forecasted extreme weather conditions in the aforementioned areas and manage the event. At that time, Liberty began sending notifications of the potential PSPS to Public Safety Partners ("PSPs"), Critical Facilities and Infrastructure ("CFI") customers and other customers in scope. The IMT continued to closely monitor the forecasted conditions. On November 3, 2025, at approximately 10:00 p.m., the forecast of when the conditions would begin shifted to November 5, 2025, at 1:00 a.m.

On November 5, 2025, at 1:03 a.m., as a result of extreme weather conditions, Liberty de-energized 685 customers on its Muller 1296 circuit in Alpine County and 758 customers on its Topaz 1202 circuit in Mono county. The IMT continued to closely monitor the conditions. When the forecasted wind gusts dropped and humidity increased, Liberty began its patrol of the impacted areas to begin the re-energization process.

Power was restored to all impacted customers in Alpine County on November 5, 2025 at 2:34 p.m. Shortly thereafter, power was restored to all impacted customers in Mono County on November 5, 2025 at 5:22 p.m.

The PSPS event concluded on November 5, 2025, at 5:22 p.m.

Liberty's IMT de-mobilized on November 6, 2025, at approximately 9:00 a.m.

Liberty Utilities (CalPeco Electric) LLC Post Event Report on November 5, 2025 PSPS Event

- 1.2 A table including the maximum numbers of customers notified and actually deenergized; number of counties de-energized; number of tribes de-energized; number of Medical Baseline customers de-energized; number of transmission and distribution circuits de-energized; damage/hazard count; number of critical facilities and infrastructure de-energized. Hazards are conditions discovered during restoration patrolling or operations that might have caused damages or posed an electrical arcing or ignition risk had PSPS not been executed.

Table 1-1: PSPS Event Summary


Total Customers			De-energized				Number of Circuits			Damage/ Hazard Count
PSPS Notified	De- energized	Cancelled	MBL Customers	Number of Counties	Number of Tribes	Critical Facilities and Infrastructure	Transmission De-energized	Distribution Circuits in Scope	Distribution Circuits De- energized	
1,443 ²	1,443	0	13	2	1	75	0	2	2	3

² Liberty's post event report includes a lower customer count compared to its in-event reporting. This is because Liberty's in-event reporting (i.e., initial count of customers) includes disconnected accounts and duplicate accounts. As seen during this event, Liberty's initial customer count numbers may be higher than actuals as it reports the maximum potential impacted customers and attempts to communicate with as many customers as possible. Liberty's customer notification system automatically suppresses duplicates and would not include notifications to disconnected accounts.

1.3 A PDF map depicting the de-energized area(s).

The map below depicts the areas in Alpine County and Mono County that were impacted by the PSPS event.

Figure 1-1: Map of De-energized Liberty Area, November 5, 2025 PSPS Event



2 Decision-Making Process

- 2.1 A table showing factors considered in the decision to shut off power for each circuit de-energized, including sustained and gust wind speeds, temperature, humidity, and moisture in the vicinity of the de-energized circuits.

Table 2-1: Factors Considered in Decision to De-Energize

Circuit De-energized	Sustained Wind Speed (mph)	Gust Wind Speed (mph)	Relative Humidity (%)	FFWI	Live Woody Fuel Moisture	1000hr Fuel Moisture (%)	Temperature (°F)
Muller 1296	30-40	60	20	60	71%	9%	50
Topaz 1202	30-40	60	20	60	71%	9%	55

- 2.2 Decision criteria and detailed thresholds leading to de-energization including the latest forecasted weather parameters versus actual weather. Also include a PSPS decision-making diagram(s)/flowchart(s) or equivalent along with narrative description.

Liberty utilizes the Composite Risk Index (CRI) when assessing the potential need for de-energization. The CRI is a forecastable estimate of risk from power line caused fires. The CRI considers sustained and gust wind speed, fuel type, topography, and live & dead fuel moisture. It is cast in terms of a percentage of zone-specific thresholds and is intended to be used as a screening criterion, rather than an explicit threshold. When CRI is forecast to approach 100% of that threshold, additional factors are considered to determine whether proactive de-energization is appropriate. These factors include:

- Recent fuel moisture sampling data
- Forecast sustained and gust speed compared to observations
- Field observations, including blowing debris

1. Muller 1296 Circuit

The primary factors considered in the decision were live fuel moisture values in the area and the fire weather forecast for Muller 1296. Sagebrush fuel moisture was measured at 71% moisture content on 11/01/24, four days before the event.

The table below shows the Muller 1296 zonal average forecast from the 2024-11-08 18Z High Resolution Rapid Refresh (HRRR) model, along with CRI percent of threshold.



Liberty Utilities (CalPeco Electric) LLC Post Event Report on November 5, 2025 PSPS Event

Table 2-2: Muller 1296 zonal average forecast



Time	CRI	Wind speed	Wind gust	RH	Temp	FFWI
PST	%	mph	mph	%	°F	-
11/4/2025 10:00	7.41	13.45	20.11	23.78	61.96	31.45
11/4/2025 11:00	9.95	14.71	20.50	18.66	64.24	36.57
11/4/2025 12:00	12.24	14.47	19.93	15.92	66.27	37.21
11/4/2025 13:00	13.43	14.85	19.90	15.51	66.53	38.35
11/4/2025 14:00	15.43	15.68	21.62	15.78	65.77	40.33
11/4/2025 15:00	15.29	14.90	22.32	16.90	63.93	37.76
11/4/2025 16:00	14.87	12.91	23.46	18.10	61.10	32.17
11/4/2025 17:00	12.54	9.72	21.42	19.88	56.13	23.62
11/4/2025 18:00	10.83	8.26	17.14	20.65	53.56	19.77
11/4/2025 19:00	11.78	8.85	18.11	23.23	51.56	20.44
11/4/2025 20:00	8.89	8.28	11.22	24.56	49.61	18.80
11/4/2025 21:00	8.83	8.35	12.29	24.53	48.55	18.99
11/4/2025 22:00	5.75	8.49	10.13	25.00	47.77	19.17
11/4/2025 23:00	4.57	10.39	14.89	27.97	46.78	22.67
11/5/2025 0:00	5.71	12.63	17.83	30.14	47.06	26.90
11/5/2025 1:00	8.59	15.00	22.41	26.80	48.48	33.26
11/5/2025 2:00	9.68	14.27	19.26	24.56	49.82	32.62
11/5/2025 3:00	18.01	15.99	21.19	21.47	50.25	37.72
11/5/2025 4:00	30.26	18.86	27.75	19.99	50.25	44.98
11/5/2025 5:00	77.69	30.24	46.75	20.11	51.32	72.66
11/5/2025 6:00	112.09	31.86	54.53	22.80	50.87	74.15
11/5/2025 7:00	103.32	31.32	53.10	27.48	50.13	68.92
11/5/2025 8:00	103.89	28.53	53.03	25.95	53.18	64.13
11/5/2025 9:00	12.84	29.66	51.53	47.90	48.93	50.82
11/5/2025 10:00	0.03	29.36	54.71	61.22	48.22	41.81
11/5/2025 11:00	0.01	26.18	48.34	71.99	46.73	29.82
11/5/2025 12:00	0.00	25.10	46.18	70.19	47.96	30.03
11/5/2025 13:00	0.00	25.97	46.42	70.57	48.89	30.81
11/5/2025 14:00	0.00	28.14	49.75	68.55	49.16	34.78
11/5/2025 15:00	0.31	28.88	51.48	67.69	48.45	36.65
11/5/2025 16:00	2.57	33.00	58.68	68.04	46.81	41.47
11/5/2025 17:00	5.40	27.45	49.89	66.51	45.81	35.23
11/5/2025 18:00	5.33	17.07	36.93	68.70	44.74	20.39
11/5/2025 19:00	4.10	13.64	25.60	69.80	43.93	16.13
11/5/2025 20:00	2.62	11.71	16.43	71.57	44.01	13.74

Liberty Utilities (CalPeco Electric) LLC Post Event Report on November 5, 2025 PSPS Event

A comparison of forecast vs. observations is presented below for a Liberty weather station on the Muller 1296 circuit.



Liberty Utilities (CalPeco Electric) LLC Post Event Report on November 5, 2025 PSPS Event



Liberty Utilities (CalPeco Electric) LLC Post Event Report on November 5, 2025 PSPS Event

2. Topaz 1202 Circuit:

The primary factors considered in the decision were live fuel moisture values in the area and the fire weather forecast for the Topaz circuit. Sagebrush fuel moisture was measured at 71% moisture content on 11/01/24, four days before the event.

The table below shows the Topaz circuit zonal average forecast from the 2024-11-08 18Z High Resolution Rapid Refresh (HRRR) model, along with CRI percent of threshold.


Table 2-3: Topaz 1202 zonal average forecast

Time PST	CRI %	Wind speed mph	Wind gust mph	RH %	Temp °F	FFWI -
11/4/2025 10:00	2.56	9.84	16.60	19.65	62.09	24.24
11/4/2025 11:00	3.09	10.44	16.19	12.81	66.99	27.86
11/4/2025 12:00	5.40	12.50	17.46	10.50	69.23	34.66
11/4/2025 13:00	7.31	13.20	17.73	10.51	69.65	36.52
11/4/2025 14:00	8.92	13.94	18.88	11.11	68.83	37.99
11/4/2025 15:00	9.04	13.73	19.59	12.32	67.15	36.79
11/4/2025 16:00	8.33	11.48	19.93	14.10	63.86	30.05
11/4/2025 17:00	5.73	9.31	17.58	16.23	58.77	23.72
11/4/2025 18:00	5.34	8.68	15.09	16.80	56.12	21.95
11/4/2025 19:00	4.63	8.12	14.95	15.88	54.25	20.69
11/4/2025 20:00	4.72	7.95	14.68	14.81	53.43	20.56
11/4/2025 21:00	3.27	7.18	11.54	14.07	53.14	18.74
11/4/2025 22:00	2.93	6.37	9.95	13.17	52.91	16.86
11/4/2025 23:00	2.94	6.93	11.16	15.25	51.55	17.91
11/5/2025 0:00	2.57	6.79	10.42	15.92	51.21	17.41
11/5/2025 1:00	5.72	11.46	16.98	17.74	50.30	28.50
11/5/2025 2:00	8.10	13.61	19.24	17.35	51.72	34.01
11/5/2025 3:00	11.06	16.39	25.41	15.33	53.15	41.89
11/5/2025 4:00	15.13	18.37	28.29	13.17	53.81	48.14
11/5/2025 5:00	22.55	20.45	33.44	13.02	53.37	53.63
11/5/2025 6:00	57.95	24.83	40.99	13.44	53.32	64.83
11/5/2025 7:00	110.54	30.90	57.10	15.83	53.58	78.25
11/5/2025 8:00	133.08	36.06	62.43	16.60	56.71	90.79
11/5/2025 9:00	127.49	34.03	59.48	17.94	58.36	84.61
11/5/2025 10:00	0.72	33.74	56.77	38.30	53.64	65.79
11/5/2025 11:00	0.01	29.43	51.08	55.88	51.85	45.44
11/5/2025 12:00	0.00	28.78	50.49	62.20	51.52	40.90
11/5/2025 13:00	0.00	27.60	49.93	60.02	52.50	40.54
11/5/2025 14:00	0.48	27.38	52.10	56.65	53.33	41.81
11/5/2025 15:00	1.80	28.61	55.21	55.18	52.83	44.28
11/5/2025 16:00	16.93	30.15	59.93	53.87	51.47	47.65
11/5/2025 17:00	18.31	20.38	49.75	55.98	49.08	31.29
11/5/2025 18:00	6.36	14.41	20.43	53.87	48.59	23.30
11/5/2025 19:00	6.96	16.64	20.72	52.57	48.17	27.21
11/5/2025 20:00	4.93	13.49	18.09	56.45	47.05	21.11


A comparison of forecast vs. observations is presented below for two Liberty weather stations on the Topaz circuit.

Liberty Utilities (CalPeco Electric) LLC Post Event Report on November 5, 2025 PSPS Event

LIB05 Station - Wind Gust - 11/04/2025 18Z forecast




LIB26 Station - Wind Gust - 11/04/2025 18Z forecast




Liberty Utilities (CalPeco Electric) LLC Post Event Report on November 5, 2025 PSPS Event



LIB05 Station - Wind Speed - 11/04/2025 18Z forecast





LIB26 Station - Wind Speed - 11/04/2025 18Z forecast



Liberty Utilities (CalPeco Electric) LLC Post Event Report on November 5, 2025 PSPS Event



Liberty Utilities (CalPeco Electric) LLC Post Event Report on November 5, 2025 PSPS Event



- 2.3 A thorough and detailed description of the quantitative and qualitative factors Liberty considered in calling, sustaining, or curtailing each de-energization event including any fire risk or PSPS risk modeling results, and a specification of the factors that led to the conclusion of the de-energization event.

The quantitative factors that were considered include forecast vs. actual weather conditions and field observations, as discussed above. The de-energization event was concluded when observed wind gusts dropped below 40 mph, and relative humidity rose above 60. Field observations considered in the decision also included lack of blowing debris and onset of precipitation.

2.4 An explanation of how the utility determined that the benefit of de-energization outweighed potential public safety risks, and analysis of the risks of de-energization against not de-energizing. The utility must identify and quantify customer, resident, and the general public risks and harms from de-energization and clearly explain risk models, risk assessment processes, and how the power disruptions to customers, residents, and the general public is weighed against the benefits of a proactive de-energization.

As the Commission recognizes, “wildfire has long been a feature of California’s landscape. In recent decades, the number of fire incidents and acres burned has increased considerably. Land use and resource management policies, together with climate change, have increased the likelihood of wildfires starting and the severity of their consequences. Hotter, drier conditions during summer and a longer dry season have resulted in lower moisture levels in vegetation, making it easier to ignite. The drier fuels also enable fires to spread more rapidly, making them difficult to contain. The more extended dry season also increases the chance that strong offshore winds in the fall coincide with dry conditions, further increasing wildfire risk.”

The Commission further notes that “[r]ecent fires have resulted in a devastating loss of life and billions of dollars in property and infrastructure damage... and fires attributed to power lines consist of roughly half of the most destructive fires in California history.”

Liberty’s goal is to provide reliable electric service to its customers while protecting the community, particularly from wildfires. Before initiating a de-energization event, Liberty carefully balances the needs of the potentially impacted communities’ need for safe and reliable electric service with the potential risk that continued energization poses for catastrophic wildfire. Liberty acknowledges, as the CPUC as recognized, that “[w]hile PSPS events can reduce wildfire risk ... they also leave customers and essential facilities without power, which brings its own risks and hardships.” As such, when considering PSPS, Liberty also considers the impact on vulnerable populations and critical infrastructure. In assessing public safety risk, consideration is given to mitigation strategies as potential alternatives to de-energization. Liberty will only initiate a PSPS as a measure of last resort and established guidelines for its implementation

As such, when weighing the decision to de-energize, Liberty works closely with its fire science consultant, CloudFire Inc., to assess the potential consequences of certain conditions. Other actions that Liberty takes include assessing the real-time wildfire risk model, Pyrecast, which indicated increased danger of a catastrophic wildfire if an ignition were to occur under the weather conditions forecasted. Pyrecast simulated the ignition of hundreds of millions of hypothetical fires across the landscape and modeled their spread under forecasted weather conditions. This makes it possible to identify areas where rapidly spreading fires may occur.

In this PSPS event, Liberty recognized that de-energization would impact 685 customers on its Muller 1296 circuit in Alpine County and 758 customers on its Topaz 1202 circuit in Mono county. The forecasted conditions (high winds, low humidity) and Liberty’s observations and knowledge of the terrain of the impacted areas, weighed in favor of de-energization. Alpine County’s topography is characterized by rugged peaks and ridges, deep canyons and mountain meadows. Similarly, Mono County is dense with vegetation.

Liberty Utilities (CalPeco Electric) LLC Post Event Report on November 5, 2025 PSPS Event

Liberty also considered that the extreme conditions were forecasted to begin at approximately 1:00 a.m., a time when most of the population in the impacted areas would be asleep. If a fire were to ignite under these conditions, the risk to public safety would be significantly heightened, as customers may be unaware of safety notices or evacuation requests issued during overnight hours.

Given these considerations, Liberty determined that the public's benefit of de-energization outweighed the potential public safety risks, and that de-energization was appropriate.

Liberty remains committed to continuously improving the PSPS process and appreciates the feedback Liberty received from Energy Safety in response to Liberty 2026–2028 Base Wildfire Mitigation Plan. Liberty is utilizing Energy Safety's comments to further develop its PSPS process. Specifically, Critical Issue 3.1.1 (RN-LU-26-01) states that the current risk modeling framework and calculations overemphasize PSPS risk and that "[p]ower outages often have lower financial and safety consequences compared to a wildfire in the same area." Consistent with Energy Safety's comment, Liberty agrees with this statement and determined that the benefit of de-energization outweighed the public safety, financial, and safety risk based on forecasted conditions, Meteorology, and fire science information Liberty used in its decision criteria. The risk modeling revisions underway aim to improve transparency, consistency, and quantification of risk scores used in PSPS decision-making. Liberty will incorporate updated modeling approaches and enhanced data integration in future filings to align with Energy Safety's directives.

2.5 Explanation of alternatives considered and evaluation of each alternative.

As discussed above, Liberty utilizes a PSPS as a last case resort. In this PSPS event, Liberty considered three potential alternates.

Sectionalization was considered as an alternative. Liberty determined that there was no alternate source downstream of the Muller 1296 circuit to safely feed the remaining portion of the circuit that did not reside within the PSPS zone. As a result, the entire feed downstream of the Muller 1296 circuit was de-energized. Similarly, there was no alternate source downstream of the Topaz 1202 circuit to safely feed the remaining portion of the circuit that did not reside within the PSPS zone. As a result, the entire feed downstream of the Topaz 1202 circuit was de-energized.

Liberty also considered the use of fast trip settings during the period of elevated fire danger. Fast trip settings adjust protective device sensitivity to operate more quickly during fault conditions, reducing the duration of electrical arcing that could lead to an ignition. This approach can lower wildfire ignition probability while allowing circuits to remain energized. The increased sensitivity of protective equipment devices carries a reliability concern of more frequent, extended, and unpredictable outages for which customers may not be adequately prepared. Additionally, there is residual wildfire risk when fast trip settings are enabled that may not be fully mitigated under extreme fire weather conditions. Due to the presence of extreme conditions in the forecast, Liberty decided that fast trip settings were not a viable alternative for this event. The high likelihood that outages would occur during fast trip settings and residual fire risk posed unacceptable public safety concerns.

Liberty also considered the use of line operations personnel in the field as an alternative to de-energization to monitor conditions and respond to weather caused outages. However, based on the forecasted conditions, it was determined that on-the-ground resources would not be adequate to respond to and suppress a fire.

Ultimately, Liberty determined that the above measures alone did not reduce the risk of the potential of a catastrophic wildfire given the then-present additions in the above identified communities sufficiently to protect the public.

3 Description of the Event


3.1 The summary of time, place, and duration of the event, broken down by phase if applicable.

As discussed in Section 1.1. above, this event encompassed Liberty's Muller 1296 circuit in Alpine County and Liberty's Topaz 1202 circuit in Mono County.

- On November 1, 2025, at 2:00 p.m., Liberty's fire science experts identified conditions that may likely warrant Fast Trips settings for the Muller 1296 circuit and the Topaz 1202 circuit, but did not warrant a PSPS.
- On the morning of November 3, 2025 at 8:30 a.m., Liberty's fire science experts identified conditions that would potentially increase the high fire risk for the Muller 1296 circuit and the Topaz 1202 circuit possibly requiring a PSPS. On November 3, 2025, at 11:00 a.m., Liberty activated its dedicated PSPS IMT to monitor the forecasted extreme weather conditions in the aforementioned areas and manage the event. These conditions were initially forecasted to begin on November 4, 2025.
- On November 3, 2025, at approximately 10:00 p.m., the forecast of when the conditions would begin shifted to begin on November 5, 2025 at 1:00 a.m.
- On November 5, 2025, at 1:03 a.m., Liberty de-energized approximately 1,443 customers in Alpine County and Mono County.
- When the forecasted wind gusts dropped and humidity increased, Liberty began its patrol of the impacted areas to begin the re-energization process.
- On November 5, 2025, at 2:34 p.m., Liberty restored power to 685 impacted customers in Alpine County. The impacted customers in Alpine County were de-energized for approximately 13 hours and 30 minutes.
- On November 5, 2025 at 5:22 p.m., Liberty restored power to 758 impacted customers in Mono County. At that time, power was restored to all impacted customers. The impacted customers in Mono County were de-energized for approximately and up to 16 hours and 30 minutes.

Figure 3-1 shows the location of Liberty's November 5, 2025 PSPS event.

Figure 3-1: Map of De-energized Liberty Area, November 5, 2025 PSPS Event



3.2 A zipped geodatabase file that includes PSPS event polygons of de-energized areas. The file should include items that are required in Section 3.3.

A zipped geodatabase file that includes all information in Section 3.3 is included with this filing.

3.3 A list of circuits de-energized, with the following information for each circuit. This information should be provided in both a PDF and excel spreadsheet.

The following table details the specified information for each circuit de-energized during this PSPS event and has also been included in the required PSPS Event Data Workbook filed with this report.

- County
- De-energization date/time
- Restoration date/time

Liberty Utilities (CalPeco Electric) LLC Post Event Report on November 5, 2025 PSPS Event

- “All Clear” declaration date/time
- General Order (GO) 95, Rule 21.2-D Zone 1, Tier 2, or Tier 3 classification or non-High Fire Threat District
- Total customers de-energized
- Residential customers de-energized
- Commercial/Industrial customers de-energized
- Medical Baseline (MBL) customers de-energized
- AFN other than MBL customers de-energized
- Other Customers
- Distribution or transmission classification

Table 3-1: Circuits De-Energized During November 5, 2025 PSPS Event

Circuits De-Energized									
County	Circuit Name	De-energization Date	De-energization Time (2400)	All Clear Declaration Date	All Clear Declaration Time (2400)	Restoration Date	Restoration Time (2400)	G.O. 95 Tier HFTD	Distribution/ Transmission Classification
Alpine	Muller 1296	11/05/2025	1:03	11/05/2025	14:29	11/05/2025	14:34	2	Distribution
Mono	Topaz 1202	11/05/2025	1:03	11/05/2025	17:20	11/05/2025	17:22	2	Distribution

Circuits De-Energized (continued)									
County	Circuit Name	Residential Customers De-energized	Commercial/ Industrial customers De-energized	Medical Baseline customers De-energized	AFN other than MBL customers De-energized	Total customers De-energized ³	Restoration Time (2400)	G.O. 95 Tier HFTD	Other Customers
Alpine	Muller 1296	584	96	2	248	685	14:34	2	5
Mono	Topaz 1202	623	125	11	257	758	17:22	2	10

³ Liberty’s post event report includes a lower customer count compared to its in-event reporting. This is because Liberty’s in-event reporting (i.e., initial count of customers) includes disconnected accounts and duplicate accounts. As seen during this event, Liberty’s initial customer count numbers may be higher than actuals as it reports the maximum potential impacted customers and attempts to communicate with as many customers as possible. Liberty’s customer notification system automatically suppresses duplicates and would not include notifications to disconnected accounts.

4 Damage and Hazards to Overhead Facilities

4.1 Description of all found wind-related damages or hazards to the utility's overhead facilities in the areas where power is shut off.

On November 5, 2025, Liberty identified a broken insulator on the neutral resulting in a floating primary neutral wire on the Muller 1296 circuit, pole 214652 (171 Nevada Rd, Markleeville, CA). Liberty replaced the broken insulator and rehung the primary neutral prior to re-energization.

On November 5, 2025, Liberty identified an object in the primary on the Topaz 1202 circuit, pole 295108 (935-1249 Cunningham Lane, Coleville, CA). Liberty removed the bailing wire from the primary neutral removing the hazard prior to re-energization.

On November 5, 2025, Liberty identified an object in the primary on the Topaz 1202 circuit, pole 266633 (115408-115532 US 395, Topaz, CA). Liberty removed the tree limb from the primary neutral removing the hazard prior to re-energization.

4.2 A table showing circuit name and structure identifier (if applicable) for each damage or hazard, county that each damage or hazard is located in, whether the damage or hazard is in a High Fire Threat District (HFTD) or non-HFTD and the type of damage/hazard.

Table 4-1: Damage and Hazards Found During November 5, 2025 PSPS Event


Circuit Name	Structure Identifier	County	G.O. 95 Tier HFTD	Type of Damage/ Hazard
Muller 1296	Pole #214652	Alpine	2	Broken insulator
Topaz 1202	Pole #295108	Mono	2	Object in the primary
Topaz 1202	Pole #266633	Mono	2	Object in the primary

4.3 A zipped geodatabase file that includes the PSPS event damage and hazard points. The file should include fields that are in the table above.

A zipped geodatabase file that includes all information in Section 4.2 is included with this filing.

4.4 A PDF map identifying the location of each damage or hazard.

Figure 4-1: Map of Damage and Hazards Found During November 5, 2025 PSPS Event



5 Notifications

5.1 A description of the notice to public safety partners, local/tribal governments, paratransit agencies that may serve all the known transit or paratransit dependent persons that may need access to a community resource center, multi-family building account holders/building managers in the AFN community, and all customers, including the means by which utilities provide notice to customers of the locations/hours/services available for CRCs, and where to access electricity during the hours the CRC is closed.

Liberty understands that before and during a PSPS event, communication with impacted customers and other necessary parties is critical, so that if or when de-energization occurs, the event is as orderly and safe as possible. Prior to and during this PSPS event, Liberty made significant effort to notify public safety partners, local/tribal governments, critical facilities and infrastructure, and customers in accordance with the minimum timelines set forth by the CPUC weather and other factors permitting.

In the customer notifications, Liberty directs potentially impacted customers to Liberty's website for information related to the location, hours and services available at the two available Community Resource Centers. See Appendix A for notifications to customers. The notices and ongoing communications with customers directed customers to the [Liberty PSPS webpage](#) for real-time information related to CRCs.

In addition, as part of Liberty's PSPS notification process, all account holders including multi-family building account holders, received notices prior to de-energization.

See Appendix B for notifications to Public Safety Partners.

See Appendix C for notifications to the CPUC.

Please see the table below for a description of the types of notices provided during this event.

Table 5-1: Description of PSPS Notifications

Type of Notification	Recipients	Description
Initial Notice for PSPS Event	PSPs and CFI (includes local and Tribal governments, hospitals, water/wastewater, telecommunications and transportation providers, CBOs)	Initial notification of potential PSPS event when circuits are first identified for potential de-energization.
	All customers	
Updated Notice for PSPS Event	PSPs and CFI (includes local and Tribal governments, hospitals, water/wastewater, telecommunications and transportation providers, CBOs)	Updated notification of potential PSPS event when circuits are first identified for potential de-energization.
	All customers	
Imminent De-energize (expected)	PSPs and CFI (includes local and Tribal governments, hospitals, water/wastewater, telecommunications and transportation providers, CBOs)	Power shutoff expected soon (1-4 hours before potential de-energization).
	All customers	

Liberty Utilities (CalPeco Electric) LLC Post Event Report on November 5, 2025 PSPS Event

Type of Notification	Recipients	Description
De-energized (shutoff)	PSPs and CFI (includes local and Tribal governments, hospitals, water/wastewater, telecommunications and transportation providers, CBOs)	Power has been shut off (when de-energization is initiated)
	All customers	
Imminent Re-energize (prepare to restore)	PSPs and CFI (includes local and Tribal governments, hospitals, water/wastewater, telecommunications and transportation providers, CBOs)	Inspection/patrols of de-energized circuits for PSPS restoration has begun and power will be restored by estimated time.
	All customers	
Event concluded	PSPs and CFI (includes local and Tribal governments, hospitals, water/wastewater, telecommunications and transportation providers, CBOs)	Power has been restored and PSPS protocols are no longer enacted for this event.
	All customers	

5.2 Notification timeline including prior to de-energization, initiation, restoration, and cancellation, if applicable. The timeline should include the required minimum timeline and approximate time notifications were sent.

Table 5-2: Notification Timeline for Liberty November 22, 2024, PSPS Event (24:00)

Event Order	Notification Type	Requirement Timeline	Notifications Sent To	Date Sent	Approximate Time Sent: Alpine County	Approximate Time Sent: Mono County
Pre-De-energization (prior)	Initial Notice for PSPS Event	72-48 hours	N/A ⁴	N/A	N/A	N/A
	Initial Notice for PSPS Event	48-24 hours	PSP	11/3/2025	15:15	15:15
		48-24 hours	CFI	11/3/2025	16:19	16:19
		48-24 hours	MBL customers	11/3/2025	16:19	16:19
		48-24 hours	All other affected customers	11/3/2025	16:19	16:19
		48-24 hours	CalOES	11/3/2025	15:30	15:30
		48-24 hours	CPUC	11/3/2025	15:34	15:34
	Updated Notice for PSPS Event	12 hours prior	PSP	11/4/2025	9:56	9:54
		12 hours prior	CFI	11/4/2025	9:35	9:35
		12 hours prior	MBL customers	11/4/2025	9:35	9:35

⁴ Liberty notified customers as soon as practicable. This notice was not provided because the rapid change in conditions (rather than any failure to notify) caused Liberty to provide this notice outside the minimum required timeline.

Liberty Utilities (CalPeco Electric) LLC Post Event Report on November 5, 2025 PSPS Event

Event Order	Notification Type	Requirement Timeline	Notifications Sent To	Date Sent	Approximate Time Sent: Alpine County	Approximate Time Sent: Mono County
		12 hours prior	All other affected customers	11/4/2025	9:35	9:35
		12 hours prior	CalOES	11/4/2025	6:57	6:57
		12 hours prior	CPUC	11/4/2025	7:00	7:00
	Updated Notice for PSPS Event	12 hours prior	PSP	11/4/2025	15:42	15:45
		12 hours prior	CFI	11/4/2025	15:26	15:26
		12 hours prior	MBL customers	11/4/2025	15:26	15:26
		12 hours prior	All other affected customers	11/4/2025	15:26	15:26
		12 hours prior	CalOES	11/4/2025	15:00	15:00
		12 hours prior	CPUC	11/4/2025	15:00	15:00
		4-1 hours	PSP	11/4/2025	21:22	21:22
		4-1 hours	CFI	11/4/2025	21:26	21:26
	Imminent De-energize (expected)	4-1 hours	MBL customers	11/4/2025	21:26	21:26
		4-1 hours	All other affected customers	11/4/2025	21:26	21:26
		4-1 hours	CalOES	11/4/2025	N/A	N/A
		4-1 hours	CPUC	11/4/2025	N/A	N/A
In-Event (during)	De-energized (shutoff)	De-energization	PSP	11/5/2025	9:24	9:25
		De-energization	CFI	11/5/2025	1:11	1:11
		De-energization	MBL customers	11/5/2025	1:11	1:11
		De-energization	All other affected customers	11/5/2025	1:11	1:11
		De-energization	CalOES	11/5/2025	1:06 and 6:53	1:06 and 6:53
		De-energization	CPUC	11/5/2025	1:09 and 6:58	1:09 and 6:58
Restoration (after)	Imminent Re-energize (prepare to restore)	Imminent re-energization	PSP	11/5/2025	12:18	14:14
		Imminent re-energization	CFI	11/5/2025	12:26	15:00
		Imminent re-energization	MBL customers	11/5/2025	12:26	15:00
		Imminent re-energization	All other affected customers	11/5/2025	12:26	15:00
		Imminent re-energization	CalOES	11/5/2025	14:57	14:57
		Imminent re-energization	CPUC	11/5/2025	15:12	15:12

Liberty Utilities (CalPeco Electric) LLC Post Event Report on November 5, 2025 PSPS Event

Event Order	Notification Type	Requirement Timeline	Notifications Sent To	Date Sent	Approximate Time Sent: Alpine County	Approximate Time Sent: Mono County
	Event concluded	All clear	PSP	11/5/2025	14:47	17:41
		All clear	CFI	11/5/2025	14:34	17:36
		All clear	MBL customers	11/5/2025	14:34	17:36
		All clear	All other affected customers	11/5/2025	14:34	17:36
		All clear	CalOES	11/5/2025	18:00	18:00
		All clear	CPUC	11/5/2025	18:02	18:02

5.3 For those customers where positive or affirmative notification was attempted, use the following template to report the accounting of the customers (which tariff and/or access and functional needs population designation), the number of notification attempts made, the timing of attempts, who made the notification attempt (utility or public safety partner) and the number of customers for whom positive notification was achieved. “Notification attempts made” and “Successful positive notification” must include the unique number of customer counts. When the actual notification attempts made is less than the number of customers that need positive notifications, the utilities must explain the reason. In addition, the utilities must explain the reason of any unsuccessful positive notifications.

Liberty successfully contacted all medical baseline customers. See Table below for more information of Liberty's communication attempts and positive notifications with medical baseline customers.

Table 5-3: Positive Notifications to MBL Customers

Category	Total Number of Customers	Timing of Attempts	Notification Attempts	Successful Positive Notification	Who Made the Notification
Medical Baseline	13	11/3/2025 at 4:19 p.m. 11/4/2025 at approximately 10:00 a.m. 11/4/2025 at approximately 12:55-2:55 p.m.	23 (Liberty continued to contact customers until positive notification)	13	Liberty

5.4 A copy or scripts of all notifications with a list of all languages that each type of notification was provided in, the timing of notifications, the methods of notifications and who made the notifications (the utility or local public safety partners).

Copies of all notifications are contained in Appendices A, B, and C. Liberty performed all primary customer notifications and encouraged public safety partners to amplify PSPS messages on their platforms as appropriate. Liberty offered all notifications in English and provides notifications in Spanish on its website. Liberty also provides links to PSPS materials in Spanish, French, German, Chinese, Vietnamese and Tagalog.

5.5 If the utility fails to provide notifications according to the minimum timelines set forth in D.19-05-042 and D.21-06-034, using the following template to report a breakdown of the notification failure and an explanation of what caused the failure.

Throughout the PSPS event, Liberty consistently and diligently attempted to notify and successfully notified PSPs, local/tribal governments, critical facilities and infrastructure, and customers in alignment with the minimum timelines outlined in the CPUC's PSPS Phase 1 Guidelines (D.19-05-042), to the extent possible based on the available information on the weather conditions. Due to the rapidly evolving weather conditions described in Section 2 of this report, it was not possible to meet the CPUC's prescribed 72–48-hour pre-de-energization notification window. Nevertheless, Liberty prudently activated its IMT within 48 hours of the forecasted PSPS event and continued to issue notifications as soon as it was practicable to do so.

Although the 72–48-hour advance notification could not be provided for this event, per the minimum timelines set forth in D.19-05-042, Liberty initiated notifications promptly once a PSPS event became reasonably anticipated, based on ongoing monitoring of dynamic weather forecasts and input from its fire experts. As the Commission recognized in D. 52-05-051, utilities have “the impossible feat of anticipating every emergency situation resulting in proactive de-energization, the Commission held that **[the utility] should provide as much notice as feasible** before shutting off power so the affected providers of essential services (e.g., hospitals, prisons, public safety agencies, communications providers, and water districts) and customers who are especially vulnerable to power interruptions (e.g., customers who rely on medical life support equipment) may implement their own emergency plans.” (emphasis added). With this event, Liberty provided the required notifications, which were delivered at the earliest feasible opportunity under the circumstances at the time of the PSPS event.

Liberty recognizes that sudden, unpredictable changes in weather conditions may prevent Liberty from providing its customers with the 72-48-hour advance notice prior to a PSPS event. To mitigate this challenge, Liberty proactively offers year-round education on PSPS events to its customers, including suggestions on how to prepare for a PSPS. In relation to this November 5, PSPS event, Liberty had distributed a PSPS preparedness information sheet via email to all customers- including those in the impacted areas – on October 7, 2025, less than one month before this PSPS event.

5.6 Explain how the utility will correct the notification failures.

Liberty will continue to make every effort to notify PSPs, local/tribal governments, critical facilities and infrastructure, and customers in accordance with the minimum timelines set forth by the CPUC in PPS Phase 1 Guidelines (D.19-05-042), weather and other factors permitting. If Liberty is unable to provide notice in accordance with the minimum timelines, Liberty will provide as much notice as feasible to any impacted customers prior to shutting off power. In addition, and as discussed above, Liberty will continue to provide education to its customers about PPS events and suggestions on actions to take to prepare for a PPS event.

5.7 Enumerate and explain the cause of any false communications citing the sources of changing data.

Not applicable; Liberty is not aware of any false communications during this event.

6 Local and State Public Safety Partner Engagement

6.1 List the organization names of public safety partners including, but not limited to, local governments, tribal representatives, first responders and emergency management, and critical facilities and infrastructure the utility contacted prior to de-energization, the date and time on which they were contacted, and whether the areas affected by the de-energization are classified as Zone 1, Tier 2, or Tier 3 as per the definition in CPUC General Order 95, Rule 21.2-D.

Table 6-1: Local and State Public Safety Partner Engagement

Entity Name	PSP Type	Organization	Title	HFTD Tier	Date Contacted	Time Contacted
Sean Landavazo	Fire	Cal Fire BUD	Deputy Chief	2	3-Nov-25	15:46
Nate McCarthy	Fire	Cal Fire AEU	Battalion Chief	2	3-Nov-25	15:46
Tim Richter	Fire	Cal Fire NEU	Division Chief	2	3-Nov-25	15:46
Jim Hudson	Fire	Cal Fire NEU	Deputy Chief	2	3-Nov-25	15:46
Shaun Fairbanks	Fire	Cal Fire SAC	Deputy Chief	n/a	3-Nov-25	17:32
Chris Mokarcek	Emergency Management	Mono Co	Emergency Manager	2	4-Nov-25	10:44
Chris Harootunian	Admin	Alpine Co	Public Health Program Manager	2	4-Nov-25	12:36
Evan Mecak	Admin	Alpine Co	Supervisor, District 2	2	4-Nov-25	12:36
Tom Minder	Law	Alpine Co	Undersheriff	2	4-Nov-25	12:36
Nichole Williamson	Admin	Alpine Co	HHS Dir	2	4-Nov-25	12:36
Richard Johnson		Alpine Co	Pub Health Officer	2	4-Nov-25	12:36
Terry Hughes	Fire	Alpine Co	Fire Chief	2	4-Nov-25	12:36
Tim Streeper	Emergency Management	Alpine Co	Emerg Prep	2	4-Nov-25	12:36
Craig Goodman	Admin	Alpine Co	Dir Finance	2	4-Nov-25	12:36
Angela Slais	Admin	Alpine Co	Public Health Program Manager	2	4-Nov-25	12:36
John Baker	Fire	Alpine Co	Alpine Co Fire Chief	2	4-Nov-25	12:36
Paul Washam	Law	Alpine Co	Alpine Co Sheriff	2	4-Nov-25	12:36
Irvin Jim	Admin	Alpine Co	Supervisor, District 3 (Hung-a-lel-Ti)	2	4-Nov-25	12:36

Liberty Utilities (CalPeco Electric) LLC Post Event Report on November 5, 2025 PSPS Event

Entity Name	PSP Type	Organization	Title	HFTD Tier	Date Contacted	Time Contacted
David Griffith	Admin	Alpine Co	Supervisor, District 5, Vice Chair	2	4-Nov-25	12:36
Michelle Beckwith		Alpine Co		2	4-Nov-25	12:36
Alison Hesterly	Fire	Cal Fire BDU	BDU PIO	2	4-Nov-25	12:36
Steve Elenburg	Fire	Cal Fire BDU	BDU Battalion Chief (Bishop)	2	4-Nov-25	12:36
Heidi Torix	Admin	ESUSD	Superintendent	2	4-Nov-25	12:36
Shane Gleason	Admin	ESUSD	Maintenance Dir	2	4-Nov-25	12:36
Rich Nalder	Fire	Mono Co	Fire Chief	2	4-Nov-25	12:36
John Peters	Admin	Mono Co	Supervisor	2	4-Nov-25	12:36
Mike Martinez	Admin	Mono Co	IT Dir	2	4-Nov-25	12:36
Seth Clark	Law	Mono Co	Sheriff Lieutenant	2	4-Nov-25	12:36
Ingrid Braun	Law	Mono Co	Sheriff	2	4-Nov-25	12:36
Bryan Bullock	EMS	Mono Co	EMS Chief	2	4-Nov-25	12:36
Sarah Roberts	Law	Mono Co	Sheriff's Dept PIO	2	4-Nov-25	12:36
Sandra Moberly	Admin	Mono Co	Chief Administrative Officer	2	4-Nov-25	12:36
Michael Lightfoot	Fire	Mono Co MWTC	Asst. Fire Chief	2	4-Nov-25	12:36
Andrew Oddo		Mono Co MWTC		2	4-Nov-25	12:36
Kathy Peterson	Admin	Mono Co Social Services	Director	2	4-Nov-25	12:36
Cathy Young	Admin	Mono Co Social Services	Shelter Coordinator Lead	2	4-Nov-25	12:36
Leslie Gaunt	Admin	Mono Co Social Services	Shelter Coordinator	2	4-Nov-25	12:36
Yvonne Freeman	Admin	Mono Co Social Services	Shelter Coordinator	2	4-Nov-25	12:36
Cassidy Miles	Admin	Mono County HHS / Social Services	Senior Services Supervisor	2	4-Nov-25	12:36
Bri Chappell-McGovern	Emergency Management	Mono County Public Health	Emergency Preparedness Manager	2	4-Nov-25	12:36
Jacob Maxwell	Military	USMC		2	4-Nov-25	12:36
Ken Quiner	Tribal	Washoe Tribe	Tribal Emergency Manager	2	4-Nov-25	12:36

Liberty Utilities (CalPeco Electric) LLC Post Event Report on November 5, 2025 PSPS Event

Entity Name	PSP Type	Organization	Title	HFTD Tier	Date Contacted	Time Contacted
Robert Beltramo	Tribal	Washoe Tribe	Tribal Planning Director	2	4-Nov-25	12:36
Lisa Christensen	Tribal	Washoe Tribe	Washoe Tribe Emergency Manager	2	4-Nov-25	12:36
George Abbott	Tribal	Washoe Tribe		2	4-Nov-25	12:36
Max Rettig	Tribal	Washoe Tribe		2	4-Nov-25	12:36
Geoff Ellis	Tribal	Washoe Tribe	Hung A Lel Ti Community Chairman	2	4-Nov-25	12:36

6.2 List the names of all entities invited to the utility's Emergency Operations Center for a PSPS event, the method used to make this invitation, and whether a different form of communication was preferred by any entity invited to the utility's emergency operation center.

Liberty did not invite external entities to its EOC meeting. Instead, Liberty determined it was more effective to have daily outreach with State and local public safety partners, as well as critical infrastructure entities, for the duration of this PSPS event to provide critical incident updates and a forum for resolving issues, which it did. See Table 6-1: Local and Public Safety Partner Engagement for the list of local public safety partners that received notifications related to this event.

Liberty held the State Executive Briefing on November 4, 2025, at 4:00 p.m., and November 5, 2025, at 4:00 p.m. Additionally, Liberty held daily meetings with its PSPs to provide critical incident updates. Refer to Appendix B for the daily meeting notices with PSPs.

6.3 A statement verifying the availability to public safety partners of accurate and timely geospatial information, and real time updates to the GIS shapefiles in preparation for an imminent PSPS event and during a PSPS event.

After the EOC was activated, Liberty provided geospatial information and near real-time updates to public safety partners before and during the PSPS event through its Public Safety Partner Portal. Liberty notifications to PSPs included links to its PSP Portal. Liberty also discussed its PSP Portal in daily meeting with PSPs.

6.4 A description and evaluation of engagement with local and state public safety partners in providing advanced outreach and notification during the PSPS event.

Liberty conducted daily outreach with State and local public safety partners, as well as critical infrastructure entities, prior to and for the duration of this PSPS event to provide critical incident updates and a forum for resolving issues. See Table 6-1: Local and Public Safety Partner Engagement for the list of local public safety partners that received notifications related to this event.

Liberty provided advanced outreach and notification to its local and state public safety partners (PSPs) during the PSPS event. As evidenced by the documentation provided in Appendix B – Notifications to PSPs, Liberty provided its PSPs the necessary updates regarding the event and provided a forum for discussing and resolving issues related to the event. As further evidence of its successful engagement with public safety partners, Liberty received positive feedback from three partners during its PSPS event. Liberty received a call from the Mono County Supervisor letting Liberty know that it had done a good job of stakeholder engagement throughout the PSPS event. Additionally, Liberty spoke with a Mono County community liaison and Chamber of Commerce board member who indicated that Liberty had done a good job of communicating regarding the PSPS event. Liberty also received feedback from the South Tahoe Public Utilities District that it has done excellent work, including our crews and providing relevant updates to partners.

6.5 Specific engagement with local communities regarding the notification and support provided to the AFN community.

Liberty engaged with local public safety partners, community-based organizations and local government throughout the PSPS event to assess support needs for AFN customers. See Table 6-1: Local and Public Safety Partner Engagement for the list of local public safety partners that received notifications related to this event. The public safety partners that provide support to the AFN community included Alpine County Health and Human Services and the Washoe Tribe. Liberty has a Memorandum of Understanding with the Washoe Tribe and has established a CRC location within close proximity to an AFN community in order to provide support. Additionally, Liberty understands that its Alpine County contacts support communications with vulnerable households, transportation arrangements if necessary, and collaboration with local sheriff's departments. In Mono County, Liberty maintained communication with local public safety partners and Mono Health and Human Services.

6.6 Provide the following information on backup power (including mobile backup power) with the name and email address of a utility contact for customers for each of the following topics:

- a) Description of the backup generators available for critical facility and infrastructure customers before and during the PSPS.

There were no generator deployment requests for this activation.

- b) The capacity and estimated maximum duration of operation of the backup generators available for critical facility and infrastructure customers before and during the PSPS.

There were no generator deployment requests for this activation.

Liberty Utilities (CalPeco Electric) LLC Post Event Report on November 5, 2025 PSPS Event

- c) The total number of backup generators provided to critical facility and infrastructure customer's site immediately before and during the PSPS.

None. There were no backup generator deployment requests for this activation.

- d) How the utility deployed this backup generation to the critical facility and infrastructure customer's site.

N/A.

- e) An explanation of how the utility prioritized how to distribute available backup generation.

N/A.

- f) Identify the critical facility and infrastructure customers that received backup generation.

N/A.

7 Complaints and Claims

7.1 The number and nature of complaints received as the result of the de-energization event and claims that are filed against the utility because of de-energization. The utility must completely report all the informal and formal complaints, meaning any expression of grief, pain, or dissatisfaction, from various sources, filed either with CPUC or received by the utility as a result of the PSPS event.

As of November 18, 2025, Liberty received seven informal complaints related to this PSPS event and no formal claims. The nature of the complaints are noted in Table 7-1. If any additional complaints or claims related to this PSPS event are received after the filing date of this report, Liberty will provide an update in its annual post-season report.

Table 7-1: Count and Nature of Complaints Received

Nature of Complaints	Complaint Format	Number of Complaints
Communications	In person	2
Communications	Phone Call	1
Restoration questions	In Person	2
Resources/needs unmet	In Person	2

8 Power Restoration

8.1 A detailed explanation of the steps the utility took to restore power.

Liberty began the re-energization process after extreme weather conditions subsided, there was no further threat of fire weather conditions forecasted for the areas of concern, after patrol was conducted and the Incident Commander approved restoration operations. All circuit restoration during this event was guided by safety considerations, including safety risks associated with patrolling circuits.

According to Liberty's Electrical Operating Procedure for Re-energization of Circuits, when a PSPS is implemented, the following applies:

It is permissible to re-energize Transmission, Sub Transmission, and Distribution Circuits only after the following criteria have been met:

- The feeder has been fully patrolled (see Line Patrols of this procedure) and reported as being ready for service.
- The Operator has consulted with field personnel and completed a Risk Assessment to determine that it is safe to re-energize.

Any conditions found during the patrol that require remediation should be captured and reported in Fulcrum and to leadership. This includes pictures and a description of the concerns identified.

Stepped restoration should be utilized to minimize the time between the patrol and the re-energization of any portion of the circuit. Stepped restoration will also help with cold load pick-up, considering that the circuit may be in Extreme Fire Season mode.

When full patrols are required of the entire circuit, or several circuits, additional resources should be considered, to minimize the outage time.

Risk Assessment

When a Risk Assessment is required to determine how to proceed with re-energizing a circuit, the following (but not limited to) must be considered:

- Weather caused a temporary fault on the line. (Lightning, wind, ice or snow building up on the lines)
- Salt spray and insulator contamination.
- Birds or animals may have caused a temporary fault.
- Indications that it was a transient or temporary fault.
- No power for traffic lights, street lighting, for medical facilities and emergency response, public conveyance systems, elevators, heating and ventilation systems, etc.
- SCADA information, equipment alarms or protective relay information provide insights into the nature or location of the fault that caused the line to trip.
- Time of day and location of the line or suspected fault area.
- Road crossings, sidewalks, developed areas or places where the public are known to gather.
- Indications of a public contact or that Liberty crews or Contractors may have caused the fault.

Liberty Utilities (CalPeco Electric) LLC Post Event Report on November 5, 2025 PSPS Event

- Calls have been received from emergency personnel or the public indicating that an accident has occurred in the vicinity of the line.
- There is a risk of causing ignition, equipment damage or line failure by reenergizing a possible fault condition.

Added due diligence is required prior to re-energizing a circuit if it has significant underground circuit sections, significant double circuit sections or if it has an under-built line that has also tripped.

Once the Risk Assessment is complete, the Control Center Operator will determine whether to reenergize the circuit or initiate a line patrol.

If the decision was to re-energize the circuit without a patrol and it was successful, consider a line patrol to confirm the integrity of the line.

Line Patrols

Individuals meeting the below classifications are authorized to direct and or perform Restoration Patrols:

- Rated / Qualified Line Worker/Mechanic
- Overhead Line Management
- Restoration Crew Supervisor
- Individuals with equivalent training, competency and qualifications

In order to ensure an accurate and effective patrol, the individual or crew should have the following materials:

- Accurate Feeder/Circuit Map
- Geographic Map or knowledge of the area
- Circuit Single Line / Index Diagram

In situations where Feeder/Circuit/Index maps are not available, circuit open points must be verified with the Control Center Operator / Controller prior to initiating the patrol to ensure full understanding of circuit configuration.

Patrollers must ensure any abnormal conditions which may exist that could result in an electrical fault or hazardous situation are identified, cleared and/or isolated. (All GO14 procedures shall be followed).

When locations on a circuit exist where extreme conditions (flood, swamp, deep ravine, etc.) render impacted areas impassable or otherwise not feasible to physically patrol, the use of binoculars or aerial patrol is an acceptable method to verify circuit integrity.

In order to expedite restoration of as many customers as possible, isolate (cut clear) problem areas on the three-phase main line or single-phase taps, especially those single-phase taps requiring long off-road patrols. (All GO14 procedures shall be followed)

Contact the Control Center Operator / Controller when the assigned patrol is completed and report all portions of circuit that are available to be energized.

Liberty Utilities (CalPeco Electric) LLC Post Event Report on November 5, 2025 PSPS Event

Please see Table 5-1 for details related to customer re-energizations, including restoration date, restoration time, and total customer count.

8.2 The timeline for power restoration, broken down by phase if applicable.

Liberty restored power to 685 impacted customers on the Muller 1296 circuit on November 5, 2025, at 2:34 p.m. Liberty restored power to 758 impacted customers on the Topaz 1202 circuit on November 5, 2025 at 5:22 p.m.

8.3 For any circuits that require more than 24 hours to restore, the utility shall explain why it was unable to restore each circuit within this timeframe, using the format below.

Not applicable. No circuits required more than 24 hours to restore.

9 Community Resource Centers

9.1 Report information including the address of each location during a de-energization event, the location (in a building, a trailer, etc.), the assistance available at each location, the days, and hours that it was open, and attendance (i.e., number of visitors).

Table 9-1: Community Resource Centers

#	County	Site Name	Address	Operating Hours	Attendance	Site Type	Services and Amenities Provided
1	Alpine	Woodfords Community Center	25 Washo Blvd, Markleeville, CA 96120	11/05/2025, 8a.m.- 5p.m.	72	CRC - Building	Small portable device charging (for cell phone, laptop, and small medical devices), Wi-Fi, chairs, seasonal cooling, and heating, PSPS information, snacks, water, ice, ADA compliant restrooms.
1	Mono	Walker Community Center	442 Mule Deer Drive, Walker, CA 93517	11/05/2025, 8a.m.- 5p.m..	25	CRC - Building	Small portable device charging (for cell phone, laptop, and small medical devices), Wi-Fi, chairs, seasonal cooling, and heating, PSPS information, snacks, water, ice, ADA compliant restrooms.

9.2 Any deviations and explanations from the CRC requirement including operation hours, ADA accessibility, and equipment.

Liberty is not aware of any deviations from CRC requirements during this event.

9.3 A map identifying the location of each CRC and the de-energized areas.

Figure 9-1: Community Resource Center (Washoe)



Figure 9-2: Community Resource Center (Walker)



10 Mitigations to Reduce Impact to Customers

10.1 Mitigation actions and impacts including: sectionalization devices, temporary generation, microgrids, permanent backup generation, transmission switching, covered conductor, and any other grid hardening that mitigated the impact of the event.

During the event, Liberty limited PSPS impacts to only the Muller 1296 and Topaz 1202 circuits, avoiding additional outages through targeted mitigation strategies. Several circuits were placed into Extreme Fire Mode, to enable fast trip settings, which maintained service to customers while reducing fire risk under elevated conditions. Recent pole replacements and other grid hardening activities on the impacted circuits performed well during high winds. This minimized the duration of the PSPS since minimal repairs were required after the extreme weather event. Refer to Table 10-1 for grid hardening activities that Liberty has completed on its Muller 1296 and Topaz 1202 circuits. Liberty also reduced the restoration time by strategically staging crews in the affected PSPS area to continuously patrol the circuits and address any hazards or failures found because of the weather conditions. Additionally, Liberty had additional contract crews staged to deploy to emergency situations beyond its normal staffing levels.

Table 10-1: Grid Hardening Activities Completed to Mitigate PSPS Impact

Circuit	Poles Installed	ELF Fuses Installed	Overhead Primary Conductor Replaced (ft.)	Overhead Secondary Conductor Replaced (ft.)	Composite Crossarms Installed	Transformers Installed
Muller 1296	156	24	16,026	3,714	98	21
Topaz 1202	127	35	13,307	972	103	20

11 Lessons Learned from this Event

11.1 Threshold analysis and the results of the utility's examination of whether its thresholds are adequate and correctly applied in the de-energized areas.

Liberty believes its CRI thresholds on the Muller 1296 and Topaz 1202 circuits are adequate and were correctly applied. Qualitatively, this was evidenced by observations of flying debris during the event, including the hazards identified in Table 4-1 on the Topaz 1202 circuits.

11.2 Any lessons learned that will lead to future improvement for the utility.

Table 11-11: Lessons Learned

Issue	Discussion	Resolution
State Executive Briefing presentation template	Use different template for State Executive Briefing after de-energization has occurred.	Liberty will use the correct template for future State Executive Briefings.
CalOES submission form	CalOES form entry for customers potentially impacted should go to 0 once those customers are actually impacted.	Liberty has discussed this issue with CalOES and is clear on this guidance moving forward.
Positive feedback	Track positive feedback received from stakeholders in internal event tracker during event.	Liberty will include this information in the event tracker for future events.
Notification forms	Include estimated time of restoration on all notifications during event; include CRC services available and where to access electricity during the hours the CRC is closed on customer notifications.	Liberty will adapt its notification templates to include estimated time of restoration and CRC services available; Liberty is assessing the requirement to include information on where to access electricity during the hours CRCs are closed.
Cost tracking codes	Internal cost tracking codes were not sufficiently explained until after the PSPS event.	Publish cost tracking codes with explanations in Incident Action Plan prior to or in the beginning of the event.
Ancillary internal map	Ancillary map was needed to inform internal staff of potential threat in the community (previously documented difficult customer).	Establish needs for ancillary maps for operations and field employees.
Customer discrepancies	In-event customer numbers were different than post-event reporting due to duplicate and de-activated customer accounts included in in-event reporting.	Liberty will update its PSPS playbook to document its process for removing duplicate and de-activated customer accounts for in-event reporting.
CRC staffing	Recent staffing changes have impacted list of CRC leads.	Reassess list of CRC leads to address recent staffing changes.
CRC signage	There were no signs at the CRC locations.	Put up signs outside CRC locations during future PSPS events.
IMT roles	Liberty has a vacancy for the Emergency Manager Position	Liberty is actively in the hiring process to fill the Emergency Manager Position.
CRC Supplies	A couple customers requested larger sized bottles of water for toilet flushing.	Determine if there is a reasonable solution to better prepare customers using well water.

12 Other Relevant Information

The November 5, 2025 PSPS event occurred in close time proximity to an election day. In an attempt to avoid any impact or disruption to the public and voting, Liberty contacted the election officials in Mono and Alpine counties, updated them on the event, and they confirmed that a de-energization event would not impact the tabulations centers. Election officials in Mono County indicated that tabulation occurs outside of the potentially impacted area and that they have a generator on site. Election officials in Alpine County indicated that they also have a generator on site and did not expect tabulation to still be ongoing at the expected start of the PSPS event.

13 Officer Verification

I am an officer of the applicant corporation herein and am authorized to make this verification on its behalf. I am informed and believe that the matters stated in this foregoing document are true.

I declare under penalty of perjury that the foregoing is true and correct. Executed on this 19th of November, 2025 in Tahoe, California.

A handwritten signature in black ink, appearing to read "E. Schwarzrock", is positioned above a horizontal line.

Eric Schwarzrock
President, California

14 Appendix A – Customer Notifications

1 Appendix A – Customer Notifications

POTENTIAL TO DE-ENERGIZE / MONITORING NOTIFICATIONS

Monday, November 03 Customer Communications (Afternoon)

The following message was distributed via email to Local Government and Community Based Organizations on Monday, November 03 at 3:15 PM:

Email:

This is an important alert from the local electric provider, Liberty. Please be advised of a potential Public Safety Power Shutoff (PSPS) event for Liberty's customers in **Markleeville, Woodfords, Desolation Hotel {Hope Valley}, Topaz, Coleville, and Walker areas**, as detailed in the map attached **that may be required due to extreme weather conditions that increase the risk of a potential wildfire.**

Liberty has activated its PSPS protocol and has alerted public safety partners, Medical Baseline Customers, all customers that may be impacted, and other key audiences regarding the possibility of a PSPS.

Here's what you need to know:

- **Expected start of PSPS outage:** Tuesday, November 4, at 10:00p.m.
- **Expected duration of PSPS outage:** from 18-40 hours
- **Number of customers potentially impacted:** Approximately 1,535 customers may be impacted by Liberty's potential PSPS. See map for details.

To view the affected areas and stay up-to-date, please visit our Public Safety Partner portal [HERE](#).

If a PSPS is enacted, Liberty will activate two Community Resource Centers on Wednesday, November 5 from 8 a.m. - 10 p.m. The Woodfords Community Center, 96 Washoe Blvd. Markleeville, CA and Walker Community Center 442 Mule Deer Drive, Walker, CA that will remain open throughout the PSPS. Liberty will also provide regular updates to customers via [website](#), email, social media, and Onsolve (text/phone platform).

For additional information and real-time updates, please visit our [PSPS website](#) or follow us on [Facebook](#) (@LibertyUtilitiesLT) and [X](#) (@LibertyUtil_CA)

[What is a PSPS? Video](#)

[PSPS Criteria Video](#)

[Preparing for a PSPS Video](#)

[What to do during a PSPS Video](#)

[What to do after a PSPS Video](#)

Please reach out with any questions or concerns. I will send updates throughout the event.

The following message was distributed via email to Local Government and Community Based Organizations on Monday, November 03 at 3:15 PM:

This is an important alert from the local electric provider, Liberty. Please be advised of a potential Public Safety Power Shutoff (PSPS) event for Liberty's customers in **Markleeville, Woodfords, Desolation Hotel (Hope Valley), Topaz, Coleville, and Walker areas**, as detailed in the map attached that may be required due to extreme weather conditions that increase the risk of a potential wildfire.

Liberty has activated its PSPS protocol and has alerted public safety partners, Medical Baseline Customers, all customers that may be impacted, and other key audiences regarding the possibility of a PSPS.

Here's what you need to know:

- **Expected start of PSPS outage:** Tuesday, November 4, at 10:00p.m.
- **Expected duration of PSPS outage:** from 18-40 hours
- **Number of customers potentially impacted:** Approximately 1,535 customers may be impacted by Liberty's potential PSPS. See map for details.

To view the affected areas and stay up-to-date, please visit our Public Safety Partner portal [HERE](#).

If a PSPS is enacted, Liberty will activate two Community Resource Centers on Wednesday, November 5 from 8 a.m. - 10 p.m. The Woodfords Community Center, 96 Washoe Blvd. Markleeville, CA and Walker Community Center 442 Mule Deer Drive, Walker, CA that will remain open throughout the PSPS. Liberty will also provide regular updates to customers via [website](#), email, social media, and Onsolve (text/phone platform).

For additional information and real-time updates, please visit our [PSPS website](#) or follow us on [Facebook](#) (@LibertyUtah) and [X](#) (@LibertyUtah_CA)

[What is a PSPS? Video](#)

[PSPS Criteria Video](#)

[Preparing for a PSPS Video](#)

[What to do during a PSPS Video](#)

[What to do after a PSPS Video](#)

Please reach out with any questions or concerns. I will send updates throughout the event.

The following was added to Liberty's website on Monday, November 03 at 3:15 PM:

Due to extreme weather conditions that increase the risk of a potential wildfire, a Public Safety Power Shutoff (PSPS) may be implemented for Liberty's customers in the Markleeville, Woodfords, Desolation Hotel (Hope Valley), Topaz, Coleville, and Walker areas on or about Tuesday, November 4, 2025, at 10 p.m. The power shutoff may last more than 40 hours. Customers are encouraged to visit one of our two Community Resource Centers from 8 a.m. - 10 p.m. throughout the duration of the event starting at 8:00 a.m. on Wednesday, November 5 at the Woodfords Community Center, 96 Washoe Blvd, Markleeville, CA, or at the Walker Community Center, 442 Mule Deer Drive, Walker, CA, if they are unable to secure necessary alternative power. [DETAILS](#)

The following message was distributed via email to all customers on Monday, November 03 at 3:30 PM:

ATTENTION Markleeville, Woodfords, Desolation Hotel (Hope Valley), Topaz, Coleville, and Walker Area Customers

Due to extreme weather conditions that increase the risk of a potential wildfire, a Public Safety Power Shutoff (PSPS) may be implemented for **THESE AREAS (Markleeville, Woodfords, Desolation Hotel (Hope Valley), Topaz, Coleville, and Walker Area Customers)** on Tuesday, November 4 at about 10 p.m., and may last more than 40 hours. Customers are encouraged to visit our Community Resource Centers starting at 8am-10pm throughout the duration of the event starting at 8am on Wednesday at the Woodfords Community Center, 96 Washoe Blvd, Markleeville, CA, or at the Walker Community Center, 442 Mule Deer Drive, Walker, CA, if they are unable to secure necessary alternative power.

A Public Safety Power Shutoff (PSPS) is a safety procedure utilized by electric utilities to proactively turn off power when and where conditions present an increased wildfire risk. The practice of de-energization is supported by the California Public Utilities Commission (CPUC) as a safety best practice.

How to Prepare for a PSPS

Below are resources in multiple languages to help you understand, prepare for, and endure a PSPS event. [Here is the website with PSPS information in multiple languages.](#)

Debido a las condiciones climáticas extremas, se puede implementar un corte de energía de seguridad pública (PSPS) para ESTAS ÁREAS (**Markleeville, Woodfords, Desolation Hotel (Hope Valley), Topaz, Coleville, and Walker**) en o alrededor del martes 4 de noviembre, a las 22:00 horas, pero podría durar más de 40 horas. Se anima a los clientes a visitar nuestro Centros de recursos comunitarios de 8 a.m. a 10 p.m. en el 96 Washoe Blvd, Markleeville, CA, o en el Walker Community Center, 442 Mule Deer Drive, Walker, CA, si no pueden conseguir la energía alternativa necesaria.

Un corte de energía de seguridad pública (PSPS) es un procedimiento de seguridad utilizado por las empresas eléctricas para apagar proactivamente la energía cuando y donde las condiciones presentan un mayor riesgo de incendios forestales. La práctica de la de energización es apoyada por la Comisión de Servicios Públicos de California (CPUC) como una mejor práctica de seguridad.

Cómo prepararse para un PSPS

A continuación se presentan recursos en varios idiomas para ayudarlo a comprender, prepararse y soportar un evento PSPS.

Resources in Other Languages

PSPS Fact Sheet

- [Español](#)
- [Français](#)
- [Deutsch](#)
- [中国人](#)
- [Tiếng Việt](#)
- [Tagalog](#)

PSPS Preparation

- [Español](#)
- [Français](#)
- [Deutsch](#)
- [中国人](#)
- [Tiếng Việt](#)
- [Tagalog](#)

The following messages were posted to Liberty's social media on Monday, November 03 at 3:35 PM:

Social Media – All Customers

*Twitter Thread: *numbers identify position in the thread*

1. Liberty may implement a Public Safety Power Shutoff (PSPS) for **Markleeville, Woodfords, Desolation Hotel (Hope Valley), Topaz, Coleville, and Walker** customers due to extreme weather conditions that increase the risk of a potential wildfire. <attach map>
2. Customers are encouraged to plan ahead for the possibility of an extended power shutoff that may begin around 10:00 p.m. on Tuesday, November 4, and may last more than 40 hours.

3. Customers are encouraged to visit one of our two Community Resource Centers on Wednesday, November 5 from 8 a.m. -10 p.m. if they are unable to secure necessary alternative power. (1) The Woodfords Community Center, 96 Washoe Blvd. Markleeville, CA or (2) The Walker Community Center 442 Mule Deer Drive, Walker, CA.
4. Further details can be found on our webpage: <https://california.libertyutilities.com/south-lake-tahoe/residential/emergencies/electrical/public-safety-power-shutoff-update.html>

Facebook Post:

Liberty may implement a Public Safety Power Shutoff (PSPS) for **Markleeville, Woodfords, Desolation Hotel (Hope Valley), Topaz, Coleville, and Walker customers due to extreme weather conditions that increase the risk of a potential wildfire.** Customers are encouraged to plan ahead for the possibility of an extended power shutoff that may begin around 10:00 p.m. on Tuesday, November 4, and may last more than 40 hours.

Customers are encouraged to visit one of our two Community Resource Centers from 8am-10pm throughout the duration of the event starting at 8:00am on Wednesday if they are unable to secure necessary alternative power. (1) The Woodfords Community Center, 96 Washoe Blvd. Markleeville, CA or (2) The Walker Community Center 442 Mule Deer Drive, Walker, CA.

Further details can be found on our webpage: <https://california.libertyutilities.com/south-lake-tahoe/residential/emergencies/electrical/public-safety-power-shutoff-update.html>

The following message was distributed via OnSolve to potentially impacted customers on Monday, November 03 at 4:19 PM:

Email:

This is an important alert from your electric provider, Liberty Utilities. Due to extreme weather conditions that increase the risk of a potential wildfire, a Public Safety Power Shutoff (PSPS) may be implemented for your area on or about Tuesday, 11/4 at 10:00 p.m. The power shutoff may last more than 40 hours.

Customers are encouraged to visit one of our two Community Resource Centers on Wednesday, November 5 from 8 a.m. -10 p.m. if they are unable to secure necessary alternative power. (1) The Woodfords Community Center, 96 Washoe Blvd. Markleeville, CA or (2) The Walker Community Center 442 Mule Deer Drive, Walker, CA.

Details of the PSPS can be found on our website and will be updated as necessary. <https://california.libertyutilities.com/south-lake-tahoe/residential/emergencies/electrical/public-safety-power-shutoff-update.html>

For additional updates, please follow us on [Facebook](#) (@LibertyUtilitiesLT) and [X](#) (@LibertyUtil_CA).

Phone/Text:

1. This is an important alert from your electric provider, Liberty Utilities. Due to extreme weather conditions that increase the risk of a potential wildfire, a Public Safety Power Shutoff (PSPS) may be implemented for your area on or about Tuesday, 11/4 at 10:00 p.m. The power shutoff could last more than 24 hours.

2. Customers are encouraged to visit one of our two Community Resource Centers on Wednesday, November 5 from 8 a.m. -10 p.m. if they are unable to secure necessary alternative power. (1) The Woodfords Community Center, 96 Washoe Blvd. Markleeville, CA or (2) The Walker Community Center 442 Mule Deer Drive, Walker, CA. Details of the PSPS can be found on our website.

Tuesday, November 04 Customer Communications (Morning)

The following was added to Liberty's website on Tuesday, November 04 at 9:15 AM:

Website Alert

Due to extreme weather conditions that increase the risk of a potential wildfire, a Public Safety Power Shutoff (PSPS) will likely be implemented for Liberty's customers in the Markleeville, Woodfords, Desolation Hotel (Hope Valley), Topaz, Coleville, and Walker areas on or about Wednesday, November 5, 2025, at 1 a.m. The power shutoff may last more than 40 hours. Customers are encouraged to visit one of our two Community Resource Centers from 8 a.m. - 10 p.m. throughout the duration of the event starting at 8:00 a.m. on Wednesday, November 5 at the Woodfords Community Center, 96 Washoe Blvd, Markleeville, CA, or at the Walker Community Center, 442 Mule Deer Drive, Walker, CA, if they are unable to secure necessary alternative power. [DETAILS](#)

The following messages were posted to Liberty's social media on Tuesday, November 04 at 9:15 AM:

Social Media – All Customers

*Twitter Thread: *numbers identify position in the thread*

1. Liberty may implement a Public Safety Power Shutoff (PSPS) for **Markleeville, Woodfords, Desolation Hotel (Hope Valley), Topaz, Coleville, and Walker** customers due to extreme weather conditions that increase the risk of a potential wildfire. <attach map>
2. Customers are encouraged to plan for the possibility of an extended ended power shutoff that may begin around 1:00 a.m. on Wednesday, November 5, and may last more than 40 hours.
3. Customers are encouraged to visit one of our two Community Resource Centers on Wednesday, November 5 from 8 a.m. -10 p.m. if they are unable to secure necessary alternative power. (1) The Woodfords Community Center, 96 Washoe Blvd. Markleeville, CA or (2) The Walker Community Center 442 Mule Deer Drive, Walker, CA.
4. Further details can be found on our webpage: <https://california.libertyutilities.com/south-lake-tahoe/residential/emergencies/electrical/public-safety-power-shutoff-update.html>

Facebook Post:

Liberty may implement a Public Safety Power Shutoff (PSPS) for **Markleeville, Woodfords, Desolation Hotel (Hope Valley), Topaz, Coleville, and Walker customers due to extreme weather conditions that increase the risk of a potential wildfire.** Customers are encouraged to plan ahead for the possibility of an extended power shutoff that may begin around 1:00 a.m. on Wednesday, November 5, and may last more than 40 hours.

Customers are encouraged to visit one of our two Community Resource Centers from 8am-10pm throughout the duration of the event starting at 8:00am on Wednesday if they are unable to secure necessary alternative power. (1) The Woodfords Community Center, 96 Washoe Blvd. Markleeville, CA or (2) The Walker Community Center 442 Mule Deer Drive, Walker, CA.

Further details can be found on our webpage: <https://california.libertyutilities.com/south-lake-tahoe/residential/emergencies/electrical/public-safety-power-shutoff-update.html>

The following message was distributed via OnSolve to potentially impacted customers on Tuesday, November 04 at 9:35 AM:

Email:

This is an important alert from your electric provider, Liberty Utilities. Due to extreme weather conditions that increase the risk of a potential wildfire, a Public Safety Power Shutoff (PSPS) may be implemented for your area on or about Wednesday, November 5 at 1:00 a.m. The power shutoff may last more than 40 hours.

Customers are encouraged to visit one of our two Community Resource Centers on Wednesday, November 5 from 8 a.m. -10 p.m. if they are unable to secure necessary alternative power. (1) The Woodfords Community Center, 96 Washoe Blvd. Markleeville, CA or (2) The Walker Community Center 442 Mule Deer Drive, Walker, CA.

Details of the PSPS can be found on our website and will be updated as necessary. <https://california.libertyutilities.com/south-lake-tahoe/residential/emergencies/electrical/public-safety-power-shutoff-update.html>

For additional updates, please follow us on [Facebook](#) (@LibertyUtilitiesLT) and [X](#) (@LibertyUtil_CA).

Phone/Text:

1. This is an important alert from your electric provider, Liberty Utilities. Due to extreme weather conditions that increase the risk of a potential wildfire, a Public Safety Power Shutoff (PSPS) may be implemented for your area on or about Wednesday, 11/5 at 1:00 a.m.. The power shutoff could last more than 24 hours.

2. Customers are encouraged to visit one of our two Community Resource Centers on Wednesday, November 5 from 8 a.m. -10 p.m. if they are unable to secure necessary alternative power. (1) The Woodfords Community Center, 96 Washoe Blvd. Markleeville, CA or (2) The Walker Community Center 442 Mule Deer Drive, Walker, CA. Details of the PSPS can be found on our website.

The following messages were posted to Liberty's social media on Tuesday, November 04 at 10:00 AM:

Liberty endeavors to provide customers that may be impacted by a public safety power shutoff (PSPS) with as much notice as possible. If there is the potential of a PSPS, Liberty will contact customers through calls, texts, and/or emails, using the contact information on the account. To receive these notifications, please update your contact information by calling 1-800-782-2506 or online through My Account:

<https://myaccount.libertyenergyandwater.com/portal/#/login?LUCA>



The following messages were posted to Liberty's social media on Tuesday, November 04 at 10:30 AM:

At Liberty, the safety of our customers and communities is our top priority. A public safety power shutoff (PSPS) is a last-resort safety procedure used to proactively turn off power when and where conditions present an increased wildfire risk. Use our tips to prepare for a potential PSPS.

For more information and tips:

<https://california.libertyutilities.com/south-lake-tahoe/residential/safety/electrical/public-safety-power-shutoffs.html>

Tips to Help You Prepare for a PSPS:

- Confirm your contact information to receive outage and emergency updates.
- Plan for medical needs that may be impacted by a loss of power. If you depend on medications that need refrigeration or medical devices that require power, please notify our office by calling 1-800-782-2508.
- Create an emergency kit composed of items such as flashlights, batteries, first aid supplies, non-perishable food, and water.
- Keep your cell phones and other electronic devices fully charged.
- Keep a full tank of gas and cash on hand for emergency purchases.



The following message was distributed via email to Local Government and Community Based Organizations on Tuesday, November 04 at 9:53 AM:

This is an important alert from the local electric provider, Liberty. Please be advised of a potential Public Safety Power Shutoff (PSPS) event for Liberty's customers in **Markleeville, Woodfords, Desolation Hotel (Hope Valley), Topaz, Coleville, and Walker areas**, as detailed in the map attached **that may be required due to extreme weather conditions that increase the risk of a potential wildfire.**

Liberty has activated its PSPS protocol and has alerted public safety partners, Medical Baseline Customers, all customers that may be impacted, and other key audiences regarding the possibility of a PSPS.

Here's what you need to know:

- ***Expected start of PSPS outage:** Wednesday, November 5 at 1:00 a.m.
- **Expected duration of PSPS outage:** from 18-40 hours
- **Number of customers potentially impacted:** Approximately 1,535 customers may be impacted by Liberty's potential PSPS. See map for details.

To view the affected areas and stay up-to-date, please visit our Public Safety Partner portal [HERE](#).

Liberty will activate two Community Resource Centers on starting on Wednesday, November 5 at 8 a.m.- 10 p.m. The Woodfords Community Center, 96 Washoe Blvd. Markleeville, CA and Walker Community Center 442 Mule Deer Drive, Walker, CA that will remain open throughout the PSPS. Liberty will also provide regular updates to customers via [website](#), email, social media, and Onsolve (text/phone platform).

In addition, [here is the website with PSPS information in multiple languages](#).

Thank you for your support and cooperation as we work to keep our customers and communities safe.

About Public Safety Power Shutoffs

A public safety power shutoff (PSPS) is a safety procedure utilized by electric utilities to proactively turn off power when and where weather conditions create a high wildfire risk. The practice of de-energization, which is becoming more and more frequent, is supported by the California Public Utilities Commission (CPUC) as a safety best practice.

In partnership with fire weather experts, Liberty monitors real-time weather data and forecasts and regularly tests fuel moisture during the fire season. If forecasted conditions meet or exceed safety thresholds, Liberty may initiate a PSPS.

Tuesday, November 04 Customer Communications (Afternoon)

The following was added to Liberty's website on Tuesday, November 04 at 3:15 PM:

Website Alert

Due to extreme weather conditions that increase the risk of a potential wildfire, a Public Safety Power Shutoff (PSPS) will likely be implemented for Liberty's customers in the Markleeville, Woodfords, Desolation Hotel (Hope Valley), Topaz, Coleville, and Walker areas on Wednesday, November 5, 2025, at around 1 a.m. The power shutoff may last more than 40 hours. Customers are encouraged to visit one of our two Community Resource Centers from 8 a.m. - 10 p.m. throughout the duration of the event starting at 8:00 a.m. on Wednesday, November 5 at the Woodfords Community Center, 96 Washoe Blvd, Markleeville, CA, or at the Walker Community Center, 442 Mule Deer Drive, Walker, CA, if they are unable to secure necessary alternative power. [DETAILS](#)

The following messages were posted to Liberty's social media on Tuesday, November 04 at 3:15 PM:

Social Media – All Customers

*Twitter Thread: *numbers identify position in the thread*

1. Liberty may implement a Public Safety Power Shutoff (PSPS) for **Markleeville, Woodfords, Desolation Hotel (Hope Valley), Topaz, Coleville, and Walker** due to extreme weather conditions that increase the risk of a potential wildfire. <attach map>
2. Customers are encouraged to plan for an extended power shutoff that will likely begin around 1:00 a.m. on Wednesday, November 5, and may last more than 40 hours. <insert photos>

3. Customers are encouraged to visit one of our two Community Resource Centers on Wednesday, November 5 from 8 a.m. -10 p.m. if they are unable to secure necessary alternative power. (1) The Woodfords Community Center, 96 Washoe Blvd. Markleeville, CA or (2) The Walker Community Center 442 Mule Deer Drive, Walker, CA.
4. Further details can be found on our webpage: <https://california.libertyutilities.com/south-lake-tahoe/residential/emergencies/electrical/public-safety-power-shutoff-update.html>



Facebook Post:

Liberty may implement a Public Safety Power Shutoff (PSPS) for **Markleeville, Woodfords, Desolation Hotel (Hope Valley), Topaz, Coleville, and Walker areas due to extreme weather conditions that increase the risk of a potential wildfire.** Customers are encouraged to plan for an extended power shutoff that will likely begin around 1:00 a.m. on Wednesday, November 5, and may last more than 40 hours.

Customers are encouraged to visit one of our two Community Resource Centers from 8am-10pm throughout the duration of the event starting at 8:00am on Wednesday if they are unable to secure

necessary alternative power. (1) The Woodfords Community Center, 96 Washoe Blvd. Markleeville, CA or (2) The Walker Community Center 442 Mule Deer Drive, Walker, CA.

Further details can be found on our webpage: <https://california.libertyutilities.com/south-lake-tahoe/residential/emergencies/electrical/public-safety-power-shutoff-update.html>

The following message was distributed via OnSolve to potentially impacted customers on Tuesday, November 04 at 3:26 PM:

Email:

This is an important alert from your electric provider, Liberty Utilities. Due to extreme weather conditions that increase the risk of a potential wildfire, a Public Safety Power Shutoff (PSPS) will likely be implemented for your area on Wednesday, November 5, at or around 1:00 a.m. The power shutoff may last more than 40 hours.

Customers are encouraged to visit one of our two Community Resource Centers on Wednesday, November 5 from 8 a.m. -10 p.m. if they are unable to secure necessary alternative power. (1) The Woodfords Community Center, 96 Washoe Blvd. Markleeville, CA or (2) The Walker Community Center 442 Mule Deer Drive, Walker, CA.

Details of the PSPS can be found on our website and will be updated as necessary. <https://california.libertyutilities.com/south-lake-tahoe/residential/emergencies/electrical/public-safety-power-shutoff-update.html>

For additional updates, please follow us on [Facebook](#) (@LibertyUtilitiesLT) and [X](#) (@LibertyUtil_CA).

Phone/Text:

1. This is an important alert from your electric provider, Liberty Utilities. Due to extreme weather conditions that increase the risk of a potential wildfire, a Public Safety Power Shutoff (PSPS) will likely be implemented for your area on Wednesday, 11/5, at or around 1 a.m. The power shutoff could last more than 24 hours.

2. Customers are encouraged to visit one of our two Community Resource Centers on Wednesday, November 5 from 8 a.m. -10 p.m. if they are unable to secure necessary alternative power. (1) The Woodfords Community Center, 96 Washoe Blvd. Markleeville, CA or (2) The Walker Community Center 442 Mule Deer Drive, Walker, CA. Details of the PSPS can be found on our website.

The following message was distributed via email to Local Government and Community Based Organizations on Tuesday, November 04 at 3:42 PM:

No new updates at this time. Weather conditions continue to indicate a PSPS is likely to be initiated on Wednesday, Nov. 5 at or around 1:00 am. Liberty endeavors to provide customers with sufficient notice. Customers will be contacted at approximately 9:00 pm with an update. If conditions at that time do not indicate a PSPS is required, Liberty will continue to monitor the conditions for the potential need of a PSPS at a later time. Liberty encourages customers to remain prepared for an extended power shutoff throughout this weather event.


I have attached an informational PSPS flyer if you would like to post it or share with community members. Reminder that there are informational videos at the bottom of this email chain which your constituents/community members may find useful.

Please reach out with any questions, concerns, or feedback.

Public Safety Power Shutoff

November 5, 2025

- **Communities impacted:** Markleeville, Woodfords, Desolation Hotel (Hope Valley), Topaz, Coleville, and Walker
- **Expected start of PSPS outage:** Wednesday, November 5 at or around 1:00 am
- **Expected duration of PSPS outage:** from 18-40 hours
- **Number of customers potentially impacted:** Approximately 1,535 customers may be impacted by Liberty's potential PSPS.



- **Two Community Resource Centers** open from 8 am - 10 pm throughout the duration of the event starting at 8:00 am on Wednesday, November 5
 - The Woodfords Community Center, 96 Washoe Blvd. Markleeville, CA
 - The Walker Community Center 442 Mule Deer Drive, Walker, CA.



www.libertyenergyandwater.com

1-800-782-2506

The following message was distributed via email to Local Government and Community Based Organizations on Tuesday, November 04 at 9:23 PM:

The message below was just sent to our customers. Please note, we are now estimating the restoration process to take 36 hours or less rather than 40. Our next internal meeting is scheduled for 8:00 am tomorrow morning. I will send out an update to this group after that meeting.

This is an important alert from your electric provider, Liberty Utilities.

Due to extreme weather conditions that increase the risk of a potential wildfire, **a Public Safety Power Shutoff (PSPS) will be implemented for your area on Wednesday, November 5, at or around 1:00 a.m.** The power shutoff may last more than 36 hours.

Customers are encouraged to visit one of our two Community Resource Centers on Wednesday, November 5 from 8 a.m. -10 p.m. if they are unable to secure necessary alternative power.

- (1) The Woodfords Community Center, 96 Washoe Blvd. Markleeville, CA or
- (2) The Walker Community Center 442 Mule Deer Drive, Walker, CA.

Details of the PSPS can be found on our website and will be updated as necessary. <https://california.libertyutilities.com/south-lake-tahoe/residential/emergencies/electrical/public-safety-power-shutoff-update.html>

For additional updates, please follow us on [Facebook](#) (@LibertyUtilitiesLT) and [X](#) (@LibertyUtil_CA).

Please reach out with any questions, concerns, or feedback.

The following message was distributed via OnSolve to potentially impacted customers on Tuesday, November 04 at 9:26 PM:

Email:

This is an important alert from your electric provider, Liberty Utilities.

Due to extreme weather conditions that increase the risk of a potential wildfire, a Public Safety Power Shutoff (PSPS) will be implemented for your area on Wednesday, November 5, at or around 1:00 a.m. The power shutoff may last more than 36 hours.

Customers are encouraged to visit one of our two Community Resource Centers on Wednesday, November 5 from 8 a.m. -10 p.m. if they are unable to secure necessary alternative power.

(1) The Woodfords Community Center, 96 Washoe Blvd. Markleeville, CA or

(2) The Walker Community Center 442 Mule Deer Drive, Walker, CA.

Details of the PSPS can be found on our website and will be updated as necessary. <https://california.libertyutilities.com/south-lake-tahoe/residential/emergencies/electrical/public-safety-power-shutoff-update.html>

For additional updates, please follow us on [Facebook](#) (@LibertyUtilitiesLT) and [X](#) (@LibertyUtil_CA).

Phone/Text:

1. This is an important alert from your electric provider, Liberty Utilities. Due to extreme weather conditions that increase the risk of a potential wildfire, a Public Safety Power Shutoff (PSPS) will be implemented for your area on Wednesday, 11/5, at or around 1 a.m. The power shutoff could last more than 36 hours.

2. Customers are encouraged to visit one of our two Community Resource Centers on Wednesday, November 5 from 8 a.m. -10 p.m. if they are unable to secure necessary alternative power. (1) The Woodfords Community Center, 96 Washoe Blvd. Markleeville, CA or (2) The Walker Community Center 442 Mule Deer Drive, Walker, CA. Details of the PSPS can be found on our website.

The following messages were posted to Liberty's social media on Tuesday, November 04 at 9:02 PM:

Social Media – All Customers

*Twitter Thread: *numbers identify position in the thread*

1. Liberty is going to implement a Public Safety Power Shutoff (PSPS) for **Markleeville, Woodfords, Desolation Hotel (Hope Valley), Topaz, Coleville, and Walker** customers due to extreme weather conditions that increase the risk of a potential wildfire. <attach map>
2. Customers are encouraged to plan for an extended power shutoff that will likely begin around 1:00 a.m. on Wednesday, November 5, and may last more than 36 hours. <insert photos>
3. Customers are encouraged to visit one of our two Community Resource Centers on Wednesday, November 5 from 8 a.m. -10 p.m. if they are unable to secure necessary alternative power. (1) The Woodfords Community Center, 96 Washoe Blvd. Markleeville, CA or (2) The Walker Community Center 442 Mule Deer Drive, Walker, CA.
4. Further details can be found on our webpage: <https://california.libertyutilities.com/south-lake-tahoe/residential/emergencies/electrical/public-safety-power-shutoff-update.html>



Facebook Post:

Liberty is going to implement a Public Safety Power Shutoff (PSPS) for **Markleeville, Woodfords, Desolation Hotel (Hope Valley), Topaz, Coleville, and Walker customers due to extreme weather conditions that increase the risk of a potential wildfire.** Customers are encouraged to plan for an extended power shutoff that will likely begin around 1:00 a.m. on Wednesday, November 5, and may last more than 36 hours.

Customers are encouraged to visit one of our two Community Resource Centers from 8am-10pm throughout the duration of the event starting at 8:00am on Wednesday if they are unable to secure necessary alternative power. (1) The Woodfords Community Center, 96 Washoe Blvd. Markleeville, CA or (2) The Walker Community Center 442 Mule Deer Drive, Walker, CA.

Further details can be found on our webpage: <https://california.libertyutilities.com/south-lake-tahoe/residential/emergencies/electrical/public-safety-power-shutoff-update.html>

The following was added to Liberty's website on Tuesday, November 04 at 9:02 PM:

Website Alert

Due to extreme weather conditions that increase the risk of a potential wildfire, a Public Safety Power Shutoff (PSPS) will be implemented for Liberty's customers in the Markleeville, Woodfords, Desolation Hotel (Hope Valley), Topaz, Coleville, and Walker areas on Wednesday, November 5, 2025, at around 1 a.m.

The power shutoff may last more than 36 hours. Customers are encouraged to visit one of our two Community Resource Centers from 8 a.m. - 10 p.m. throughout the duration of the event if they are unable to secure necessary alternative power. [DETAILS](#)

- The Woodfords Community Center, 96 Washoe Blvd, Markleeville, CA, or
- The Walker Community Center, 442 Mule Deer Drive, Walker, CA,

Wednesday, November 05 Customer Communications (Morning)

The following message was distributed via OnSolve to impacted customers on Wednesday, November 05 at 1:11 AM:

Email:

This is an important alert from your electric provider, Liberty. Due to extreme weather conditions that increase the risk of a potential wildfire, a Public Safety Power Shutoff (PSPS) was initiated on Wednesday, November 5 at 1:00 a.m. The power shutoff could last more than 24 hours. Customers are encouraged to visit one of the two available Community Resource Centers from 8 a.m. - 10 p.m., if they are unable to secure necessary alternative power.

1. Woodfords Community Center, 96 Washoe Blvd, Markleeville, CA,

2. Walker Community Center, 442 Mule Deer Drive, Walker, CA

Details of the PSPS can be found on our website and will be updated as necessary. <https://california.libertyutilities.com/south-lake-tahoe/residential/emergencies/electrical/public-safety-power-shutoff-update.html>

For additional updates, please follow us on [Facebook](#) (@LibertyUtilitiesLT) and [X](#) (@LibertyUtil_CA).

Phone/Text:

1. This is an important alert from your electric provider, Liberty. Due to extreme weather conditions that increase the risk of a potential wildfire, a Public Safety Power Shutoff (PSPS) was initiated on Wednesday, November 5 at 1:00 a.m.

2. Customers are encouraged to visit our Community Resource Centers from 8 a.m. - 10 p.m. at the Woodfords Community Center, 96 Washoe Blvd, Markleeville, CA, or at the Walker Community Center, 442 Mule Deer Drive, Walker, CA, if they are unable to secure necessary alternative power. Details of the PPS can be found on our website.

The following was added to Liberty's website on Wednesday, November 05 at 1:20 AM:

Website Alert

Due to extreme weather conditions that increase the risk of a potential wildfire, a Public Safety Power Shutoff (PSPS) is currently initiated for Liberty's customers in the Markleeville, Woodfords, Desolation Hotel (Hope Valley), Topaz, Coleville, and Walker areas. The power shutoff may last more than 36 hours.

Customers are encouraged to visit our Community Resource Center from 8 a.m. - 10 p.m. if they are unable to secure necessary alternative power.

- The Woodfords Community Center, 96 Washoe Blvd, Markleeville, CA
- The Walker Community Center, 442 Mule Deer Drive, Walker, CA

[DETAILS](#)

The following messages were posted to Liberty's social media on Wednesday, November 05 at 1:20 AM:

Social Media – All Customers

*Twitter Thread: *numbers identify position in the thread*

1. Liberty initiated a Public Safety Power Shutoff (PSPS) for **Markleeville, Woodfords, Desolation Hotel (Hope Valley), Topaz, Coleville, and Walker customers**, due to extreme weather conditions that increase the risk of a potential wildfire. <attach map>
2. Customers will need to plan for an extended power shutoff that began at 1:00 a.m. on Wednesday, November 5 and may last more than 36 hours.
3. Customers are encouraged to visit our Community Resource Centers from 8 a.m. - 10 p.m. , if they are unable to secure necessary alternative power.
 - a. Woodfords Community Center, 96 Washoe Blvd, Markleeville, CA
 - b. Walker Community Center, 442 Mule Deer Drive, Walker, CA
4. Further details can be found on our webpage: <https://california.libertyutilities.com/south-lake-tahoe/residential/emergencies/electrical/public-safety-power-shutoff-update.html>

Facebook Post:

Liberty initiated a Public Safety Power Shutoff (PSPS) for **Markleeville, Woodfords, Desolation Hotel (Hope Valley), Topaz, Coleville, and Walker customers**, due to extreme weather conditions that increase the risk of a potential wildfire. Customers will need to plan for an extended power shutoff that began at 1:00 a.m. on Wednesday, November 5 and could last more than 36 hours.

Customers are encouraged to visit our Community Resource Centers from 8 a.m. - 10 p.m., if they are unable to secure necessary alternative power.

- Woodfords Community Center, 96 Washoe Blvd, Markleeville, CA,
- Walker Community Center, 442 Mule Deer Drive, Walker, CA

Further details can be found on our webpage: <https://california.libertyutilities.com/south-lake-tahoe/residential/emergencies/electrical/public-safety-power-shutoff-update.html>

The following messages were posted to Liberty's social media on Wednesday, November 05 at 8:00 AM:

Due to the high winds currently impacting the region, customers may experience more frequent outages. Our crews are standing by, ready to restore power in the event of an outage.

If you experience a power outage, please use our outage map to report it and view updates. Download Liberty's My Account app or use the online portal to access and use the map:

<https://myaccount.libertyenergyandwater.com/portal/#/login?LUCA>

Not a My Account user? You can still use the map without logging in. Learn how:


<https://california.libertyutilities.com/south-lake-tahoe/how-to-use-our-new-outage-map.html>

The following messages were posted to Liberty's social media on Wednesday, November 05 at 9:00 AM:

Liberty initiated a Public Safety Power Shutoff (PSPS) for Markleeville, Woodfords, Desolation Hotel (Hope Valley), Topaz, Coleville, and Walker customers, due to extreme weather conditions that increase the risk of a potential wildfire.

Our Community Resource Centers are open from 8 a.m. - 10 p.m. throughout the duration of the event. Customers are encouraged to stop by:

1. The Woodfords Community Center, 96 Washoe Blvd, Markleeville, CA
2. The Walker Community Center, 442 Mule Deer Drive, Walker, CA



The following message was distributed via email to Local Government and Community Based Organizations on Wednesday, November 05 at 9:24 AM:

Liberty is currently implementing a Public Safety Power Shutoff (PSPS) for **Markleeville, Woodfords, Desolation Hotel (Hope Valley), Topaz, Coleville, and Walker customers** due to extreme weather conditions that increase the risk of a potential wildfire. Customers will need to plan for an extended power shutoff that began at 1:00 a.m. on Wednesday, November 5, and could last more than 36 hours.

Customers are encouraged to visit a Community Resource Centers from 8 a.m. - 10 p.m. if they are unable to secure necessary alternative power.

- Woodfords Community Center, 96 Washoe Blvd, Markleeville, CA,
- Walker Community Center, 442 Mule Deer Drive, Walker, CA,

Further details can be found on our webpage: <https://california.libertyutilities.com/south-lake-tahoe/residential/emergencies/electrical/public-safety-power-shutoff-update.html>

Wednesday, November 05 Customer Communications (Afternoon)

The following was added to Liberty's website on Wednesday, November 05 at 12:15 PM:

Website Alert Message

Liberty crews are conducting safety inspections on power lines and electric infrastructure throughout the Markleeville, Woodfords, and Desolation Hotel (Hope Valley) communities. This is an essential action that must be completed prior to lifting the current Public Safety Power Shutoff (PSPS) and restoring power. Liberty expects to begin restoring power late afternoon to early evening. This time may be extended if necessary repairs are identified during the inspections. Thank you for your cooperation as we work to keep our communities safe. [DETAILS](#)

The following messages were posted to Liberty's social media on Wednesday, November 05 at 12:15 PM:

Social Media – All Customers and Media (Reply to Email Chain)

Facebook and Media:

Liberty crews are conducting inspections on power lines and electric infrastructure throughout the **Markleeville, Woodfords, and Desolation Hotel communities**. This is an essential action that must be completed before lifting the current Public Safety Power Shutoff (PSPS) and restoring power.

Liberty expects to begin restoring power late afternoon to early evening. This time may be extended if necessary repairs are identified during the inspections.

Thank you for your cooperation as we work to keep our communities safe.

The Community Resource Centers at Woodfords Community Center, 96 Washoe Blvd, Markleeville, CA, and Walker Community Center, 442 Mule Deer Drive, Walker, CA, will remain open until 10:00 p.m., as long as the PSPS is still in effect.

For additional information and real-time updates, please visit our PSPS website:

<https://california.libertyutilities.com/south-lake-tahoe/residential/safety/electrical/public-safety-power-shutoffs.html>

Twitter:

1. Liberty crews are conducting safety inspections on power lines and electric infrastructure throughout the Markleeville, Woodfords, and Desolation Hotel (Hope Valley) communities. This is an essential action that must be completed before lifting the current Public Safety Power Shutoff (PSPS) and restoring power.
2. Liberty expects to begin restoring power late afternoon to early evening. This time may be extended if necessary repairs are identified during the inspections.
3. Thank you for your cooperation as we work to keep our communities safe. The Community Resource Centers at Woodfords Community Center, 96 Washoe Blvd, Markleeville, CA, and Walker Community Center, 442 Mule Deer Drive, Walker, CA, will remain open until 10:00 p.m., as long as the PSPS is still in effect.
4. **For additional information and real-time updates**, please visit our PSPS website: <https://california.libertyutilities.com/south-lake-tahoe/residential/safety/electrical/public-safety-power-shutoffs.html>

The following message was distributed via OnSolve to impacted customers on Wednesday, November 05 at 12:26 PM:

Email:

Liberty crews are conducting inspections on power lines and electric infrastructure throughout the community. This is an essential action that must be completed prior to restoring power. Liberty expects to begin restoring power in the late afternoon to early evening. This time may be extended if necessary repairs are identified during the inspections.

Thank you for your cooperation as we work to keep our communities safe.

The Community Resource Centers at Woodfords Community Center, 96 Washoe Blvd, Markleeville, CA, Walker Community Center and 442 Mule Deer Drive, Walker, CA will remain open until 10:00, as long as the PSPS is still in effect.

For additional information and real-time updates, please visit our [PSPS website](#) or follow us on [Facebook](#) (@LibertyUtilitiesLT) and [X](#) (@LibertyUtil_CA)

Phone/Text:

1. Liberty crews are conducting inspections on power lines and electric infrastructure throughout the community, an essential action that must be completed prior to restoring power. We expect to begin restoring power in the late afternoon to early evening. This time may be extended if necessary repairs are identified during the inspections. Thank you for your cooperation as we work to keep our communities safe.
2. The Community Resource Centers at Woodfords Community Center, 96 Washoe Blvd, Markleeville, CA and Walker Community Center and 442 Mule Deer Drive, Walker, CA will remain open until 10:00, as long as the PSPS is still in effect. **For additional information and real-time updates**, please visit libertyutilities.com or follow us on Facebook (@LibertyUtilitiesLT) and Twitter (@LibertyUtil_CA).

The following message was distributed via email to Local Government and Community Based Organizations on Wednesday, November 05 at 1:18 PM:

Liberty crews are conducting inspections on power lines and electric infrastructure throughout the **Markleeville, Woodfords, and Desolation Hotel (Hope Valley)** communities. This is an essential action that must be completed before restoring power. Liberty expects to begin restoring power late afternoon to early evening. This time may be extended if necessary repairs are identified during the inspections.

Thank you for your cooperation as we work to keep our communities safe.

The Community Resource Centers at Woodfords Community Center, 96 Washoe Blvd, Markleeville, CA, and Walker Community Center, 442 Mule Deer Drive, Walker, CA, will remain open until 10:00, as long as the PSPS is still in effect.

For additional information and real-time updates, please visit our [PSPS website](#) or follow us on [Facebook](#) (@LibertyUtilitiesLT) and [X](#) (@LibertyUtil_CA)

The following message was distributed via email to Local Government and Community Based Organizations on Wednesday, November 05 at 2:14 PM:

Email:

Liberty crews are conducting inspections on power lines and electric infrastructure throughout the **Topaz, Coleville, and Walker** communities. This is an essential action that must be completed before restoring power. Liberty expects to begin restoring power this evening. This time may be extended if necessary repairs are identified during the inspections.

Thank you for your cooperation as we work to keep our communities safe.

The Community Resource Centers at Woodfords Community Center, 96 Washoe Blvd, Markleeville, CA, and Walker Community Center, 442 Mule Deer Drive, Walker, CA, will remain open until 10:00, as long as the PSPS is still in effect.

For additional information and real-time updates, please visit our [PSPS website](#) or follow us on [Facebook](#) (@LibertyUtilitiesLT) and [X](#) (@LibertyUtil_CA)

The following was added to Liberty's website on Wednesday, November 05 at 2:20 PM:

Website Alert Message

Liberty crews are conducting safety inspections on power lines and electric infrastructure throughout the Topaz, Coleville, and Walker communities. This is an essential action that must be completed prior to lifting the current Public Safety Power Shutoff (PSPS) and restoring power. Liberty expects to begin restoring power this evening. This time may be extended if necessary repairs are identified during the inspections. Thank you for your cooperation as we work to keep our communities safe. [DETAILS](#)

The following messages were posted to Liberty's social media on Wednesday, November 05 at 2:20 PM:

Social Media – All Customers and Media (Reply to Email Chain)

Facebook and Media:

Liberty crews are conducting inspections on power lines and electric infrastructure throughout the **Topaz, Coleville, and Walker communities**. This is an essential action that must be completed before lifting the current Public Safety Power Shutoff (PSPS) and restoring power.

Liberty expects to begin restoring power this evening. This time may be extended if necessary repairs are identified during the inspections.

Thank you for your cooperation as we work to keep our communities safe.

The Community Resource Centers at Woodfords Community Center, 96 Washoe Blvd, Markleeville, CA, and Walker Community Center, 442 Mule Deer Drive, Walker, CA, will remain open until 10:00 p.m., as long as the PSPS is still in effect.

For additional information, please visit our PSPS website: <https://california.libertyutilities.com/south-lake-tahoe/residential/safety/electrical/public-safety-power-shutoffs.html>

Twitter:

1. Liberty crews are conducting safety inspections on power lines and electric infrastructure throughout the Topaz, Coleville, and Walker communities. This is an essential action that must be completed before lifting the current Public Safety Power Shutoff (PSPS) and restoring power.
2. Liberty expects to begin restoring power this evening. This time may be extended if necessary repairs are identified during the inspections.
3. Thank you for your cooperation as we work to keep our communities safe. The Community Resource Centers at Woodfords Community Center, 96 Washoe Blvd, Markleeville, CA, and Walker Community Center, 442 Mule Deer Drive, Walker, CA, will remain open until 10:00 p.m., as long as the PSPS is still in effect.
4. **For additional information**, please visit our PSPS website:
<https://california.libertyutilities.com/south-lake-tahoe/residential/safety/electrical/public-safety-power-shutoffs.html>

The following message was distributed via OnSolve to impacted customers on Wednesday, November 05 at 2:34 PM:

This is an important alert from your electric provider, Liberty.

Liberty crews conducted inspections on the affected power lines and power has been restored.

If you are still experiencing a power outage, please contact us at 1-844-245-6868.

We appreciate your understanding as we took this proactive measure to keep the community safe.

The following messages were posted to Liberty's social media on Wednesday, November 05 at 2:45 PM:

We have restored power to the **Topaz, Coleville, and Walker** communities following the extreme weather conditions that necessitated a Public Safety Power Shutoff (PSPS).

We appreciate your understanding as we took this proactive measure to keep the community safe.

The following was added to Liberty's website on Wednesday, November 05 at 2:45 PM:

Website Alert Message

We have restored power to the **Topaz, Coleville, and Walker** communities following the extreme weather conditions that necessitated a Public Safety Power Shutoff (PSPS).

We appreciate your understanding as we took this proactive measure to keep the community safe.

The following message was distributed via email to Local Government and Community Based Organizations on Wednesday, November 05 at 2:48 PM:

We have **restored power** in the Topaz, Coleville, and Walker communities following the extreme weather conditions that necessitated a Public Safety Power Shutoff (PSPS).

We appreciate your understanding as we took this proactive measure to keep the community safe.

Again, please reach out with any feedback you may have from this event.

The following message was distributed via OnSolve to impacted customers on Wednesday, November 05 at 3:00 PM:

EMAIL:

Liberty crews are conducting inspections on power lines and electric infrastructure throughout the community. This is an essential action that must be completed prior to restoring power. Liberty expects to begin restoring power this evening. This time may be extended if necessary repairs are identified during the inspections.

Thank you for your cooperation as we work to keep our communities safe.

The Community Resource Centers at Woodfords Community Center, 96 Washoe Blvd, Markleeville, CA, Walker Community Center and 442 Mule Deer Drive, Walker, CA will remain open until 10:00, as long as the PSPS is still in effect.

For additional information and real-time updates, please visit our [PSPS website](#) or follow us on [Facebook](#) (@LibertyUtilitiesLT) and [X](#) (@LibertyUtil_CA)

Phone/Text:

1. Liberty crews are conducting inspections on power lines and electric infrastructure throughout the community, an essential action that must be completed prior to restoring power. We expect to begin restoring power this evening. This time may be extended if necessary repairs are identified during the inspections. Thank you for your cooperation as we work to keep our communities safe.

2. The Community Resource Centers at Woodfords Community Center, 96 Washoe Blvd, Markleeville, CA and Walker Community Center and 442 Mule Deer Drive, Walker, CA will remain open until 10:00, as long as the PSPS is still in effect. **For additional information and real-time updates**, please visit libertyutilities.com or follow us on Facebook (@LibertyUtilitiesLT) and Twitter (@LibertyUtil_CA).

The following message was distributed via OnSolve to impacted customers on Wednesday, November 05 at 5:36 PM:

This is an important alert from your electric provider, Liberty.

Liberty crews conducted inspections on the affected power lines and power has been restored.

If you are still experiencing a power outage, please contact us at 1-844-245-6868.

We appreciate your understanding as we took this proactive measure to keep the community safe.

The following message was distributed via email to Local Government and Community Based Organizations on Wednesday, November 05 at 5:41 PM:

We have **restored power** in the Markleeville, Woodfords, and Desolation Hotel (Hope Valley) communities following the extreme weather conditions that necessitated a Public Safety Power Shutoff (PSPS).

We appreciate your understanding as we took this proactive measure to keep the community safe.

CRC Updates:

- 72 attendees
- Lunch served
- No customer complaints logged
-

Thursday, November 06 Customer Communications (Afternoon)

The following messages were posted to Liberty's social media on Thursday, November 06 at 12:22 PM:

At Liberty, the safety of our customers and communities is our top priority. We appreciate your patience as our team worked diligently to reduce wildfire risk and safely restore service. Shout out to our crews for their hard work and commitment to maintaining the safety of our customers during Wednesday's Public Safety Power Shutoff (PSPS). Due to high winds and extreme fire weather conditions, a PSPS was implemented for customers in Markleeville, Woodfords, Topaz, Walker, Coleville, and the surrounding area.

Once it was safe to do so, our field teams worked through challenging conditions to patrol the electric system and restored power to all impacted customers Wednesday evening.



15 Appendix B – Public Safety Partner Notifications

From: [Jennifer Guenther](#)
To: [John Peters](#); ["Sandra Moberly"](#); ["Justin Caporusso"](#); ["Bri Chappell-McGovern"](#); ["kcooper@mono.ca.gov"](#); ["mobregon@mono.ca.gov"](#); ["Cathy Young"](#); ["Deb Bush"](#); ["chagopian@inyocounty.us"](#); ["Heidi Torix \(htorix@esud.org\)"](#); [Shane Gleason](#); ["Vasquez, Natalia"](#); ["wwood@rollingstart.com"](#)
Cc: [Matt Newberry](#); [Scott Witt](#); [Kate Marrone](#)
Subject: POWER RESTORED: Notice of Public Safety Power Shutoff (PSPS) Restoration from Liberty for Topaz, Coleville, and Walker area customers
Date: Wednesday, November 5, 2025 5:41:00 PM
Attachments: [image001.png](#)

We have **restored power** in the Topaz, Coleville, and Walker communities following the extreme weather conditions that necessitated a Public Safety Power Shutoff (PSPS).

We appreciate your understanding as we took this proactive measure to keep the community safe.

Again, please reach out with any feedback you may have from this event.

Jennifer Guenther | [Liberty Utilities \(West Region\)](#) | Senior Manager, Customer Solutions
P: 530-721-1861 | E: Jennifer.Guenther@libertyutilities.com

From: Jennifer Guenther
Sent: Wednesday, November 5, 2025 2:14 PM
To: John Peters <jpeters@mono.ca.gov>; 'Sandra Moberly' <smoberly@mono.ca.gov>; 'Justin Caporusso' <justin@caporussocommunications.com>; 'Bri Chappell-McGovern' <bchappell-mcgovern@mono.ca.gov>; 'kcooper@mono.ca.gov' <kcooper@mono.ca.gov>; 'mobregon@mono.ca.gov' <mobregon@mono.ca.gov>; 'Cathy Young' <cyoung@mono.ca.gov>; 'Deb Bush' <scottndeb1951@outlook.com>; 'chagopian@inyocounty.us' <chagopian@inyocounty.us>; 'Heidi Torix (htorix@esud.org)' <htorix@esud.org>; Shane Gleason <sgleason@esud.org>; 'Vasquez, Natalia' <Natalia.Vasquez@mail.house.gov>; 'wwood@rollingstart.com' <wwood@rollingstart.com>
Cc: Matt Newberry <Matt.Newberry@libertyutilities.com>; Scott Witt <Scott.Witt@libertyutilities.com>; Kate Marrone <Kate.Marrone@libertyutilities.com>
Subject: RE-ENERGIZATION Initiated: Notice of Public Safety Power Shutoff (PSPS) from Liberty for Topaz, Coleville, and Walker area customers

Good afternoon,

Liberty crews will begin inspections on power lines and electric infrastructure at approximately 2:30 pm throughout the Topaz, Coleville, and Walker communities. This is an essential action that must be completed before restoring power. Liberty expects to begin restoring power this evening. This time may be extended if necessary repairs are identified during the inspections.

Thank you for your cooperation as we work to keep our communities safe.

The Community Resource Centers at Woodfords Community Center, 96 Washoe Blvd, Markleeville, CA, and Walker Community Center, 442 Mule Deer Drive, Walker, CA, will remain open until 10:00, as long as the PSPS is still in effect.

For additional information and real-time updates, please visit our [PSPS website](#) or follow

us on [Facebook](#) (@LibertyUtilitiesLT) and [X](#) (@LibertyUtil_CA)

CRC updates:

- 25 visitors
- Lunch was served
- A couple of customers requested larger sized bottled water for toilet flushing- we will track this as a lesson learned

Please reach out with any questions, concerns, or feedback.

Jennifer Guenther | [Liberty Utilities \(West Region\)](#) | Senior Manager, Customer Solutions
P: 530-721-1861 | E: Jennifer.Guenther@libertyutilities.com

From: Jennifer Guenther

Sent: Wednesday, November 5, 2025 9:25 AM

To: John Peters <jpeters@mono.ca.gov>; 'Sandra Moberly' <smoberly@mono.ca.gov>; 'Justin Caporusso' <justin@caporussocommunications.com>; 'Bri Chappell-McGovern' <bchappell-mcgovern@mono.ca.gov>; 'kcooper@mono.ca.gov' <kcooper@mono.ca.gov>; 'mobregon@mono.ca.gov' <mobregon@mono.ca.gov>; 'Cathy Young' <cyoung@mono.ca.gov>; 'Deb Bush' <scottndeb1951@outlook.com>; 'chagopian@inyocounty.us' <chagopian@inyocounty.us>; 'Heidi Torix' (htorix@esUSD.org) <htorix@esUSD.org>; Shane Gleason <sgleason@esUSD.org>; 'Vasquez, Natalia' <Natalia.Vasquez@mail.house.gov>; 'wwood@rollingstart.com' <wwood@rollingstart.com>

Cc: Matt Newberry <Matt.Newberry@libertyutilities.com>; Scott Witt <Scott.Witt@libertyutilities.com>; Kate Marrone <Kate.Marrone@libertyutilities.com>

Subject: RE: 1:00 AM DE-ENERGIZATION: Notice of Public Safety Power Shutoff (PSPS) from Liberty for Topaz, Coleville, and Walker area customers

Good morning,

No major updates to report. We de-energized this morning at 1:00 am. We will continue to monitor weather conditions. Our Community Resource Centers are open. Our next IMT meeting is at 2:30 this afternoon- I will send out an update shortly after.

**Visit our Community
Resource Centers (CRCs)
to access:**

- Information about the PSPS event
- Wi-fi
- Snacks
- Water
- Activities for kids (coloring books, games)
- Device charging



Jennifer Guenther | [Liberty Utilities \(West Region\)](#) | Senior Manager, Customer Solutions
P: 530-721-1861 | E: Jennifer.Guenther@libertyutilities.com

From: Jennifer Guenther

Sent: Tuesday, November 4, 2025 9:22 PM

To: John Peters <jpeters@mono.ca.gov>; 'Sandra Moberly' <smoberly@mono.ca.gov>; 'Justin Caporusso' <justin@caporussocommunications.com>; 'Bri Chappell-McGovern' <bchappell-mcgovern@mono.ca.gov>; 'kcooper@mono.ca.gov' <kcooper@mono.ca.gov>; 'mobregon@mono.ca.gov' <mobregon@mono.ca.gov>; 'Cathy Young' <cyoung@mono.ca.gov>; 'Deb Bush' <scottndeb1951@outlook.com>; 'chagopian@inyocounty.us' <chagopian@inyocounty.us>; 'Heidi Torix' (htorix@esUSD.org) <htorix@esUSD.org>; Shane Gleason <sgleason@esUSD.org>; 'Vasquez, Natalia' <Natalia.Vasquez@mail.house.gov>; wwood@rollingstart.com

Cc: Matt Newberry <Matt.Newberry@libertyutilities.com>; Scott Witt <Scott.Witt@libertyutilities.com>; Kate Marrone <Kate.Marrone@libertyutilities.com>

Subject: 1:00 AM DE-ENERGIZATION: Notice of Public Safety Power Shutoff (PSPS) from Liberty for Topaz, Coleville, and Walker area customers

Importance: High

Good evening,

The message below was just sent to our customers. Please note, we are now estimating the restoration process to take 36 hours or less rather than 40. Our next internal meeting is scheduled for 8:00 am tomorrow morning. I will send out an update to this group after that meeting.

This is an important alert from your electric provider, Liberty Utilities.

Due to extreme weather conditions that increase the risk of a potential wildfire, a **Public**

Safety Power Shutoff (PSPS) will be implemented for your area on Wednesday, November 5, at or around 1:00 a.m. The power shutoff may last more than 36 hours.

Customers are encouraged to visit one of our two Community Resource Centers on Wednesday, November 5 from 8 a.m. -10 p.m. if they are unable to secure necessary alternative power.

(1) The Woodfords Community Center, 96 Washoe Blvd. Markleeville, CA or

(2) The Walker Community Center 442 Mule Deer Drive, Walker, CA.

Details of the PSPS can be found on our website and will be updated as necessary. <https://california.libertyutilities.com/south-lake-tahoe/residential/emergencies/electrical/public-safety-power-shutoff-update.html>

For additional updates, please follow us on [Facebook](#) (@LibertyUtilitiesLT) and [X](#) (@LibertyUtil_CA).

Please reach out with any questions, concerns, or feedback.

Jennifer Guenther | Liberty Utilities (West Region) | Senior Manager, Customer Solutions
P: 530-721-1861 | E: Jennifer.Guenther@libertyutilities.com

From: Jennifer Guenther

Sent: Tuesday, November 4, 2025 3:45 PM

To: John Peters <jpeters@mono.ca.gov>; Sandra Moberly <smoberly@mono.ca.gov>; Justin Caporusso <justin@caporussocommunications.com>; Bri Chappell-McGovern <bchappell-mcgovern@mono.ca.gov>; kcooper@mono.ca.gov; mobregon@mono.ca.gov; Cathy Young <cyoung@mono.ca.gov>; Deb Bush <scottndeb1951@outlook.com>; chagopian@inyocounty.us; Heidi Torix (htorix@esUSD.org) <htorix@esUSD.org>; Shane Gleason <sgleason@esUSD.org>; Vasquez, Natalia <Natalia.Vasquez@mail.house.gov>

Cc: Matt Newberry <Matt.Newberry@libertyutilities.com>; Scott Witt <Scott.Witt@libertyutilities.com>

Subject: RE: WARNING: Notice of Potential Public Safety Power Shutoff (PSPS) from Liberty for Topaz, Coleville, and Walker area customers

Good afternoon,

No new updates at this time. Weather conditions continue to indicate a PSPS is likely to be initiated on Wednesday, Nov. 5 at or around 1:00 am. Liberty endeavors to provide customers with sufficient notice. Customers will be contacted at approximately 9:00 pm with an update. If conditions at that time do not indicate a PSPS is required, Liberty will continue to monitor the conditions for the potential need of a PSPS at a later time. Liberty encourages customers to remain prepared for an extended power shutoff throughout this weather event.

I have attached an informational PSPS flyer if you would like to post it or share with community members. Reminder that there are informational videos at the bottom of this email chain which your constituents/community members may find useful.

Please reach out with any questions, concerns, or feedback.

Jennifer Guenther | Liberty Utilities (West Region) | Senior Manager, Customer Solutions
P: 530-721-1861 | E: Jennifer.Guenther@libertyutilities.com

From: Jennifer Guenther

Sent: Tuesday, November 4, 2025 9:54 AM

To: John Peters <jpeters@mono.ca.gov>; 'Sandra Moberly' <smoberly@mono.ca.gov>; 'Justin Caporusso' <justin@caporussocommunications.com>; 'Bri Chappell-McGovern' <bchappell-mcgovern@mono.ca.gov>; 'kcooper@mono.ca.gov' <kcooper@mono.ca.gov>; 'mobregon@mono.ca.gov' <mobregon@mono.ca.gov>; 'Cathy Young' <cyoung@mono.ca.gov>; 'Deb Bush' <scottndeb1951@outlook.com>; 'chagopian@inyocounty.us' <chagopian@inyocounty.us>; Heidi Torix (htorix@esud.org) <htorix@esud.org>; Shane Gleason <sgleason@esud.org>

Cc: Matt Newberry <Matt.Newberry@libertyutilities.com>; Scott Witt <Scott.Witt@libertyutilities.com>

Subject: WARNING: Notice of Potential Public Safety Power Shutoff (PSPS) from Liberty for Topaz, Coleville, and Walker area customers

This is an important alert from the local electric provider, Liberty. Please be advised of a potential Public Safety Power Shutoff (PSPS) event for Liberty's customers in **Markleeville, Woodfords, Desolation Hotel (Hope Valley), Topaz, Coleville, and Walker areas**, as detailed in the map attached **that may be required due to extreme weather conditions that increase the risk of a potential wildfire.**

Liberty has activated its PSPS protocol and has alerted public safety partners, Medical Baseline Customers, all customers that may be impacted, and other key audiences regarding the possibility of a PSPS.

Here's what you need to know:

- ***Expected start of PSPS outage:** Wednesday, November 5 at 1:00 a.m.
- **Expected duration of PSPS outage:** from 18-40 hours
- **Number of customers potentially impacted:** Approximately 1,535 customers may be impacted by Liberty's potential PSPS. See map for details.

To view the affected areas and stay up-to-date, please visit our Public Safety Partner portal [HERE](#).

Liberty will activate two Community Resource Centers on starting on Wednesday, November 5 at 8 a.m.- 10 p.m. The Woodfords Community Center, 96 Washoe Blvd. Markleeville, CA and Walker Community Center 442 Mule Deer Drive, Walker, CA that will remain open throughout the PSPS. Liberty will also provide regular updates to customers via [website](#), email, social media, and Onsolve (text/phone platform).

In addition, [here is the website with PSPS information in multiple languages](#).

Thank you for your support and cooperation as we work to keep our customers and communities safe.

About Public Safety Power Shutoffs

A public safety power shutoff (PSPS) is a safety procedure utilized by electric utilities to proactively turn off power when and where weather conditions create a high wildfire risk. The practice of de-energization, which is becoming more and more frequent, is supported by the California Public Utilities Commission (CPUC) as a safety best practice.

In partnership with fire weather experts, Liberty monitors real-time weather data and forecasts and regularly tests fuel moisture during the fire season. If forecasted conditions meet or exceed safety thresholds, Liberty may initiate a PSPS.

Jennifer Guenther | [Liberty Utilities \(West Region\)](#) | Senior Manager, Customer Solutions
P: 530-721-1861 | E: Jennifer.Guenther@libertyutilities.com

From: Jennifer Guenther

Sent: Monday, November 3, 2025 4:33 PM

To: John Peters <jpeters@mono.ca.gov>; 'Sandra Moberly' <smoberly@mono.ca.gov>; 'Justin Caporusso' <justin@caporussocommunications.com>; 'Bri Chappell-McGovern' <bchappell-mcgovern@mono.ca.gov>; 'kcooper@mono.ca.gov' <kcooper@mono.ca.gov>; 'mobregon@mono.ca.gov' <mobregon@mono.ca.gov>; 'Cathy Young' <cyoung@mono.ca.gov>; 'Deb Bush' <scottndeb1951@outlook.com>; 'chagopian@inyocounty.us' <chagopian@inyocounty.us>

Cc: Matt Newberry <Matt.Newberry@libertyutilities.com>; Scott Witt <Scott.Witt@libertyutilities.com>

Subject: RE: MONITORING: Notice of Potential Public Safety Power Shutoff (PSPS) from Liberty for Topaz, Coleville, and Walker area customers

Attached media release.

Jennifer Guenther | [Liberty Utilities \(West Region\)](#) | Senior Manager, Customer Solutions
P: 530-721-1861 | E: Jennifer.Guenther@libertyutilities.com

From: Jennifer Guenther

Sent: Monday, November 3, 2025 3:15 PM

To: John Peters <jpeters@mono.ca.gov>; Sandra Moberly <smoberly@mono.ca.gov>; Justin Caporusso <justin@caporussocommunications.com>; Bri Chappell-McGovern <bchappell-mcgovern@mono.ca.gov>; kcooper@mono.ca.gov; mobregon@mono.ca.gov; Cathy Young <cyoung@mono.ca.gov>; Deb Bush <scottndeb1951@outlook.com>; chagopian@inyocounty.us

Cc: Matt Newberry <Matt.Newberry@libertyutilities.com>; Scott Witt <Scott.Witt@libertyutilities.com>

Subject: MONITORING: Notice of Potential Public Safety Power Shutoff (PSPS) from Liberty for Topaz, Coleville, and Walker area customers

Good afternoon,

This is an important alert from the local electric provider, Liberty. Please be advised of a potential Public Safety Power Shutoff (PSPS) event for Liberty's customers in **Markleeville, Woodfords, Desolation Hotel (Hope Valley), Topaz, Coleville, and Walker areas**, as detailed in the map attached **that may be required due to extreme weather conditions that increase the risk of a potential wildfire**.

Liberty has activated its PSPS protocol and has alerted public safety partners, Medical Baseline Customers, all customers that may be impacted, and other key audiences regarding the possibility of a PSPS.

Here's what you need to know:

- **Expected start of PSPS outage:** Tuesday, November 4, at 10:00p.m.
- **Expected duration of PSPS outage:** from 18-40 hours
- **Number of customers potentially impacted:** Approximately 1,535 customers may be impacted by Liberty's potential PSPS. See map for details.

To view the affected areas and stay up-to-date, please visit our Public Safety Partner portal [HERE](#).

If a PSPS is enacted, Liberty will activate two Community Resource Centers on Wednesday, November 5 from 8 a.m. - 10 p.m. The Woodfords Community Center, 96 Washoe Blvd. Markleeville, CA and Walker Community Center 442 Mule Deer Drive, Walker, CA that will remain open throughout the PSPS. Liberty will also provide regular updates to customers via [website](#), email, social media, and Onsolve (text/phone platform).

For additional information and real-time updates, please visit our [PSPS website](#) or follow us on [Facebook](#) (@LibertyUtilitiesLT) and [X](#) (@LibertyUtil_CA)

[What is a PSPS? Video](#)

[PSPS Criteria Video](#)

[Preparing for a PSPS Video](#)

[What to do during a PSPS Video](#)

[What to do after a PSPS Video](#)

Please reach out with any questions or concerns. I will send updates throughout the event.

Thank you,

Jennifer Guenther | [Liberty Utilities \(West Region\)](#) | Senior Manager, Customer Solutions
P: 530-721-1861 | E: Jennifer.Guenther@libertyutilities.com

From: [Jennifer Guenther](#)
To: ["Charles McKee"](#); ["JT Chevallier"](#); ["emecak@alpinecountyca.gov"](#); ["ijim@alpinecountyca.gov"](#); ["David Griffith"](#); ["Ken Quiner"](#); ["lisa.christensen@washoetribe.us"](#); ["Geoff Ellis Woodfords Community"](#); ["edobyns@alpinecountyca.gov"](#); ["Nichole Williamson"](#); ["jspringer@alpinecountyca.gov"](#); ["broderick@alpinestudents.org"](#); ["Vasquez, Natalia"](#); ["Angela Slais"](#); ["Paul Washam"](#); ["libertypspsinfo@stpud.us"](#)
Cc: [Matt Newberry](#); [Scott Witt](#); [Kate Marrone](#)
Subject: POWER RESTORED: Notice of Public Safety Power Shutoff (PSPS) Restored from Liberty for Markleeville, Woodfords, Desolation Hotel (Hope Valley) area customers
Date: Wednesday, November 5, 2025 2:47:00 PM
Attachments: [image001.png](#)

We have **restored power** in the Markleeville, Woodfords, and Desolation Hotel (Hope Valley) communities following the extreme weather conditions that necessitated a Public Safety Power Shutoff (PSPS).

We appreciate your understanding as we took this proactive measure to keep the community safe.

CRC Updates:

- 72 attendees
- Lunch served
- No customer complaints logged

Jennifer Guenther | [Liberty Utilities \(West Region\)](#) | Senior Manager, Customer Solutions
P: 530-721-1861 | E: Jennifer.Guenther@libertyutilities.com

From: Jennifer Guenther

Sent: Wednesday, November 5, 2025 12:18 PM

To: 'Charles McKee' <cmckee@alpinecountyca.gov>; 'JT Chevallier' <jchevallier@alpinecountyca.gov>; 'emecak@alpinecountyca.gov' <emecak@alpinecountyca.gov>; 'ijim@alpinecountyca.gov' <ijim@alpinecountyca.gov>; 'David Griffith' <dgriffith.9@gmail.com>; 'Ken Quiner' <ken.quiner@washoetribe.us>; 'lisa.christensen@washoetribe.us' <lisa.christensen@washoetribe.us>; 'Geoff Ellis Woodfords Community' <geoff.ellis@washoetribe.us>; 'edobyns@alpinecountyca.gov' <edobyns@alpinecountyca.gov>; 'Nichole Williamson' <nwilliamson@alpinecountyca.gov>; 'jspringer@alpinecountyca.gov' <jspringer@alpinecountyca.gov>; 'broderick@alpinestudents.org' <broderick@alpinestudents.org>; 'Vasquez, Natalia' <Natalia.Vasquez@mail.house.gov>; 'Angela Slais' <aslais@alpinecountyca.gov>; 'Paul Washam' <pwasham@alpinecountyca.gov>; 'libertypspsinfo@stpud.us' <libertypspsinfo@stpud.us>

Cc: Matt Newberry <Matt.Newberry@libertyutilities.com>; Scott Witt <Scott.Witt@libertyutilities.com>; Kate Marrone <Kate.Marrone@libertyutilities.com>

Subject: RE-ENERGIZATION Initiated: Notice of Public Safety Power Shutoff (PSPS) from Liberty for Markleeville, Woodfords, Desolation Hotel (Hope Valley) area customers

Good afternoon,

Liberty crews have begun conducting inspections on power lines and electric infrastructure throughout the **Markleeville, Woodfords, and Desolation Hotel (Hope Valley)** communities. This is an essential action that must be completed before lifting the current Public Safety Power Shutoff (PSPS) and restoring power. Liberty expects to begin restoring power late afternoon to early evening. This time may be extended

if necessary repairs are identified during the inspections.

Thank you for your cooperation as we work to keep our communities safe.

The Community Resource Centers at Woodfords Community Center, 96 Washoe Blvd, Markleeville, CA, and Walker Community Center, 442 Mule Deer Drive, Walker, CA, will remain open until 10:00, as long as the PSPS is still in effect.

For additional information and real-time updates, please visit our [PSPS website](#) or follow us on [Facebook](#) (@LibertyUtilitiesLT) and [X](#) (@LibertyUtil_CA)

Please reach out with any questions, concerns, or feedback.

Jennifer Guenther | [Liberty Utilities \(West Region\)](#) | Senior Manager, Customer Solutions
P: 530-721-1861 | E: Jennifer.Guenther@libertyutilities.com

From: Jennifer Guenther

Sent: Wednesday, November 5, 2025 9:24 AM

To: 'Charles McKee' <cmckee@alpinecountyca.gov>; 'JT Chevallier' <jchevallier@alpinecountyca.gov>; 'emecak@alpinecountyca.gov' <emecak@alpinecountyca.gov>; 'ijim@alpinecountyca.gov' <ijim@alpinecountyca.gov>; 'David Griffith' <dgriffith.9@gmail.com>; 'Ken Quiner' <ken.quiner@washoetribe.us>; 'lisa.christensen@washoetribe.us' <lisa.christensen@washoetribe.us>; 'Geoff Ellis Woodfords Community' <geoff.ellis@washoetribe.us>; 'edobyns@alpinecountyca.gov' <edobyns@alpinecountyca.gov>; 'Nichole Williamson' <nwilliamson@alpinecountyca.gov>; 'jspringer@alpinecountyca.gov' <jspringer@alpinecountyca.gov>; 'broderick@alpinestudents.org' <broderick@alpinestudents.org>; 'Vasquez, Natalia' <Natalia.Vasquez@mail.house.gov>; 'Angela Slais' <aslais@alpinecountyca.gov>; 'Paul Washam' <pwasham@alpinecountyca.gov>; 'libertypspsinfo@stpud.us' <libertypspsinfo@stpud.us>

Cc: Matt Newberry <Matt.Newberry@libertyutilities.com>; Scott Witt <Scott.Witt@libertyutilities.com>; Kate Marrone <Kate.Marrone@libertyutilities.com>

Subject: RE: 1:00 AM DE-ENERGIZATION: Notice of Public Safety Power Shutoff (PSPS) from Liberty for Markleeville, Woodfords, Desolation Hotel (Hope Valley) area customers

Good morning,

No major updates to report. We de-energized this morning at 1:00 am. We will continue to monitor weather conditions. Our Community Resource Centers are open. Our next IMT meeting is at 2:30 this afternoon- I will send out an update shortly after.

**Visit our Community
Resource Centers (CRCs)
to access:**

- Information about the PSPS event
- Wi-fi
- Snacks
- Water
- Activities for kids (coloring books, games)
- Device charging



Jennifer Guenther | [Liberty Utilities \(West Region\)](#) | Senior Manager, Customer Solutions
P: 530-721-1861 | E: Jennifer.Guenther@libertyutilities.com

From: Jennifer Guenther

Sent: Tuesday, November 4, 2025 9:23 PM

To: Charles McKee <cmckee@alpinecountyca.gov>; JT Chevallier <jchevallier@alpinecountyca.gov>; emecak@alpinecountyca.gov; ijim@alpinecountyca.gov; David Griffith <dgriffith.9@gmail.com>; Ken Quiner <ken.quiner@washoetribe.us>; lisa.christensen@washoetribe.us; Geoff Ellis Woodfords Community <geoff.ellis@washoetribe.us>; edobyns@alpinecountyca.gov; Nichole Williamson <nwilliamson@alpinecountyca.gov>; jspringer@alpinecountyca.gov; broderick@alpinestudents.org; Vasquez, Natalia <Natalia.Vasquez@mail.house.gov>; Angela Slais <aslais@alpinecountyca.gov>; Paul Washam <pwasham@alpinecountyca.gov>; libertypspsinfo@stpud.us

Cc: Matt Newberry <Matt.Newberry@libertyutilities.com>; Scott Witt <Scott.Witt@libertyutilities.com>; Kate Marrone <Kate.Marrone@libertyutilities.com>

Subject: 1:00 AM DE-ENERGIZATION: Notice of Public Safety Power Shutoff (PSPS) from Liberty for Markleeville, Woodfords, Desolation Hotel (Hope Valley) area customers

Importance: High

Good evening,

The message below was just sent to our customers. Please note, we are now estimating the restoration process to take 36 hours or less rather than 40. Our next internal meeting is scheduled for 8:00 am tomorrow morning. I will send out an update to this group after that meeting.

This is an important alert from your electric provider, Liberty Utilities.

Due to extreme weather conditions that increase the risk of a potential wildfire, a **Public Safety Power Shutoff (PSPS)** will be implemented for your area on Wednesday,

November 5, at or around 1:00 a.m. The power shutoff may last more than 36 hours.

Customers are encouraged to visit one of our two Community Resource Centers on Wednesday, November 5 from 8 a.m. -10 p.m. if they are unable to secure necessary alternative power.

- (1) The Woodfords Community Center, 96 Washoe Blvd. Markleeville, CA or
- (2) The Walker Community Center 442 Mule Deer Drive, Walker, CA.

Details of the PSPS can be found on our website and will be updated as necessary. <https://california.libertyutilities.com/south-lake-tahoe/residential/emergencies/electrical/public-safety-power-shutoff-update.html>

For additional updates, please follow us on [Facebook](#) (@LibertyUtilitiesLT) and [X](#) (@LibertyUtil_CA).

Please reach out with any questions, concerns, or feedback.

Jennifer Guenther | [Liberty Utilities \(West Region\)](#) | Senior Manager, Customer Solutions
P: 530-721-1861 | E: Jennifer.Guenther@libertyutilities.com

From: Jennifer Guenther

Sent: Tuesday, November 4, 2025 3:42 PM

To: Charles McKee <cmckee@alpinecountyca.gov>; JT Chevallier <jchevallier@alpinecountyca.gov>; emecak@alpinecountyca.gov; ijim@alpinecountyca.gov; David Griffith <dgriffith.9@gmail.com>; Ken Quiner <ken.quiner@washoetribe.us>; lisa.christensen@washoetribe.us; Geoff Ellis Woodfords Community <geoff.ellis@washoetribe.us>; edobyns@alpinecountyca.gov; Nichole Williamson <nwilliamson@alpinecountyca.gov>; jspringer@alpinecountyca.gov; broderick@alpinestudents.org; Vasquez, Natalia <Natalia.Vasquez@mail.house.gov>

Cc: Matt Newberry <Matt.Newberry@libertyutilities.com>; Scott Witt <Scott.Witt@libertyutilities.com>; Kate Marrone <Kate.Marrone@libertyutilities.com>

Subject: RE: WARNING: Notice of Potential Public Safety Power Shutoff (PSPS) from Liberty for Markleeville, Woodfords, Desolation Hotel (Hope Valley) area customers

Good afternoon,

No new updates at this time. Weather conditions continue to indicate a PSPS is likely to be initiated on Wednesday, Nov. 5 at or around 1:00 am. Liberty endeavors to provide customers with sufficient notice. Customers will be contacted at approximately 9:00 pm with an update. If conditions at that time do not indicate a PSPS is required, Liberty will continue to monitor the conditions for the potential need of a PSPS at a later time. Liberty encourages customers to remain prepared for an extended power shutoff throughout this weather event.

I have attached an informational PSPS flyer if you would like to post it or share with community members. Reminder that there are informational videos at the bottom of this email chain which your constituents/community members may find useful.

Please reach out with any questions, concerns or feedback.

Jennifer Guenther | Liberty Utilities (West Region) | Senior Manager, Customer Solutions
P: 530-721-1861 | E: Jennifer.Guenther@libertyutilities.com

From: Jennifer Guenther

Sent: Tuesday, November 4, 2025 9:56 AM

To: Charles McKee <cmckee@alpinecountyca.gov>; JT Chevallier <jchevallier@alpinecountyca.gov>; emecak@alpinecountyca.gov; ijim@alpinecountyca.gov; David Griffith <dgriffith.9@gmail.com>; Ken Quiner <ken.quiner@washoetribe.us>; lisa.christensen@washoetribe.us; Geoff Ellis Woodfords Community <geoff.ellis@washoetribe.us>; edobyns@alpinecountyca.gov; Nichole Williamson <nwilliamson@alpinecountyca.gov>; jspringer@alpinecountyca.gov; broderick@alpinestudents.org

Cc: Matt Newberry <Matt.Newberry@libertyutilities.com>; Scott Witt <Scott.Witt@libertyutilities.com>

Subject: WARNING: Notice of Potential Public Safety Power Shutoff (PSPS) from Liberty for Markleeville, Woodfords, Desolation Hotel (Hope Valley) area customers

Good morning,

This is an important alert from the local electric provider, Liberty. Please be advised of a potential Public Safety Power Shutoff (PSPS) event for Liberty's customers in **Markleeville, Woodfords, Desolation Hotel (Hope Valley), Topaz, Coleville, and Walker areas**, as detailed in the map attached **that may be required due to extreme weather conditions that increase the risk of a potential wildfire.**

Liberty has activated its PSPS protocol and has alerted public safety partners, Medical Baseline Customers, all customers that may be impacted, and other key audiences regarding the possibility of a PSPS.

Here's what you need to know:

- ***Expected start of PSPS outage:** Wednesday, November 5 at 1:00 a.m.
- **Expected duration of PSPS outage:** from 18-40 hours
- **Number of customers potentially impacted:** Approximately 1,535 customers may be impacted by Liberty's potential PSPS. See map for details.

To view the affected areas and stay up-to-date, please visit our Public Safety Partner portal [HERE](#).

Liberty will activate two Community Resource Centers on starting on Wednesday, November 5 at 8 a.m.- 10 p.m. The Woodfords Community Center, 96 Washoe Blvd. Markleeville, CA and Walker Community Center 442 Mule Deer Drive, Walker, CA that will remain open throughout the PSPS. Liberty will also provide regular updates to customers via [website](#), email, social media, and Onsolve (text/phone platform).

In addition, [here is the website with PSPS information in multiple languages](#).

Thank you for your support and cooperation as we work to keep our customers and communities safe.

About Public Safety Power Shutoffs

A public safety power shutoff (PSPS) is a safety procedure utilized by electric utilities to proactively turn off power when and where weather conditions create a high wildfire risk. The practice of de-energization, which is becoming more and more frequent, is supported by the California Public Utilities Commission (CPUC) as a safety best practice.

In partnership with fire weather experts, Liberty monitors real-time weather data and forecasts and regularly tests fuel moisture during the fire season. If forecasted conditions meet or exceed safety thresholds, Liberty may initiate a PSPS.

Jennifer Guenther | [Liberty Utilities \(West Region\)](#) | Senior Manager, Customer Solutions
P: 530-721-1861 | E: Jennifer.Guenther@libertyutilities.com

From: Jennifer Guenther

Sent: Monday, November 3, 2025 4:33 PM

To: 'Charles McKee' <cmckee@alpinecountyca.gov>; 'JT Chevallier' <jchevallier@alpinecountyca.gov>; 'emecak@alpinecountyca.gov' <emecak@alpinecountyca.gov>; 'ijim@alpinecountyca.gov' <ijim@alpinecountyca.gov>; 'David Griffith' <dgriffith.9@gmail.com>; 'Ken Quiner' <ken.quiner@washoetribe.us>; 'lisa.christensen@washoetribe.us' <lisa.christensen@washoetribe.us>; 'Geoff Ellis Woodfords Community' <geoff.ellis@washoetribe.us>; 'edobyns@alpinecountyca.gov' <edobyns@alpinecountyca.gov>; 'Nichole Williamson' <nwilliamson@alpinecountyca.gov>; 'jspringer@alpinecountyca.gov' <jspringer@alpinecountyca.gov>

Cc: Matt Newberry <Matt.Newberry@libertyutilities.com>; Scott Witt <Scott.Witt@libertyutilities.com>

Subject: RE: MONITORING: Notice of Potential Public Safety Power Shutoff (PSPS) from Liberty for Markleeville, Woodfords, Desolation Hotel (Hope Valley) area customers

Attached media release.

Jennifer Guenther | [Liberty Utilities \(West Region\)](#) | Senior Manager, Customer Solutions
P: 530-721-1861 | E: Jennifer.Guenther@libertyutilities.com

From: Jennifer Guenther

Sent: Monday, November 3, 2025 3:15 PM

To: Charles McKee <cmckee@alpinecountyca.gov>; JT Chevallier <jchevallier@alpinecountyca.gov>; emecak@alpinecountyca.gov; ijim@alpinecountyca.gov; David Griffith <dgriffith.9@gmail.com>; Ken Quiner <ken.quiner@washoetribe.us>; lisa.christensen@washoetribe.us; Geoff Ellis Woodfords Community <geoff.ellis@washoetribe.us>; edobyns@alpinecountyca.gov; Nichole Williamson <nwilliamson@alpinecountyca.gov>; jspringer@alpinecountyca.gov

Cc: Matt Newberry <Matt.Newberry@libertyutilities.com>; Scott Witt <Scott.Witt@libertyutilities.com>

Subject: MONITORING: Notice of Potential Public Safety Power Shutoff (PSPS) from Liberty for Markleeville, Woodfords, Desolation Hotel (Hope Valley) area customers

Good afternoon,

This is an important alert from the local electric provider, Liberty. Please be advised of a potential Public Safety Power Shutoff (PSPS) event for Liberty's customers in **Markleeville, Woodfords, Desolation Hotel (Hope Valley), Topaz, Coleville, and Walker areas**, as detailed in the map attached **that may be required due to extreme weather conditions that increase the risk of a potential wildfire.**

Liberty has activated its PSPS protocol and has alerted public safety partners, Medical Baseline Customers, all customers that may be impacted, and other key audiences regarding the possibility of a PSPS.

Here's what you need to know:

- **Expected start of PSPS outage:** Tuesday, November 4, at 10:00p.m.
- **Expected duration of PSPS outage:** from 18-40 hours
- **Number of customers potentially impacted:** Approximately 1,535 customers may be impacted by Liberty's potential PSPS. See map for details.

To view the affected areas and stay up-to-date, please visit our Public Safety Partner portal [HERE](#).

If a PSPS is enacted, Liberty will activate two Community Resource Centers on Wednesday, November 5 from 8 a.m. - 10 p.m. The Woodfords Community Center, 96 Washoe Blvd. Markleeville, CA and Walker Community Center 442 Mule Deer Drive, Walker, CA that will remain open throughout the PSPS. Liberty will also provide regular updates to customers via [website](#), email, social media, and Onsolve (text/phone platform).

For additional information and real-time updates, please visit our [PSPS website](#) or follow us on [Facebook](#) (@LibertyUtilitiesLT) and [X](#) (@LibertyUtil_CA)

[What is a PSPS? Video](#)

[PSPS Criteria Video](#)

[Preparing for a PSPS Video](#)

[What to do during a PSPS Video](#)

[What to do after a PSPS Video](#)

Please reach out with any questions or concerns. I will send updates throughout the event.

Thank you,

Jennifer Guenther | [Liberty Utilities \(West Region\)](#) | Senior Manager, Customer Solutions
P: 530-721-1861 | E: Jennifer.Guenther@libertyutilities.com

From: Scott Witt
To: charootunian@alpineso.com; emecak@alpinecountyca.gov; jbaker@alpineso.com; cgoodman@alpinecountyca.gov; ijim@alpinecountyca.gov; rjohnson@alpinecountyca.gov; tminder@alpineso.com; aslais@alpinecountyca.gov; tstreeper@alpinecountyca.gov; pwasham@alpinecountyca.gov; nwilliamson@alpinecountyca.gov; mbeckwith@alpinecountyca.gov; Daniel.Garnin@fire.ca.gov; brian.newman@fire.ca.gov; wendy.oaks@fire.ca.gov; Bryan.Pooley@fire.ca.gov; Bret.Swearengin@fire.ca.gov; sabram@catalystcomm.org; George.abbott@washoe-tribe.us; rob.beltramo@washoe-tribe.us; lisa.christensen@washoe-tribe.us; geoff.ellis@washoe-tribe.us; ken.quiner@washoe-tribe.us; max.rettig@washoe-tribe.us; steve.elenburg@fire.ca.gov; alison.hesterly@fire.ca.gov; sean.landavazo@fire.ca.gov; Shane.Gleason@esud.org; htorix@esud.org; mmartinez@mono.ca.gov; cmokracek@mono.ca.gov; rcnald54@gmail.com; John.Peters@monosheriff.org; ibraun@monosheriff.org; bbullock@mono.ca.gov; Seth.Clark@curtiranch.com; smoberly@mono.ca.gov; sroberts@monosheriff.org; Michael.Lightfoot@usmc.mil; andrew.oddo@usmc.mil; yfreeman@mono.ca.gov; lgaunt@mono.ca.gov; kpeterson@mono.ca.gov; cyoung@mono.ca.gov; cmiles@mono.ca.gov; bchappell-mcgovern@mono.ca.gov; jacob.l.maxwell@usmc.mil
Cc: Jennifer.Guenther@mono.ca.gov; Brian.Mallett@mono.ca.gov; Joseph.Canas@mono.ca.gov; Mike.Fobair@mono.ca.gov; Matt.Newberry@mono.ca.gov
Subject: [NOT PUBLIC] Alpine/Mono Co's Public Safety Partner PSPS webinar
Start: Tuesday, November 4, 2025 1:00:00 PM
End: Tuesday, November 4, 2025 2:00:00 PM
Location: Microsoft Teams Meeting
Importance: High

TARGET AUDIENCE = PUBLIC SAFETY (GOV'T) PARTNERS IN ALPINE AND MONO COUNTIES. THIS IS *NOT* A PUBLIC FORUM.

Liberty will give a short presentation on tonight's planned PSPS.

Liberty is planning for a Public Safety Power Shutoff (PSPS) event in the Markleeville, Woodfords, Desolation Hotel (Hope Valley), Topaz, Coleville, and Walker areas within the next 24 hours to reduce wildfire risk and ensure the safety of the community during the anticipated extreme weather conditions.

Pertinent details:

- * Extreme weather conditions are forecasted for the aforementioned areas starting Wednesday, November 5, at 1:00 a.m.
- * Approximately 1,531 customers, including 12 Medical Baseline (MBL) customers could be impacted. Liberty notified potentially impacted customers at 4:30 pm on Monday, November 3.
- * Public safety partners have been contacted.
- * Link to Liberty PSP portal: Liberty Utilities - PSPS Operations App | Liberty Utilities Public Safety <<https://public-safety-libertyutilities.hub.arcgis.com/apps/1e1431e7bdab409287deeb80fec3f1d1/explore>>
- * Liberty will activate two Community Resource Centers (CRC) starting on Wednesday, November 5 at 8:00am at the Woodfords Community Center, 96 Washoe Blvd, Markleeville, CA, or at the Walker Community Center, 442 Mule Deer Drive, Walker, CA. They will be open from 8:00am-10:00pm throughout the duration of the event.
- * Customers who require power to operate life-essential medical equipment will be contacted and strongly encouraged to make special accommodations should a PSPS be implemented or dial 9-1-1 if they are unable to secure necessary alternative power.

We will continue to monitor weather conditions as they evolve and keep you apprised of any significant updates.

Thank you for your support and cooperation as we work to keep our communities safe.

Contact me with ANY questions.

Scott Witt | Liberty Utilities (California) | Specialist III, Fire Protection
P: (530) 580-7495 E: Scott.Witt@libertyutilities.com <<mailto:Scott.Witt@libertyutilities.com>>

Microsoft Teams Need help? <<https://aka.ms/JoinTeamsMeeting?omkt=en-US>>

Join the meeting now <https://teams.microsoft.com/l/meetup-join/19%3ameeting_MDI4ZWQ2NzYtNDQyOC00N2NiLW11MDktMGYyNTk4NzkyMTcy%40thread.v2/0?context=%7b%22id%22%3a%226711ec7d-31e6-40dc-9bc9-176428a12110%22%2c%22oid%22%3a%22f1f8a114-205f-466a-aab2-

5b45afb99ce6%22%7d>

Meeting ID: 293 610 516 698 8

Passcode: bV6ah6gy

For organizers: Meeting options <https://teams.microsoft.com/meetingOptions/?organizerId=f1f8a114-205f-466a-aab2-5b45afb99ce6&tenantId=6711ec7d-31e6-40dc-9bc9-176428a12110&threadId=19_meeting_MDI4ZWQ2NzYtNDQyOC00N2NiLWI1MDktMGlyNTk4NzkxMTcy@thread.v2&messageId=0&language=en-US>

From: Scott Witt
To: charootunian@alpineso.com; emecak@alpinecountyca.gov; jbaker@alpineso.com; cgoodman@alpinecountyca.gov; ijim@alpinecountyca.gov; rjohnson@alpinecountyca.gov; tminder@alpineso.com; aslais@alpinecountyca.gov; tstreeper@alpinecountyca.gov; pwasham@alpinecountyca.gov; nwilliamson@alpinecountyca.gov; mbeckwith@alpinecountyca.gov; Daniel.Garnin@fire.ca.gov; brian.newman@fire.ca.gov; wendy.oaks@fire.ca.gov; Bryan.Pooley@fire.ca.gov; Bret.Swearengin@fire.ca.gov; sabram@catalystcomm.org; George.abbott@washotribe.us; rob.beltramo@washotribe.us; lisa.christensen@washotribe.us; geoff.ellis@washotribe.us; ken.quiner@washotribe.us; max.rettig@washotribe.us; steve.elenburg@fire.ca.gov; alison.hesterly@fire.ca.gov; sean.landavazo@fire.ca.gov; Shane.Gleason@esusd.org; htorix@esusd.org; mmartinez@mono.ca.gov; cmokracek@mono.ca.gov; rcnald54@gmail.com; John.Peters@monosheriff.org; ibraun@monosheriff.org; bbullock@mono.ca.gov; Seth.Clark@curtiranch@gmail.com; smoberly@mono.ca.gov; sroberts@monosheriff.org; Michael.Lightfoot@usmc.mil; andrew.oddo@usmc.mil; yfreeman@mono.ca.gov; lgaunt@mono.ca.gov; kpeterson@mono.ca.gov; cyoung@mono.ca.gov; cmiles@mono.ca.gov; bchappell-mcgovern@mono.ca.gov; jacob.l.maxwell@usmc.mil; Taylor.Green@jennifer.guenther; Brian.Mallett@brian.mallett; Joseph.Canas@joseph.canas; Mike.Fobair@mike.fobair; Matt.Newberry@matt.newberry
Cc: Jennifer Guenther; Brian Mallett; Joseph Canas; Mike Fobair; Matt Newberry
Subject: [NOT PUBLIC] Alpine/Mono Co's Public Safety Partner PSPS webinar
Start: Wednesday, November 5, 2025 1:30:00 PM
End: Wednesday, November 5, 2025 2:00:00 PM
Location: Microsoft Teams Meeting

(Note the time change = 13:30)

TARGET AUDIENCE = PUBLIC SAFETY (GOV'T) PARTNERS IN ALPINE AND MONO COUNTIES. THIS IS *NOT* A PUBLIC FORUM.

Liberty will give a short presentation on tonight's planned PSPS.

Liberty has an active Public Safety Power Shutoff (PSPS) event in the Markleeville, Woodfords, Desolation Hotel (Hope Valley), Topaz, Coleville, and Walker areas.

Pertinent details:

- * Extreme weather conditions were forecasted for the aforementioned areas starting Wednesday, November 5, at 1:00 a.m.
- * Approximately 1,531 customers, including 12 Medical Baseline (MBL) customers could be impacted. Liberty notified potentially impacted customers at 4:30 pm on Monday, November 3.
- * Public safety partners have been contacted.
- * Link to Liberty PSP portal: Liberty Utilities - PSPS Operations App | Liberty Utilities Public Safety <<https://public-safety-libertyutilities.hub.arcgis.com/apps/1e1431e7bdab409287deeb80fec3fd1d1/explore>>
- * Liberty will activate two Community Resource Centers (CRC) starting on Wednesday, November 5 at 8:00am at the Woodfords Community Center, 96 Washoe Blvd, Markleeville, CA, or at the Walker Community Center, 442 Mule Deer Drive, Walker, CA. They will be open from 8:00am-10:00pm throughout the duration of the event.
- * Customers who require power to operate life-essential medical equipment will be contacted and strongly encouraged to make special accommodations should a PSPS be implemented or dial 9-1-1 if they are unable to secure necessary alternative power.

We will continue to monitor weather conditions as they evolve and keep you apprised of any significant updates.

Thank you for your support and cooperation as we work to keep our communities safe.

Contact me with ANY questions.

Scott Witt | Liberty Utilities (California) | Specialist III, Fire Protection
P: (530) 580-7495 E: Scott.Witt@libertyutilities.com <<mailto:Scott.Witt@libertyutilities.com>>

Microsoft Teams Need help? <<https://aka.ms/JoinTeamsMeeting?omkt=en-US>>

Join the meeting now <<https://teams.microsoft.com/l/meetup->

join/19%3ameeting_ODdhMTJkYjltMDdhNy00ODk2LTNmNjEtN2NmMjRhZTU0ZWl0%40thread.v2/0?
context=%7b%22Tid%22%3a%226711ec7d-31e6-40dc-9bc9-176428a12110%22%2c%22Oid%22%3a%22f1f8a114-205f-466a-aab2-
5b45afb99ce6%22%7d>

Meeting ID: 293 364 191 666 8

Passcode: xo76kK7j

Dial in by phone

+1 437-703-5196,,153675995# <tel:+14377035196,,153675995> Canada, Toronto

Find a local number <<https://dialin.teams.microsoft.com/fe8a6705-cef8-4dcc-a460-973695f0463a?id=153675995>>

Phone conference ID: 153 675 995#

For organizers: Meeting options <https://teams.microsoft.com/meetingOptions/?organizerId=f1f8a114-205f-466a-aab2-5b45afb99ce6&tenantId=6711ec7d-31e6-40dc-9bc9-176428a12110&threadId=19_meeting_ODdhMTJkYjltMDdhNy00ODk2LTNmNjEtN2NmMjRhZTU0ZWl0@thread.v2&messageId=0&language=en-US> | Reset dial-in PIN <<https://dialin.teams.microsoft.com/usp/pstnconferencing>>

16 Appendix C – CPUC Notifications

From: [Jordan Parrillo](#)
To: [DeMayo, Ronald](#); [Noll, Anthony](#); [Palmer, Leslie L.](#); pspsnotification@cpuc.ca.gov
Cc: [Dan Marsh](#); [Peter Stoltman](#); [Tracy Luu-Varnes](#); [Scott Witt](#); [Eric Schwarzrock](#)
Subject: Liberty Restores Power to All Customers Following Public Safety Power Shutoff Event
Date: Wednesday, November 5, 2025 6:02:00 PM

Good evening,

Liberty has restored power to all customers impacted by the Public Safety Power Shutoff (PSPS) event in the Markleeville, Woodfords, Desolation Hotel (Hope Valley), Topaz, Coleville, and Walker areas. Liberty crews conducted safety inspections on the affected power lines before safely re-energizing all customers by 5:22 PM on November 5, 2025.

Our team will soon begin development of the post-PSPS report using the data we collected throughout the event and submit the document to the California Public Utilities Commission by the required date.

Thank you for your support throughout this public safety event.

Sincerely,
Jordan

Jordan Parrillo | Liberty Utilities (California) | Manager, Regulatory Affairs
P: 530-721-7818 | E: Jordan.Parrillo@libertyutilities.com

From: Jordan Parrillo
Sent: Wednesday, November 5, 2025 3:12 PM
To: 'DeMayo, Ronald' <ronald.demayo@cpuc.ca.gov>; 'Noll, Anthony' <anthony.noll@cpuc.ca.gov>; 'Palmer, Leslie L.' <leslie.palmer@cpuc.ca.gov>; 'pspsnotification@cpuc.ca.gov' <pspsnotification@cpuc.ca.gov>
Cc: Dan Marsh <Dan.Marsh@libertyutilities.com>; Peter Stoltman <Peter.Stoltman@libertyutilities.com>; Tracy Luu-Varnes <Tracy.Luu-Varnes@libertyutilities.com>; Scott Witt <Scott.Witt@libertyutilities.com>; Eric Schwarzrock <Eric.Schwarzrock@libertyutilities.com>
Subject: Liberty Public Safety Power Shutoff Event Update

Good afternoon,

Liberty is notifying the California Public Utilities Commission that a Public Safety Power Shutoff (PSPS) event is ongoing in the Topaz, Coleville, and Walker areas to reduce wildfire risk and ensure the safety of the community during the anticipated extreme weather conditions.

Pertinent details:

- On November 5, at 1:03 AM, Liberty de-energized its Muller 1296 and Topaz 1202 circuits.
- Approximately 1,531 customers, including 12 Medical Baseline (MBL) customers, were impacted.

- Due to increased relative humidity, Liberty crews conducted safety patrol inspections on the Muller 1296 circuit starting at 12:30 PM. Liberty completed patrol inspections on Muller 1296 and restored power to the 732 impacted customers in the Muller area. Liberty notified these customers that re-energization was initiated at 12:26 PM and that re-energization was completed at 2:34 PM.
- Due to increased relative humidity, Liberty crews started conducting safety patrol inspections on the Topaz 1202 circuit at 2:33 PM. Liberty expects to begin restoring power by 8:00 PM this evening to the 799 impacted customers in the Topaz area. This time may be extended if necessary repairs are identified during the inspections. Liberty notified these customers that re-energization has been initiated at 3:00 PM.
- Public safety partners have been contacted throughout the event.
- Link to Liberty PSP portal: [Liberty Utilities - PSPS Operations App | Liberty Utilities Public Safety](#)
- Liberty activated two Community Resource Centers (CRC) starting on Wednesday, November 5 at 8:00am at the Woodfords Community Center, 96 Washoe Blvd, Markleeville, CA, and at the Walker Community Center, 442 Mule Deer Drive, Walker, CA. They will be open from 8:00am-10:00pm throughout the duration of the event.

We will continue to keep you apprised of any significant updates.

Thank you for your support and cooperation as we work to keep our communities safe.

Sincerely,
Jordan

Jordan Parrillo | Liberty Utilities (California) | Manager, Regulatory Affairs
P: 530-721-7818 | E: Jordan.Parrillo@libertyutilities.com

From: Jordan Parrillo

Sent: Wednesday, November 5, 2025 6:58 AM

To: 'DeMayo, Ronald' <ronald.demayo@cpuc.ca.gov>; 'Noll, Anthony' <anthony.noll@cpuc.ca.gov>; 'Palmer, Leslie L.' <leslie.palmer@cpuc.ca.gov>

Cc: Dan Marsh <Dan.Marsh@libertyutilities.com>; Peter Stoltman <Peter.Stoltman@libertyutilities.com>; Tracy Luu-Varnes <Tracy.Luu-Varnes@libertyutilities.com>; Scott Witt <Scott.Witt@libertyutilities.com>; Eric Schwarzrock <Eric.Schwarzrock@libertyutilities.com>

Subject: Liberty Public Safety Power Shutoff Event Initiated

Good morning,

Liberty is notifying the California Public Utilities Commission that a Public Safety Power Shutoff (PSPS) event has been initiated in the Markleeville, Woodfords, Desolation Hotel (Hope Valley), Topaz, Coleville, and Walker areas to reduce wildfire risk and ensure the safety of the community during the anticipated extreme weather conditions.

Pertinent details:

- Extreme weather conditions are forecasted for the aforementioned areas starting

Wednesday, November 5, at 1:00 AM until Thursday, November 6, at 1:00 AM. Monitored weather conditions have been consistent with forecasts.

- On November 5, at 1:03 AM, Liberty de-energized its Muller 1296 and Topaz 1202 circuits.
- Approximately 1,531 customers, including 12 Medical Baseline (MBL) customers, are impacted.
- Liberty notified impacted customers regarding imminent de-energization at 9:00 PM on Tuesday, November 4, and initiated de-energization at 1:11 AM on Wednesday, November 5. All 12 MBL customers positively affirmed that they received a notification from Liberty regarding the event.
- Public safety partners have been contacted.
- Link to Liberty PSP portal: [Liberty Utilities - PSPS Operations App | Liberty Utilities Public Safety](#)
- Liberty will activate two Community Resource Centers (CRC) starting on Wednesday, November 5 at 8:00am at the Woodfords Community Center, 96 Washoe Blvd, Markleeville, CA, and at the Walker Community Center, 442 Mule Deer Drive, Walker, CA. They will be open from 8:00am-10:00pm throughout the duration of the event.

We will continue to monitor weather conditions as they evolve and keep you apprised of any significant updates.

Thank you for your support and cooperation as we work to keep our communities safe.

Sincerely,
Jordan

Jordan Parrillo | Liberty Utilities (California) | Manager, Regulatory Affairs
P: 530-721-7818 | E: Jordan.Parrillo@libertyutilities.com

From: Jordan Parrillo

Sent: Wednesday, November 5, 2025 1:09 AM

To: DeMayo, Ronald <ronald.demayo@cpuc.ca.gov>; Noll, Anthony <anthony.noll@cpuc.ca.gov>; Palmer, Leslie L. <leslie.palmer@cpuc.ca.gov>

Cc: Dan Marsh <Dan.Marsh@libertyutilities.com>; Peter Stoltman <Peter.Stoltman@libertyutilities.com>; Tracy Luu-Varnes <Tracy.Luu-Varnes@libertyutilities.com>; Scott Witt <Scott.Witt@libertyutilities.com>; Eric Schwarzrock <Eric.Schwarzrock@libertyutilities.com>

Subject: Liberty Public Safety Power Shutoff Event Initiated

Good morning,

Liberty is notifying the California Public Utilities Commission that a Public Safety Power Shutoff (PSPS) event has been initiated in the Markleeville, Woodfords, Desolation Hotel (Hope Valley), Topaz, Coleville, and Walker areas to reduce wildfire risk and ensure the safety of the community during the anticipated extreme weather conditions.

Pertinent details:

Extreme weather conditions are forecasted for the aforementioned areas starting Wednesday, November 5, at 1:00 AM until Thursday, November 6, at 1:00 AM.

- On November 5, at 1:03 AM, Liberty de-energized its Muller 1296 and Topaz 1202 circuits.
- Approximately 1,531 customers, including 12 Medical Baseline (MBL) customers, are impacted.
- Liberty notified impacted customers regarding imminent de-energization at 9:00 PM on Tuesday, November 4, and initiated de-energization at 1:03 AM on Wednesday, November 5. All 12 MBL customers positively affirmed that they received a notification from Liberty regarding the event.
- Public safety partners have been contacted.
- Link to Liberty PSP portal: [Liberty Utilities - PSPS Operations App | Liberty Utilities Public Safety](#)
- Liberty will activate two Community Resource Centers (CRC) starting on Wednesday, November 5 at 8:00am at the Woodfords Community Center, 96 Washoe Blvd, Markleeville, CA, and at the Walker Community Center, 442 Mule Deer Drive, Walker, CA. They will be open from 8:00am-10:00pm throughout the duration of the event.

We will continue to monitor weather conditions as they evolve and keep you apprised of any significant updates.

Thank you for your support and cooperation as we work to keep our communities safe.

Sincerely,
Jordan

Jordan Parrillo | Liberty Utilities (California) | Manager, Regulatory Affairs
P: 530-721-7818 | E: Jordan.Parrillo@libertyutilities.com

From: Jordan Parrillo

Sent: Tuesday, November 4, 2025 3:01 PM

To: DeMayo, Ronald <ronald.demayo@cpuc.ca.gov>; Noll, Anthony <anthony.noll@cpuc.ca.gov>; Palmer, Leslie L. <leslie.palmer@cpuc.ca.gov>

Cc: Dan Marsh <Dan.Marsh@libertyutilities.com>; Peter Stoltman <Peter.Stoltman@libertyutilities.com>; Tracy Luu-Varnes <Tracy.Luu-Varnes@libertyutilities.com>; Scott Witt <Scott.Witt@libertyutilities.com>; Eric Schwarzrock <Eric.Schwarzrock@libertyutilities.com>

Subject: Potential Liberty Public Safety Power Shutoff Event

Good afternoon,

Liberty is notifying the California Public Utilities Commission that a Public Safety Power Shutoff (PSPS) event is likely in the Markleeville, Woodfords, Desolation Hotel (Hope Valley), Topaz, Coleville, and Walker areas within the next 24 hours to reduce wildfire risk and ensure the safety of the community during the anticipated extreme weather conditions.

Pertinent details:

Extreme weather conditions are forecasted for the aforementioned areas starting Wednesday, November 5, at 1:00 a.m.

- Approximately 1,531 customers, including 12 Medical Baseline (MBL) customers could be impacted. Liberty notified potentially impacted customers at 4:30 PM on Monday, November 3 and at 9:35 AM on Tuesday, November 4.
- Public safety partners have been contacted.
- Link to Liberty PSP portal: [Liberty Utilities - PSPS Operations App | Liberty Utilities Public Safety](#)
- Liberty will activate two Community Resource Centers (CRC) starting on Wednesday, November 5 at 8:00am at the Woodfords Community Center, 96 Washoe Blvd, Markleeville, CA, or at the Walker Community Center, 442 Mule Deer Drive, Walker, CA. They will be open from 8:00am-10:00pm throughout the duration of the event.

We will continue to monitor weather conditions as they evolve and keep you apprised of any significant updates.

Thank you for your support and cooperation as we work to keep our communities safe.

Sincerely,
Jordan

Jordan Parrillo | Liberty Utilities (California) | Manager, Regulatory Affairs
P: 530-721-7818 | E: Jordan.Parrillo@libertyutilities.com

From: Jordan Parrillo

Sent: Tuesday, November 4, 2025 7:01 AM

To: DeMayo, Ronald <ronald.demayo@cpuc.ca.gov>; Noll, Anthony <anthony.noll@cpuc.ca.gov>; Palmer, Leslie L. <leslie.palmer@cpuc.ca.gov>

Cc: Dan Marsh <Dan.Marsh@libertyutilities.com>; Peter Stoltman <Peter.Stoltman@libertyutilities.com>; Tracy Luu-Varnes <Tracy.Luu-Varnes@libertyutilities.com>; Scott Witt <Scott.Witt@libertyutilities.com>; Eric Schwarzrock <Eric.Schwarzrock@libertyutilities.com>

Subject: Potential Liberty Public Safety Power Shutoff Event

Good morning,

Liberty is notifying the California Public Utilities Commission that we are still monitoring a potential Public Safety Power Shutoff (PSPS) event in the Markleeville, Woodfords, Desolation Hotel (Hope Valley), Topaz, Coleville, and Walker areas within the next 24 hours to reduce wildfire risk and ensure the safety of the community during the anticipated extreme weather conditions.

Pertinent details:

- Extreme weather conditions are forecasted for the aforementioned areas starting Wednesday, November 5, at 1:00 a.m.
- Approximately 1,531 customers, including 12 Medical Baseline (MBL) customers could be impacted. Liberty notified potentially impacted customers at 4:30 pm on Monday, November

- 3.
- Public safety partners have been contacted.
- Link to Liberty PSP portal: [Liberty Utilities - PSPS Operations App | Liberty Utilities Public Safety](#)
- Liberty will activate two Community Resource Centers (CRC) starting on Wednesday, November 5 at 8:00am at the Woodfords Community Center, 96 Washoe Blvd, Markleeville, CA, or at the Walker Community Center, 442 Mule Deer Drive, Walker, CA. They will be open from 8:00am-10:00pm throughout the duration of the event.
- Customers who require power to operate life-essential medical equipment will be contacted and strongly encouraged to make special accommodations should a PSPS be implemented or dial 9-1-1 if they are unable to secure necessary alternative power.

We will continue to monitor weather conditions as they evolve and keep you apprised of any significant updates.

Thank you for your support and cooperation as we work to keep our communities safe.

Sincerely,
Jordan

Jordan Parrillo | Liberty Utilities (California) | Manager, Regulatory Affairs
P: 530-721-7818 | E: Jordan.Parrillo@libertyutilities.com

From: Jordan Parrillo

Sent: Monday, November 3, 2025 3:34 PM

To: DeMayo, Ronald <Ronald.DeMayo@cpuc.ca.gov>; Noll, Anthony <Anthony.Noll@cpuc.ca.gov>; Palmer, Leslie L. <Leslie.Palmer@cpuc.ca.gov>

Cc: Dan Marsh <Dan.Marsh@libertyutilities.com>; Sharon Yang <Sharon.Yang@libertyutilities.com>; Peter Stoltman <Peter.Stoltman@libertyutilities.com>; Tracy Luu-Varnes <Tracy.Luu-Varnes@libertyutilities.com>; Scott Witt <Scott.Witt@libertyutilities.com>; Eric Schwarzrock <Eric.Schwarzrock@libertyutilities.com>

Subject: Potential Liberty Public Safety Power Shutoff Event

Good afternoon,

Liberty Utilities (Liberty) is notifying the California Public Utilities Commission that we are monitoring a potential Public Safety Power Shutoff (PSPS) event in the Markleeville, Woodfords, Desolation Hotel (Hope Valley), Topaz, Coleville, and Walker areas within the next 36 hours to reduce wildfire risk and ensure the safety of the community during the anticipated extreme weather conditions.

Pertinent details:

- Extreme weather conditions are forecasted for the aforementioned areas starting Tuesday, November 4, at 10:00p.m.
- Approximately 1,531 customers, including 12 Medical Baseline (MBL) customers could be impacted.

Public safety partners and first responders will be contacted immediately and made aware of the medically sensitive customers who could be impacted if a PSPS is implemented.

- Link to Liberty PSP portal: [Liberty Utilities - PSPS Operations App | Liberty Utilities Public Safety](#)
- Liberty will activate two Community Resource Centers (CRC) starting on Wednesday, November 5 at 8:00am at the Woodfords Community Center, 96 Washoe Blvd, Markleeville, CA, or at the Walker Community Center, 442 Mule Deer Drive, Walker, CA. They will be open from 8:00am-10:00pm throughout the duration of the event.
- Customers who require power to operate life-essential medical equipment will be contacted and strongly encouraged to make special accommodations should a PSPS be implemented or dial 9-1-1 if they are unable to secure necessary alternative power.
- Liberty will notify impacted customers by 4:30 pm on Monday, November 3.

We will continue to monitor weather conditions as they evolve and keep you apprised of any significant updates.

Thank you for your support and cooperation as we work to keep our communities safe.

Sincerely,
Jordan

Jordan Parrillo | Liberty Utilities (California) | Manager, Regulatory Affairs
P: 530-721-7818 | E: Jordan.Parrillo@libertyutilities.com

17 Appendix D - PSPS Event Data Workbook (Excel File)

Available at:

<https://california.libertyutilities.com/uploads/Liberty%20November%205,%202025%20PSPS%20Post%20Event%20Report%20Tables.xlsx>