BEFORE THE PUBLIC UTILITIES COMMISSION
OF THE STATE OF CALIFORNIA

FILED
04/15/26
02:16 PM
A2502004

Application of the North American Numbering Plan Administrator, on behalf of the California Telecommunications Industry, for Relief of the 626 Numbering Plan Area	)	Application 25-02-004 (Filed April 15, 2026)

SUPPLEMENT TO APPLICATION OF THE NORTH AMERICAN NUMBERING PLAN ADMINISTRATOR, ON BEHALF OF THE CALIFORNIA TELECOMMUNICATIONS INDUSTRY, FOR RELIEF OF THE 626 NUMBERING PLAN AREA

The North American Numbering Plan Administrator ("NANPA"), in its role as the neutral third-party numbering plan area ("NPA") relief planner for California, hereby provides notice to the California Public Utilities Commission ("Commission") that the projected exhaust date for the 626 NPA has been revised since its previous filing on November 21, 2025, due to a decrease in the rate of Central Office ("CO") code assignments. The exhaust date, previously forecasted for the first quarter of 2029, is now projected to occur in the first quarter of 2030[1].

On February 20, 2025, NANPA filed an application on behalf of the California telecommunications industry ("Industry") operating within the 626 NPA, advising the Commission that the 626 NPA was projected to exhaust its supply of assignable CO codes during the fourth quarter of 2027, and requesting that the Commission issue a

[1] The April 2026 NPA Exhaust Analysis can be accessed on the NANPA web site at https://www.nanpa.com/reports/npa-reports.

decision approving the Industry's recommendation to implement an all-services distributed overlay as the form of relief for the 626 NPA.

While the projected exhaust date has been extended to the first quarter of 2030, a Commission decision on the Application is required no later than 18 months prior to the projected exhaust of the 626 NPA to permit NANPA to complete its administrative responsibilities and to allow the Industry sufficient time to implement the new overlay NPA within a nine (9) month implementation schedule, such that the new NPA is in place no later than six (6) months prior to exhaust of the 626 NPA[2]

Therefore, NANPA hereby requests that the Commission issue a final decision approving the Industry's Application by or before July 2028.

Respectfully submitted,

Kimberly Miller

Kimberly Wheeler Miller
Counsel for
North American Number Plan Administrator
One Tower Center Blvd. Ste. 800
East Brunswick, NJ 08816
844-Hi-Kimberly or 844-445-4623
kmiller@somos.com

Heidi Wayman
NANPA
One Tower Center Blvd. Ste. 800
East Brunswick, NJ 08816
571-363-3824
hwayman@nanpa.com

Filed: April 15, 2026

[2] The NPA Code Relief Planning and Notification Guidelines (ATIS-0300061, October 28, 2024) §7.2.notes that relief should be implemented six months prior to exhaust. These Guidelines can be accessed on the ATIS website located at https://www.atis.org/01_committ_forums/inc/documents/.