



Go paperless at www.sce.com/ebilling. It's fast, easy and secure.

For billing and service inquiries
1-800-239-2685
www.sce.com

Your electric bill



SEYMOUR, VANESSA Page 1 of 10

Customer Account
700085420163

Date bill prepared
05/05/26

649 LOYOLA AVE
CARSON, CA 90746-3901

FILED
Amount due \$218.66
Due by 05/26/26

C2608008

SETTLEMENT BILL

Your account summary

Solar billing plan (SBP) month 12.
This is your Settlement Bill.

Previous Balance	\$154.10
Payment Received 04/23/26	-\$154.10
Your new charges	\$218.66
Total amount you owe by 05/26/26	\$218.66

For information concerning your solar billing plan credits,
please refer to the "Details of your new charges"
section of the bill.

Your statement includes your applicable medical baseline allocation.

Summary of your billing detail

Service account	Service address	Billing period	Your rate	New charges
8019449624	649 LOYOLA AVE CARSON, CA	04/06/26 to 05/04/26	TOU-D-PRIME-SDP	\$218.66
8019449624	649 LOYOLA AVE CARSON, CA	04/06/26 to 05/04/26	TOU-D-PRIME-SDP	\$0.00
SBP Settlement adjustment				
				\$218.66

Please return the payment stub below with your payment and make your check payable to Southern California Edison.
If you want to pay in person, call 1-800-747-8908 for locations, or you can pay online at www.sce.com.

(14-574) Tear here

Tear here



Customer account 700085420163
Please write this number on the memo line
of your check. Make your check payable to
Southern California Edison.

Amount due by 05/26/26 **\$218.66**

Amount enclosed \$

STMT 05052026 P

SEYMOUR, VANESSA
649 LOYOLA AVE
CARSON CA 90746-3901

P.O. BOX 600
ROSEMEAD, CA 91771-0002

700085420163 0000228 000000000000021866000021866

Ways to contact us

Customer service numbers

General Services (U.S. & Canada)	1-800-655-4555
Payments, Extensions or Payment Options	1-800-950-2356
Emergency Services & Outages	1-800-611-1911
California Alternate Rates for Energy (CARE)	1-800-447-6620
Energy Theft Hotline	1-800-227-3901
Hearing & Speech Impaired (TTY)	1-800-352-8580

Relay calls accepted

Request a large print bill 1-800-655-4555

Multicultural services

Cambodian / ខ្មែរ	1-800-843-1309
Chinese / 中文	1-800-843-8343
Korean / 한국어	1-800-628-3061
Vietnamese / Tiếng Việt	1-800-327-3031
Spanish / Español	1-800-441-2233

Correspondence:

Southern California Edison
P.O. Box 6400
Rancho Cucamonga, CA
91729-6400

www.sce.com

Important information

What are my options for paying my bill?

On-line	Pay one-time or recurring on www.sce.com/bill
Mail-in	Check or Money order
In Person	Authorized payment locations 1-800-747-8908
Phone	QuickCheck 1-800-950-2356
	Debit & credit card 1-833-425-1440
Other	PayPal, Venmo, Apple Pay and Google Pay

Electronic check processing

Your check payment will be processed as a one-time Electronic Fund Transfer (EFT). With EFTs, funds may be withdrawn from your account the day we receive your payment. Your check will not be returned, but will appear on your financial statement.

Rates and applicable rules: Available at www.sce.com or upon request.

Past due bills

When is my bill past due? It is past due 20 days after the preparation date, which was 05/05/26.

- Unable to pay: If payment arrangements were not extended to you by SCE pursuant to SCE's filed tariffs, you may contact the California Public Utilities Commission.
- For safety reasons, if service is disconnected, please ensure any sensitive or potentially hazardous equipment is unplugged on the day of reconnection. For additional home safety tips, visit www.sce.com/safety or call SCE at 1-800-655-4555.

What is the Late Payment Charge (LPC)?

0.8% will be applied to the total unpaid balance if payment is not received by the due date on this bill (except for CARE and state agency accounts).

What is a rotating outage?

Rotating outages are controlled electrical outages used to avoid widespread or uncontrolled blackouts. Your Rotating Outage Group number is located on page 1, upper left, of your SCE bill. Your rotating outage group number may change at any time. For more information, visit www.sce.com/rotating outage.

What is the Power Charge Indifference Adjustment (PCIA)?

The PCIA is a charge to ensure that both SCE customers and those who have left SCE service to purchase electricity from other providers pay for the above market costs for electric generation resources that were procured by SCE on their behalf. 'Above market' refers to the difference between what the utility pays for electric generation and current market prices for the sale of those resources.

Disputed bills

If you believe there is an error on your bill or have a question about your service, please call Southern California Edison (SCE) customer support at 1-800-655-4555. If you are not satisfied with SCE's response, submit a complaint to the California Public Utilities Commission (CPUC) at www.cpuc.ca.gov/ complaints/. The CPUC's Consumer Affairs Branch (CAB) handles billing and service complaints and can be reached by:

Telephone 1-800-649-7570 (8:30 AM - 4:30 PM, Monday - Friday)

Mail CPUC, Consumer Affairs Branch, 505 Van Ness Ave., Room 2003, San Francisco, CA 94102

If you have limitations hearing or speaking, contact the California Relay Service, which is for those needing assistance relaying telephone conversations. Dial 711 or one of the numbers below to be routed to a California Relay Service provider in your preferred mode of communication.

Type of Call	English	Spanish
TTY/VCO/HCO to Voice	1-800-735-2929	1-800-855-3000
Voice to TTY/VCO/HCO	1-800-735-2922	1-800-855-3000
Speech-to-Speech Relay	1-800-854-7784	1-800-854-7784

To avoid having service turned off while waiting for the outcome of a complaint to the CPUC regarding the accuracy of your bill, contact CAB for assistance. If your case meets the eligibility criteria, CAB will instruct you on how to mail a check or money order to be impounded pending resolution of your case. You must continue to pay your current charges while your complaint is reviewed to keep your service turned on.

Definitions

- **Baseline Credit:** The baseline credit provides reduced electricity rates on electricity used up to the baseline allocation for the region that you live in.
- **CA Climate Credit:** Credit from state effort to fight climate change. Applied monthly to eligible businesses and semi-annually to residents.
- **Wildfire Fund Charge:** Supports the California Wildfire Fund which covers costs associated with catastrophic wildfires, including payment of bonds issued by the California Department of Water Resources (DWR)
- **Public Purpose Programs Charge:** Funds state-mandated programs for low income discounts, energy efficiency, renewable energy and R&D.
- **SCE Generation:** For recovering energy procurement and generation costs for that portion of your energy provided by SCE.

To change your contact information or enroll in SCE's payment option, complete the form below and return it in the enclosed envelope.

Change of mailing address: 700085420163

STREET#	STREET NAME	APARTMENT #
CITY	STATE	ZIP CODE
TELEPHONE #	E-MAIL ADDRESS	

Direct Payment (Automatic Debit) Enrollment: 700085420163

I hereby authorize SCE and my financial institution to automatically deduct my monthly payment from the checking account as shown on my enclosed check, ten calendar days after my bill is mailed.

Signature _____ Date _____

To change your checking account information or to be removed from the Direct Payment program please call SCE at 1-800-655-4555.

Energy Assistance Fund (EAF): I want to help people pay their energy bill through EAF. For info visit www.sce.com/eaf or call (800) 205-8596.

Add this amount for EAF \$ _____

Select one box only and sign below for EAF:

☐

Every
Month

☐

One Month
only

Things you should know

Fixed Recovery Charge

SCE has been permitted to issue bonds that enable it to recover more quickly certain costs related to preventing and mitigating catastrophic wildfires. Your bill for electric service includes a Fixed Recovery Charge that has been approved by the CPUC to repay those bonds. The right to recover the Fixed Recovery Charge has been transferred to a separate entity (called the Special Purpose Entity) that issued the bonds and does not belong to SCE. SCE is collecting the Fixed Recovery Charge on behalf of the Special Purpose Entity.

Stay in Control

If you're behind on payments, enrolled in a payment plan, or facing disconnection, we offer options and energy management solutions to help you stay in control of your bill and costs. Learn more at www.sce.com/billsupport.

Solar Customer Bills

Starting in June 2026, solar customers, except those on MASH or SOMAH, may notice a change in how their bills look. The information will be the same with additional call-outs for clarity.

Service account

8019449624

Service address

649 LOYOLA AVE
CARSON, CA 90746

Rotating outage

Group N001

POD-ID

101760940003758659

Your cost varies by time of day



Winter cost periods (Oct 01-May 31)

	Weekdays	Weekends & Holidays
Mid peak	4pm - 9pm	4pm - 9pm
Off peak	12am - 8am 9pm - 12am	12am - 8am 9pm - 12am
Super off peak	8am - 4pm	8am - 4pm



Usage



Avg. cost



Total cost

Mid peak		106 kWh	x	\$0.55991	=	\$59.35	
Off peak		365 kWh	x	\$0.24153	=	\$88.16	
Super off peak		3 kWh	x	\$0.24333	=	\$0.73	
		474 kWh					\$148.24 Energy Charges

Costs are rounded and include applicable energy charges from SCE. During season or price changes, averages are used. To view all charges and credits and to calculate your bill, refer to **Details of your new charges**.

\$70.42 Other credits/charges
\$218.66 Total

Your past and current electricity usage

Meter 222012-740443 from 04/06/26 to 05/04/26

Your next billing cycle will end on or about 06/03/26.

Total electricity you used this month in kWh 475
Total electricity you exported this month in kWh 1,133


Your daily average electricity usage (kWh)

Electricity Usage

2 Years ago: N/A Last year: 19.48 This year: 16.34

Export Generation

2 Years ago: N/A Last year: N/A This year: 39.07



* No data available

Details of your new charges

Your rate: TOU-D-PRIME-SDP MED BSLN
Billing period: 04/06/26 to 05/04/26 (29 days)

Delivery charges - Cost to deliver your electricity

Base services charge	29 days x \$0.79414	\$23.03
Energy-Winter		
Mid peak	106 kWh x \$0.29500	\$31.27
Off peak	365 kWh x \$0.18194	\$66.41
Super off peak	3 kWh x \$0.18194	\$0.55
Medical discount		-\$19.16

Your Delivery charges include:

- \$12.26 transmission charges
- \$72.18 distribution charges
- \$0.01 nuclear decommissioning charges
- \$13.24 public purpose programs charge
- \$3.92 new system generation charge

Generation charges - Cost to generate your electricity

SCE		
Energy-Winter		
Mid peak	106 kWh x \$0.26489	\$28.08
Off peak	365 kWh x \$0.05958	\$21.75
Super off peak	3 kWh x \$0.05958	\$0.18

Your Generation charges include:

- \$0.06 competition transition charge
- -\$5.76 power charge indifference adjustment (PCIA)

Solar billing plan - Costs and credits for your renewable exports

Energy export credit - Delivery	1,133 kWh x -\$0.00025	-\$0.28
Energy export credit - Generation	1,133 kWh x -\$0.00462	-\$5.23
Energy export bonus credit	1,133 kWh x -\$0.02400	-\$27.19
Net Surplus Compensation	2,197 kWh x -\$0.01864	-\$40.95
EEC adjustment - Delivery		\$28.74
EEC adjustment - Generation		\$103.30

Your overall energy charges include:

- \$2.36 franchise fees

Additional information:

- Medical baseline allocation: 1 unit
- Service voltage: 240 volts

Other charges or credits

Fixed recovery charge	474 kWh x \$0.00619	\$2.93
Subtotal of your new charges		\$213.43
Carson UUT	\$254.38 x 2.00000%	\$5.09
State tax	474 kWh x \$0.00030	\$0.14
Your new charges		\$218.66

Solar billing plan details:

- Solar billing plan month: 12
- Export generation: 1,133 kWh
- Credit earned this period: -\$5.51
- Credit applied: -\$5.51
- Year-to-date credit earned: -\$494.57
- Year-to-date credit applied: -\$494.57
- Net Surplus Compensation (NSC) option: Rollover
- Year-to-date NSC kWh: 2,197
- This is the end of your relevant period

Rate Identification Number - RIN



USCA-SCSC-0605-0000

In the future, you might use the Rate Identification Number (RIN) to program smart devices like smart thermostats, EV chargers, or energy management systems once the manufacturer has enabled its use. Once these smart device features are available, simply scan the QR code using the smart device app for setup. To learn more, visit sce.com/helpcenter/rin.

Things you should know

Your Solar Billing Plan (SBP) Relevant Period Ended

Your annual Relevant Period ended, and this is your settlement bill. SBP applies Energy Export credits, plus any other credits or charges needed to "true up" the Relevant Period. Unused Energy Export credits are applied to any eligible energy charges from previous months as an SBP Settlement Adjustment (in the "Summary of Your Billing Detail" section). Remaining credits offset the Energy Export Credit Adjustment charges, and the rest carry over to your next relevant period and may be applied to future bills (if applicable). If you generate more kilowatt-hours (kWh) than used during the Relevant Period, your year-to-date Net Surplus Compensation (NSC) is greater than zero, the kWh is debited as the Energy Export Credit Adjustment, and you're credited the wholesale NSC rate for the kWh. Please monitor your system to ensure it works properly. For more details visit <https://sce.com/speaksolar>.

May 2026

Customer Connection

Please visit us at www.sce.com

Practice Metallic Balloon Safety

- **Keep metallic balloons indoors.** They should always be tied to a weight.
- **Never release them outside.** They can cause outages, fires and possible injuries if they touch wires.
- **Never remove the weight.** Puncture balloons before throwing them away.
- **Do not attempt to retrieve objects tangled in wires.** Stay at least 100 feet away and call 911.

For more electrical safety tips, visit www.sce.com/staysafe.

Be Prepared for Outage Emergencies

Homes and small businesses in PSPS-affected areas should consider adding a portable backup battery or portable generator into their emergency preparedness strategies. These devices can supply backup power for essential personal electronics, such as mobile phones and computers, as well as critical household appliances including refrigerators, lighting, garage door openers and medical equipment, helping you stay prepared during outages. Rebates are available for qualifying products.

Watch our backup power educational videos, learn more about available solutions and apply for rebates in the SCE Marketplace at www.sce.com/backuppower.

To learn more about the process and method the California Public Utilities Commission used to determine High Fire Threat District maps, visit:

www.cpuc.ca.gov/industries-and-topics/wildfires/fire-threat-maps-and-fire-safety-rulemaking

Support for Customers Affected by a Major Disaster

If you or someone you know has been impacted by a disaster for which a state of emergency has been declared, please visit www.sce.com/disastersupport for information about consumer protections, programs and services SCE has available.

An electronic version of Connections is available at www.sce.com/inserts-onserts.

Get Help If You Use Medical Equipment

If you or someone in your household requires the regular use of electrically-powered medical equipment or other qualifying medical devices, you may be eligible for our Medical Baseline Allowance program which:

- 1) Provides an additional allotment of 16.5-kilowatt hours (kWh) of electricity per day on your monthly bill which can help offset the cost of operating the medical equipment, and
- 2) Prioritizes your household to get critical alerts and notifications if outages occur, including Public Safety Power Shutoffs.

To apply, you will need the signature of a medical professional.* If you apply online, you can enter your medical professional's email address and we will contact them for an electronic signature approval. Please let them know they will receive an email from SCE.

To learn more about eligibility requirements or if you have questions about medical equipment or criteria, visit www.sce.com/mbi or call **1-800-655-4555**. Application forms are available in several languages online and alternative formats (such as large print and braille) upon request.

NOTE: We will evaluate the eligibility of the device on your application if it is not listed on www.sce.com/mbi. Medical devices used for therapy but not medically required for sustaining life do not qualify for this program.

**Includes Medical Doctor (MD), Doctor of Osteopathy (DO), Physician Assistant (PA) or Nurse Practitioner (NP).*

May 2026

Proposition 65 Warnings

⚠ WARNING: The Safe Drinking Water and Toxic Enforcement Act of 1986, commonly referred to as Proposition 65, requires the governor to publish a list of chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. It also requires California businesses to warn the public of potential exposures to these chemicals that result from their operations.

Providing safe and reliable service to all of our customers is a top priority for Southern California Edison and we want you to be aware of these chemicals so that you can reduce exposure to chemicals associated with electricity generation and distribution. We handle all equipment and materials at our sites carefully for your good health as well as ours. However, if you are at or near our facilities and work sites, you can be exposed to the following chemicals on the state's Proposition 65 list. Reduce, limit, or avoid activities at and near the sources of exposure described below. For more information go to:

www.P65Warnings.ca.gov

1. Diesel Generation: Diesel Exhaust: SCE uses diesel-fueled emergency generators during emergencies and other times to help minimize the interruption of our customers' supply of electricity. The generators are used at some SCE facilities like substations and service centers, and at locations where repairs are made to the electrical system. SCE also uses diesel as the primary fuel for electricity generation on Catalina Island and in many service vehicles used throughout our service territory. Diesel engines produce exhaust as a by-product of the combustion of diesel fuel. Breathing diesel engine exhaust exposes you to chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. You should avoid breathing diesel fumes whenever possible.

2. Wooden Utility Poles: SCE uses wooden poles that have been treated with chemical preservatives. These chemicals include pentachlorophenol, which is known to the State of California to cause cancer, and petroleum products such as diesel fuel, which contains chemicals including toluene and benzene that are known to the State of California to cause cancer and birth defects or other reproductive harm. If you come into contact with a wooden utility pole or the dust, debris, soil surrounding the pole, or water runoff that may contain dust, debris, and soil previously in contact with the pole, you could be exposed to these chemicals. Avoid contact with wooden utility poles and the dust, debris, soil surrounding the poles, or water runoff that may contain dust, debris, soil surrounding the poles, or water runoff that may contain dust, debris, and soil previously in contact with the poles.

3. Painted Structures: SCE utilizes metal and wood structures and equipment that may have been coated with paints containing chemicals, such as lead-based paint, that are known to the State of California to cause cancer and birth defects or other reproductive harm. When the paint on these structures deteriorates, flakes of paint can impact the soil adjacent to the structure. To avoid exposure, you should avoid contact with any paint flakes or soil near any structure with deteriorating paint.

Los usuarios con acceso al Internet podran leer y descargar esta notificacion en espanol en el sitio Web de SCE:

www.sce.com/avisos

Health and Safety Tips for Temperature Sensitive Customers

Extreme hot weather may be harmful to people who have health issues or those who are sensitive to high temperatures. Here are steps you can take to avoid heat-related illness this summer if you don't have access to air conditioning at home to help you stay cool in hot weather:

- **Drink plenty of water to stay hydrated.**
- **Stay out of direct sunlight and limit outdoor activity to covered or shaded areas.**
- **Wear lightweight, loose, light-colored clothing and a head covering.**
- **Take a cool shower or bath.**

What to Do During Rotating Outages?

We strongly encourage you to be prepared for summer heat waves and potential outages. Power outages, regardless of their cause, can occur at any time. Since we cannot guarantee uninterrupted service to our customers, it is important that your emergency plan includes having sufficient standby battery power or a back-up portable unit available to power any in-home medical equipment you may have. If you have back-up power generation, we recommend you test it each month to ensure it is ready in case of a power interruption.

While rare, a rotating outage is a temporary controlled power outage typically lasting no more than one hour. Rotating outages are ordered by the California Independent System Operator (CAISO) during statewide Energy Emergency Alert Level 3 events to help ease demand and protect the integrity of the overall electric system. Your address or rotating outage group number located at the top of your bill can be used to see if you will be impacted. For more information or to check on outages in your area visit:

www.sce.com/outages

Advance Notification of a Rotating Outage

When possible, we will provide advance notice of a possible rotating outage via an automated notification using your preference for a text, email, or voice call.

Note: If you are enrolled in our Medical Baseline program, you do not need to complete this application form since you will already receive advance notification of rotating power outages that may affect you. For more information visit

www.sce.com/mbi

Connect With Us

Get energy-saving tips, safety and outage updates, and much more.

 www.facebook.com/sce

 www.twitter.com/sce

 www.instagram.com/sce

Notice of Southern California Edison Company's Rate Increase Request

Southern California Edison Company's (SCE) Application for Authorization to Deploy Advanced Metering Infrastructure (AMI) 2.0 and for Associated Cost Recovery to the California Public Utilities Commission (CPUC) A.26-03-030.

What is Being Requested?

SCE is requesting an increase in revenue of \$1,865 million from 2026-2033. Based on the year of the highest rate impact, this amounts to a total requested rate increase of 0.7¢/kWh (2.5%).¹ The current meters are nearing the end of their service life and they rely on legacy technology. SCE seeks to replace them with contemporary meters that will enable SCE to continue current meter functionality and provide new capabilities and customer benefits. This increase will be phased into rates over the years in this request.

Proposed Rate Increase by Customer Class in 2033

Customer Class	¢/kWh Increase	% Increase
Residential (Non-CARE)	1.1	2.6%
Residential (CARE)	0.6	2.8%
Lighting, Small, & Medium Power	0.8	2.5%
Large Power	0.4	2.1%
Agriculture & Pumping	0.6	2.3%
Street & Area Lighting	0.4	1.1%
Standby	0.2	1.4%

The table shows the requested increase in rates for the year with the highest revenues (2033) compared to current rates. Actual changes in rates may vary by year.

How Would This Impact the Typical Residential Customer?

If the request is approved, a typical non-CARE residential customer using 500 kWh per month would see a bill increase of approximately \$4.87 per month.² Similarly, a typical CARE residential customer using 500 kWh per month would see a bill increase of \$3.17 per month.³ The actual impact will vary based on usage, baseline territory, and other factors.

Additional Information

An administrative law judge will hold hearings, consider evidence, testimony, and public comments before drafting a proposed decision on this application. CPUC Commissioners will then vote on a final decision at a public meeting.

You can read more about the utility's request and make public comment by visiting apps.cpuc.ca.gov/c/A2603030. For questions about participating in CPUC matters, you can contact the Public Advisor's Office at Public.Advisor@cpuc.ca.gov, 1-866-849-8390, or 505 Van Ness Ave., San Francisco, CA 94102. Please reference A.26-03-030 in any communication with the CPUC.

Questions About the Request

For questions about this application, please contact SCE via phone at 1-800-655-4555, or via email at case.admin@sce.com. The mailing address is:

Case Administrator
Southern California Edison Company
A.26-03-030- AMI 2.0 Application
P.O. Box 800
Rosemead, CA 91770

¹ Rate change will vary each year. Percentage calculated using largest rate increase for the application years.

² Year 2033 of the application was used to calculate typical customer bill because it is the year with the largest increase of \$543.6M.

³ *Id.*

Notice of Southern California Edison Company's Rate Increase Request

Pacific Gas and Electric Company's (PG&E) Diablo Canyon Power Plant (DCPP) 2027 Cost Recovery Application to the California Public Utilities Commission (CPUC) (A.26-03-031)

What is Being Requested?

PG&E is authorized to recover DCPD costs from the customers of other electric utilities in California, including customers of Southern California Edison Company (SCE) with no additional markup. PG&E is the only applicant seeking approval from the CPUC. SCE customers are responsible for \$208.330 million, and SCE is required by law to collect that authorized amount. SCE is providing this notice of PG&E's application because it could result in a rate increase for SCE's customers.

Proposed Increase by Customer Class

Customer Class	¢/kWh Increase	% Increase
Residential (Non-CARE)	0.13	0.3%
Residential (CARE)	0.08	0.4%
Lighting, Small, & Medium Power	0.10	0.3%
Large Power	0.07	0.4%
Agricultural & Pumping	0.08	0.3%
Street & Area Lighting	0.06	0.2%
Standby	0.05	0.3%

How Would This Impact the Average Residential Customer?

If the request is approved, the average residential customer using 500 kWh per month would see a bill increase of approximately \$0.65 per month in 2027. Similarly, a typical CARE residential customer using 500 kWh per month would see a rate increase of \$0.42 per month. The actual impact will vary based on usage, baseline territory, and other factors.

Additional Information

You can read more about the utility's request and make public comment by visiting apps.cpuc.ca.gov/c/A2603031. For questions about participating in CPUC matters, you can contact the Public Advisor's Office at Public.Advisor@cpuc.ca.gov, 1-866-849-8390, or 505 Van Ness Ave., San Francisco, CA 94102. Please reference A.26-03-031 in any communication with the CPUC.

Questions About the Request

For questions about this application, please contact SCE by: Phone: 1-800-655-4555; Email case.admin@sce.com; Mail: Eric Lee, A.26-03-031 - 2027 DCPD Cost Recovery Application, Southern California Edison Company, P.O. Box 800 Rosemead, CA 91770, or visit www.sce.com/applications for further information.

Notice of SCE Rate Increase Request

SCE's Annual Energy Resource Recovery Account Application to the California Public Utilities Commission (CPUC) A.26-04-002

What is Being Requested?

Southern California Edison Company (SCE) is requesting a revenue increase of \$11.531 million to recover a net under-collection in 14 authorized SCE memorandum/balancing accounts. This will be recovered in electric rates.

Requested Rate Increase by Customer Class

Customer Class	¢/KWh	% Increase
Residential	0.02	0.1%
Lighting - Small & Medium Power	0.02	0.1%
Large Power	0.01	0.0%
Agricultural & Pumping	0.01	0.0%
Street & Area Lighting	0.01	0.0%
Standby	0.00	0.0%

How Would This Impact the Average Residential Customer?

If the request is approved, a typical residential customer using 500 kWh per month could see a monthly bill increase of \$0.10 (approximately 0.1%). A typical CARE residential customer using 500 kWh per month could see a monthly bill increase of \$0.07 (approximately 0.1%).

Additional Information

An administrative law judge will hold hearings, consider evidence, testimony, and public comments before drafting a proposed decision on this application. CPUC Commissioners will then vote on a final decision at a public meeting.

You can read more about the utility's request and make public comment by visiting apps.cpuc.ca.gov/c/A2604002. For questions about participating in CPUC matters, you can contact the Public Advisor's Office at Public.Advisor@cpuc.ca.gov, **1-866-849-8390**, or 505 Van Ness Ave., San Francisco, CA 94102. Please reference A.26-04-002 in any communication with the CPUC.

Questions About the Request

For questions about this application or SCE's request, please contact SCE by: Phone: **1-800-655-4555**; email case.admin@sce.com; Mail: Case Administrator, A.26-04-002 -ERRA Review Application, Southern California Edison Company, P.O. Box 800 Rosemead, CA 91770, or visit www.sce.com/applications for further information.

Account Number : 8019449624

Range : May-02-2025 May-04-2025

* This export will only contain the Usage data provided on this screen. If you wish to download a wider range of d

Date	Total Consumption
May 04*	25.79
May 03*	23.54
May 02	18.81
Totals	68 kWh

lata click on the link Green Button Download Data. This application will allow you to download up to 36 mon

th of Usage data.

Date	Solar Produ	End-of-Day Meter Reading (kWh)
5/2/2025	37.67	37.67
5/3/2025	19.98	57.65
5/4/2025	15.933	73.584
5/5/2025	20.724	94.308
5/6/2025	13.101	107.409
5/7/2025	58.708	166.117

Account Number : 8019449624
Range : May-05-2025 Jun-02-2025

* This export will only contain the Usage data provided on this screen. If you wish to download a wider range c

Date	Total Generation	Total Consumption
Jun 02	47.49	15.96
Jun 01* Event:Season Change Occurred	32.49	12.63
May 31*	41.84	13.38
May 30	51.11	13.67
May 29	35.15	15.3
May 28	29.28	15.09
May 27	50.62	14.31
May 26*	29.31	18.45
May 25*	26.84	16.94
May 24*	37.78	16.64
May 23	52.50	12.97
May 22	56.88	12.09
May 21	57.39	12.59
May 20	55.26	14.14
May 19	50.97	16.57
May 18*	48.02	15.39
May 17*	0.89	30.25
May 16	40.24	15.05
May 15 Event:Outage Occurred	55.72	15.41
May 14	46.87	18.65
May 13	46.62	14.82
May 12	44.23	14.97
May 11*	41.73	18.76
May 10*	45.22	16.84
May 09	46.61	19.24
May 08	52.90	14.44
May 07	48.02	16.41
May 06 Estimated Data	4.77	14.44
May 05 Event:Rate Change Occurred	4.77	16.41
Totals	1181.52	462 kWh

of data click on the link [Green Button Download Data](#). This application will allow you to download up to 36 month of U

On-Peak Consumption	Mid-Peak Consumption	Off-Peak Consumption	Super Off-Peak Consumption
3.91	0.00	12.05	0.00
0.00	2.42	10.21	0.00
0.00	2.74	9.56	1.08
0.00	2.22	11.37	0.08
0.00	2.41	12.24	0.65
0.00	3.72	11.03	0.34
0.00	3.75	10.27	0.29
0.00	3.50	12.25	2.70
0.00	2.63	12.46	1.85
0.00	4.41	11.00	1.23
0.00	2.39	10.58	0.00
0.00	2.42	9.67	0.00
0.00	2.42	10.17	0.00
0.00	2.93	11.09	0.12
0.00	4.05	11.78	0.74
0.00	2.39	12.76	0.24
0.00	7.53	14.43	8.29
0.00	3.04	11.61	0.40
0.00	4.01	11.35	0.05
0.00	4.76	12.89	1.00
0.00	4.11	10.61	0.10
0.00	4.86	10.10	0.01
0.00	8.03	10.73	0.00
0.00	3.51	12.30	1.03
0.00	5.33	13.79	0.12
0.00	2.87	11.48	0.09
0.00	3.86	12.43	0.12
0.00	2.87	11.48	0.09
0.00	3.86	12.43	0.12
3.91	103.04	334.12	20.74

sage data.

PUBLIC UTILITIES COMMISSION

505 VAN NESS AVE
SAN FRANCISCO, CA 94102



July 13, 2026

Clifford Seymour
649 Loyola Ave
Carson CA 90746

Subject: Commission File No: 734042 for Complaint with Southern California Edison Company

Dear Clifford Seymour:

The Consumer Affairs Branch (CAB) of the California Public Utilities Commission (CPUC) has completed its review of your complaint against **Southern California Edison Company (SCE)**. As part of the review, CAB considered the information that you provided, the information that **SCE** provided to us about your account and applicable codes, orders and tariffs.

In your complaint to CAB, you stated that SCE did not provide credits for your solar generation for the dates of May 2 through May 6, 2025. You disagreed with the \$132.04 solar generation and delivery charges on the bill dated May 5, 2026. You also indicated that Sunrun reflected that your system generated 73.584 kWh, while SCE's bill reflected 0 kWh from May 2 through May 4, 2025, with a consumption of 68 kWh. You attempted to contact the utility three times with no resolution. You then contacted the CPUC to request that SCE review your missing days of credit.

SCE investigated and reported that on June 25, 2026, Review Manager Lydia Salcedo stated that your Permission to Operate (PTO) was issued on May 2, 2025, but proper bidirectional metering was not installed until May 5, 2025. In accordance with SCE billing guidelines, service under the Net Billing Tariff (NBT) rate schedule becomes effective on the next scheduled meter read date following the installation of the proper meter. The timing of the meter installation fell within the required 45-day compliance window from the completed application package date.

In your additional correspondence submitted to CAB on June 25, 2026, you stated that the utility was disregarding your PTO date, violating the Net Billing Tariff, and causing financial harm through the loss of eligible export credits. You requested that SCE recognize May 2, 2025, as the start date for your Solar Billing Plan enrollment. You also requested SCE to retroactively apply export credits, correct your billing adjustment, and adjust your 12-month "Relevant Period" billing cycle to align with the PTO date.

SCE investigated and reported to CAB that they reexamined your interconnection and billing records. The review confirmed that the PTO was issued on May 2, 2025, consistent with the requirements of SCE Rule 21, which governs the interconnection of customer-generating facilities. The review further confirmed that the required bidirectional meter installation or verification, and the transition of your account to the applicable Solar Billing Plan tariff, were completed effective May 5, 2025.

SCE also reviewed whether any additional export credits or billing adjustments were warranted for the period between the PTO date and the account transition. SCE determined that the account was billed in accordance with the applicable Solar Billing Plan tariff and SCE's approved billing procedures. Accordingly, SCE's findings and determination remain unchanged. Based on the review of this information, CAB has determined that **Southern California Edison Company's** not in violation of the rules or regulations of the CPUC.

PUBLIC UTILITIES COMMISSION

505 VAN NESS AVE
SAN FRANCISCO, CA 94102



If you disagree with this result, you may either provide new evidence or appeal. Detailed instructions for sending new evidence or an appeal are attached. You must file within 15 days of this letter and include supporting documentation. Please provide any information you believe contradicts the utility's representations.

Sincerely,

Written Operations Unit
Consumer Affairs Branch
1-800-649-7570
www.cpuc.ca.gov