

Docket No.: A.26-01-009
Exhibit No.: SC-26
ALJ: Jamie Ormond
Witness: Tyson Siegele

Exhibit SC-26

SoCalGas Response to Sierra Club Data Request 3-4 (Aug. 10, 2026)

The non-confidential excel spreadsheet mentioned in and attached to the original response under Response 4 is included in this exhibit.

**APPLICATION OF SOUTHERN CALIFORNIA GAS COMPANY IN COMPLIANCE WITH ORDERING
PARAGRAPH 6 OF DECISION 24-12-076 (A.26-01-009)**

(DATA REQUEST #3 OF SIERRA CLUB)

Date Requested: June 8, 2026

Submitted: August 10, 2026

QUESTION 4:

The SoCalGas Internal Outage Report states that “[t]hese outages and temporary pressure reductions may be necessary for many reasons, including mandated inspection and remediation work, repairs of damage caused by third parties or natural events, validation of operating pressure limits, and system improvements needed to respond to changes in demand, customer location density, compliance requirements, or system flexibility.” During the workshop, Sierra Club requested that the duration of the supply reductions be supplied in the Outage Reports, and ALJ Ormond directed SoCalGas to provide that information. Most events in the reports do not list the event start date or end date. For each event in the Outage Reports, provide the following supplemental information in excel file format.

Internal Outage Report - APPENDIX A IMPACTS TO RECEIPT CAPACITY										
Outage Report Information						Supplemental Information Requested				
Year	Description	Location	Capacity Reduction (MMcf)	Maintenance Type	Event ID	Zone	Event Cause	SoCalGas actions that contributed to event cause (yes/no)	Event Start Date	Event End Date

Internal Outage Report APPENDIX B IMPACTS TO RESILIENCY AND RELIABILITY								
Outage Report Information			Supplemental Information Requested					
Year	Name	Pipeline	Zone	Event Cause	SoCalGas actions contributed to event cause (yes/no)	Event Start Date	Event End Date	Quantify the resiliency or reliability impact

Internal Outage Report - APPENDIX C IMPACTS TO CUSTOMER SERVICE									
Outage Report Information					Supplemental Information Requested				

**APPLICATION OF SOUTHERN CALIFORNIA GAS COMPANY IN COMPLIANCE WITH ORDERING
PARAGRAPH 6 OF DECISION 24-12-076 (A.26-01-009)**

(DATA REQUEST #3 OF SIERRA CLUB)

Date Requested: June 8, 2026

Submitted: August 10, 2026

Event Start Date	Event End Date	Curtailment or Curtailment Watch	Customer Category Impacted	Reason for curtailment	Service Area Curtailed	Maintenance or Event Cause	SoCalGas actions contributed to cause (yes/no)	Maintenance Location(s)	Zone(s) of Pipeline Maintenance	Aliso Canyon Withdrawal Protocol condition that triggered withdrawal
External Outage Report - Curtailment and Curtailment Watches										
Outage Report Information						Supplemental Information Requested				
Event Start Date	Event End Date	Curtailment or Curtailment Watch	Customer Category Impacted	Reason for curtailment	Service Area Curtailed	Maintenance or Event Cause	SoCalGas actions contributed to cause (yes/no)	Maintenance Location(s)	Zone(s) of Pipeline Maintenance	

RESPONSE 4:

SoCalGas objects to the extent it misstates ALJ Ormond’s Email Ruling Memorializing Direction Provided At Workshop, dated April 16, 2026. SoCalGas further objects to this request to the extent it imposes upon SoCalGas an obligation to generate or create documents or analyses that do not exist. Any purported obligation to do so exceeds the requirements provided by the CPUC’s Discovery Custom and Practice Guidelines and California Code of Civil Procedure Section 2031.230. SoCalGas also objects to this request as overly broad and unduly burdensome. Subject to and without waiving the foregoing objections, SoCalGas responds as follows.

For Appendix A, please see the attached spreadsheet with start and end dates. Note zone information is included in the location and event cause information is included in the Description.

Appendix B and C do not include start and end dates because the information was tracked for planning purposes and only the year is available.

SoCalGas conducted a reasonable search within the time allotted and has not identified additional information responsive to the remainder of the request.



A2601009 Sierra Club
DR3Q4 Supplemental

Year	Description	Location	Capacity Reduction (MMcf)	Maintenance Type	Event ID	Start Date	End Date
2015	L2000 - Planned Outage - Voluntary decrease of maximum operating pressure on L2000 Southern Transmission Zone by approximately 20%. This change is being made to further improve and maintain the safety of So Cal Gas pipelines. Note: Original Job start date 8-5-2011.	EP-Ehrenberg/ NBP-Blythe	202		5901	1/2/2015	8/28/2022
2016	Total Wheeler Zone capacity reduced to facilitate ongoing operations at the Aliso Canyon Storage Field.	Wheeler Ridge Zone	200		2250	1/22/2016	1/22/2016
2016	Total Southern Zone capacity reduced to facilitate ongoing operations at the Aliso Canyon Storage Field.	Southern Zone	535		2251	1/8/2016	1/22/2016
2016	Total Northern Zone capacity reduced to facilitate ongoing operations at the Aliso Canyon Storage Field.	Northern Zone	1050		2252	1/8/2016	1/22/2016
2016	Unplanned - L2000 necessary remediation.	EP-Ehrenberg/ NBP-Blythe	100		2341	3/22/2016	4/6/2016
2016	L3000 - Voluntary decrease of maximum operating pressure on L3000 Northern Transmission Zone by approximately 20%. This change is being made to further improve and maintain the safety of So Cal Gas pipelines.	TW-Topock/ EP-Topock	300	Unplanned	2363	4/16/2016	5/11/2017
2016	L3000 necessary remediation.	TW-Topock/ EP-Topock	240	Unplanned	2370	4/27/2016	5/31/2017
2016	Cat #2 cylinder Head Repair	EP-Ehrenberg/ NBP-Blythe	150	Unplanned	2549	11/10/2016	11/12/2016
2016	L85 Pipeline Repair	CP-Line 85	70	Unplanned	2565	11/30/2016	12/7/2016
2016	L3000 Necessary Remediation. Estimated return to service 4th quarter 2017.	TW-Topock/ EP-Topock	540	Unplanned	2705	7/29/2016	9/16/2018
2017	SL44-1008 Remediation.	CP-Line 85	30	Unplanned	2614	2/24/2017	12/5/2017
2017	L2000 Necessary Remediation	EP-Ehrenberg/ NBP-Blythe	100	Unplanned	2748	6/17/2017	6/19/2017
2017	L4002 Necessary remediation.	Northern Zone	490	Force Majeure	2820	8/3/2017	8/11/2017
2017	L235-2	TW-Needles/ QST-Needles	800	Force Majeure	2916	10/1/2017	12/19/2017
2017	Receipt point is unavailable due to gas quality issues	TGN-Otay Mesa	400	Unplanned	2996	11/16/2017	12/1/2017
2017	L85 Remediation	CP-Line 85	30	Unplanned	3001	11/8/2017	12/21/2017
2017	Restricted Operation of L4000 and L235-2 Outage. Updates to these pipelines' construction activities are posted in an Envoy critical notice typically every two weeks.	TW-Needles/ QST-Needles	150	Planned	3987	12/23/2017	10/17/2019
2018	L4000 necessary remediation.	TW-Needles/ QST-Needles	270	Unplanned	3083	1/17/2018	1/24/2018
2018	Line 85 zone is reduced as a result of pipeline safety enhancements	CP-Line 85	75	Unplanned	3115	1/31/2018	10/7/2018
2018	Receipt point is unavailable due to gas quality issues.	TGN-Otay Mesa	400	Unplanned	3194	3/30/2018	4/4/2018
2018	Compressor 501 Vibration Diagnostics	Wheeler Ridge Zone	65	Unplanned	3392	8/31/2018	10/19/2018
2018	Mechanical Restrictions	TW-Topock/ EP-Topock	325	Unplanned	3494	12/19/2018	12/20/2018
2018	Line 85 zone is reduced as a result of pipeline safety enhancements	CP-Line 85	100	Planned	3958	10/8/2018	9/24/2019
2018	Restricted operation of L4000 and L235 outage. Updates to these pipelines' construction activities are posted in an Envoy critical notice typically every two weeks. The date is preliminary until more information can be obtained.	Needles/ Topock Area Zone	1070	Planned	3982	9/17/2018	10/14/2019
2018	L3000 Operational Restrictions	TW-Topock/ EP-Topock	190	Planned	4582	10/1/2018	Ongoing
2018	L2000 Right of Way Expiration. See last critical notice titled "Southern System Right-of-Way" dated 4/16/2020 for more information.	EP-Ehrenberg/ NBP-Blythe	30	Planned	6305	3/29/2018	5/4/2023
2018	Zone reduced because of seasonal load conditions	Southern Zone	560	Critical	7833	3/10/2018	Ongoing
2019	Blythe Plant 4 Baja Norte Relocation	NBP-Blythe	600	Planned	3510	1/8/2019	1/25/2019
2019	Blythe Plant 2 Cooling Water Pipe Alterations	EP-Ehrenberg/ NBP-Blythe	230	Planned	3517	1/17/2019	1/17/2019
2019	Blythe plant 2 cooling pipe alteration	EP-Ehrenberg/ NBP-Blythe	230	Planned	3529	1/23/2019	1/23/2019
2019	Blythe Plant 2 Cooling Water Pipe Alterations	EP-Ehrenberg/ NBP-Blythe	230		3531	1/24/2019	1/25/2019
2019	Whitewater station valve automation.	EP-Ehrenberg/ NBP-Blythe	180	Planned	3592	3/5/2019	3/6/2019
2019	Install taps and complete borescope inspection of station piping	PGE-Wheeler Ridge/ EH GOS-Wheeler Ridge	320		3607	3/4/2019	3/11/2019
2019	Tie-In new MLV on L235 downstream of Newberry in preparation for L235 return to service	TW-Needles/ QST-Needles	650		3623	3/12/2019	3/13/2019
2019	L44-1008 pressure reduction due to immediate repair condition	CP-Line 85	20	Unplanned	3667	3/30/2019	4/2/2019
2019	Wheeler Ridge Compressor Maintenance	PGE-Wheeler Ridge/ EH GOS-Wheeler Ridge	420	Planned	3683	4/15/2019	4/16/2019
2019	L7000 In Line Inspection	CP-Line 85	40	Planned	3728	5/2/2019	5/9/2019
2019	L235-1 In Line Inspection	TW-Topock/ EP-Topock	400	Planned	3740	5/14/2019	5/20/2019
2019	L225 In Line Inspection	Wheeler Ridge Zone	175	Planned	3754	6/6/2019	6/6/2019
2019	L225 In Line Inspection	Wheeler Ridge Zone	175	Planned	3757	6/7/2019	6/7/2019
2019	Extract stuck probe from L225. This is compliance driven.	Wheeler Ridge Zone	600	Planned	3769	6/1/2019	6/1/2019

2019	L225 In Line Inspection	Wheeler Ridge Zone	265	Planned	3791	6/4/2019	6/5/2019
2019	L7000 In line Inspection. Compliance driven.	CP-Line 85	40	Planned	3806	6/11/2019	6/17/2019
2019	L85 Valve Replacement. Compliance Driven	CP-Line 85	30	Planned	3820	6/26/2019	6/28/2019
2019	L2001-C and L2001-D PSEP Hydrotest. The capacity impact may fluctuate because of demand.	EP-Ehrenberg/ NBP-Blythe	350	Planned	3822	3/15/2019	7/1/2019
2019	L225 In Line Inspection - Compliance	Wheeler Ridge Zone	265	Planned	3840	7/16/2019	7/17/2019
2019	L5000 Tie-In for Reliability	EP-Ehrenberg/ NBP-Blythe	80	Planned	3844	7/5/2019	7/14/2019
2019	L225 In Line Inspection - Compliance	Wheeler Ridge Zone	115	Planned	3856	7/22/2019	7/22/2019
2019	L225 In Line Inspection - Compliance	PGE-Wheeler Ridge/ EH GOS- Wheeler Ridge	100	Planned	3857	7/22/2019	7/22/2019
2019	L225 In Line Inspection - Compliance	Wheeler Ridge Zone	115	Planned	3859	7/18/2019	7/18/2019
2019	L225 In Line Inspection - Compliance	PGE-Wheeler Ridge/ EH GOS- Wheeler Ridge	420	Planned	3860	7/16/2019	7/18/2019
2019	L8105/L8106 Tie-In - Reliability	CP-Line 85	15	Planned	3871	7/31/2019	8/1/2019
2019	L235-2 returned and L4000 In Line Inspection. Compliance	Needles/ Topock Area Zone	1070	Planned	3887	9/19/2019	9/26/2019
2019	Valve replacement. Compliance	CP-Line 85	20	Planned	3894	8/5/2019	8/8/2019
2019	Whitewater station Upgrade. Crossover installation. Reliability	EP-Ehrenberg/ NBP-Blythe	330	Planned	3900	8/15/2019	8/16/2019
2019	L4000 In Line Inspection. Compliance	Needles/ Topock Area Zone	70	Planned	3918	9/3/2019	9/4/2019
2019	Line 4000 In Line Inspection. Compliance	TW-Topock/ EP-Topock	400	Planned	3919	9/3/2019	9/4/2019
2019	L4000 Internal Line Inspection. Compliance	EP-Topock	400	Planned	3920	9/6/2019	9/7/2019
2019	L4000 Internal Line Inspection. Compliance	TW-Needles/ QST-Needles	70	Planned	3921	9/6/2019	9/7/2019
2019	L4000 Internal Line Inspection. Compliance	TW-Topock/ EP-Topock	400	Planned	3924	9/6/2019	9/7/2019
2019	L4000 Internal Line Inspection. Compliance	Needles/ Topock Area Zone	70	Planned	3925	9/6/2019	9/7/2019
2019	L1008 remediation. Compliance	CP-Line 85	20	Unplanned	3929	9/20/2019	-
2019	Transformer Maintenance on Electrical System	PGE-Wheeler Ridge/ EH GOS- Wheeler Ridge	440	Planned	3934	9/10/2019	9/10/2019
2019	Valve Repair. Compliance	CP-Line 85	40	Planned	3944	9/18/2019	9/18/2019
2019	L2000 Internal Line Inspection. Compliance	Southern Zone	50	Planned	3952	10/14/2019	10/18/2019
2019	L2000 Phase 4&5 Internal Line Inspection. Compliance	Southern Zone	50	Planned	3986	10/15/2019	10/15/2019
2019	L4000 taken out of service for validation digs.Updates to this pipelines' construction activities are posted in an Envoy critical notice typically every two weeks. The date is preliminary until more information can be obtained.	Needles/ Topock Area Zone	270	Planned	3989	9/19/2019	10/23/2019
2019	L235 Internal Line Inspection. Compliance	TW-Topock/ EP-Topock	350	Planned	3993	10/15/2019	10/23/2019
2019	L2000 Relocation for Caltrans.	Southern Zone	150	Planned	3995	11/9/2019	11/13/2019
2019	Plant 2 Water System Work	EP-Ehrenberg/ NBP-Blythe	170	Planned	3999	10/26/2019	10/26/2019
2019	L2000 Phase 4&5 Internal Line Inspection. Compliance	Southern Zone	50	Planned	4000	10/22/2019	10/27/2019
2019	L235 Internal Line Inspection. Compliance	TW-Topock/ EP-Topock	100	Planned	4002	10/24/2019	10/30/2019
2019	L1008 Remediation	CP-Line 85	20	Unplanned	4007	6/18/2019	11/6/2019
2019	Wheeler Ridge 201 and 401 branch connection replacement - reliability	PGE-Wheeler Ridge/ EH GOS- Wheeler Ridge	395	Planned	4016	11/12/2019	11/14/2019
2019	Plant 2 Crankshaft Alignment. Reliability	EP-Ehrenberg/ NBP-Blythe	50	Planned	4057	12/10/2019	12/10/2019
2019	L4000 and L235 Operational Restrictions	Needles/ Topock Area Zone	900	Planned	5287	10/15/2019	10/1/2021
2020	Cat #1 manifold repairs	EP-Ehrenberg/ NBP-Blythe	130	Unplanned	4076	1/2/2020	1/3/2020
2020	CAT#2 Wiring Repair	EP-Ehrenberg/ NBP-Blythe	230	Planned	4084	1/21/2020	1/21/2020
2020	Compressor Repair	EP-Ehrenberg	200	Unplanned	4102	1/26/2020	1/27/2020
2020	Blythe Cat 2 Harness and Sensor Repair	EP-Ehrenberg/ NBP-Blythe	170	Unplanned	4105	1/27/2020	1/28/2020
2020	L235-2 Necessary Remediation due to Safety Related Condition (SRC)	Needles/ Topock Area Zone	170	Unplanned	4123	1/24/2020	2/15/2020
2020	L235-2 Necessary Remediation due to Safety Related Condition (SRC)	Needles/ Topock Area Zone	170	Unplanned	4124	2/15/2020	2/16/2020
2020	Compressor Repair - Reliability	EP-Ehrenberg/ NBP-Blythe	130	Unplanned	4138	2/19/2020	2/20/2020

2020	L2001 Phase 1 ILI. Compliance	EP-Ehrenberg/ NBP-Blythe	190	Planned	4166	3/2/2020	3/7/2020
2020	L2001 Phase 1 ILI. Compliance	Southern Zone	140	Planned	4167	3/2/2020	3/7/2020
2020	L2001 Grade Separation Project. Compliance	Southern Zone	300	Planned	4182	3/10/2020	3/13/2020
2020	L2000 Internal Line Inspection. Compliance	EP-Ehrenberg/ NBP-Blythe	240	Planned	4183	3/21/2020	3/28/2020
2020	L2000 Internal Line Inspection. Compliance	Southern Zone	190	Planned	4184	3/21/2020	3/28/2020
2020	L3010 Internal Line Inspection. Compliance	EP-Ehrenberg/ NBP-Blythe	100	Planned	4188	4/7/2020	4/11/2020
2020	L3010 Internal Line Inspection. Compliance	TGN-Otay Mesa	250	Planned	4200	4/7/2020	4/11/2020
2020	Blythe Plant 2 Shut In. Reliability	EP-Ehrenberg/ NBP-Blythe	160	Planned	4231	4/23/2020	5/2/2020
2020	Blythe Compressor Station Valve Repair. Compliance	EP-Ehrenberg/ NBP-Blythe	130	Planned	4237	4/14/2020	4/14/2020
2020	L2000 Moreno Crossover Tie In. Reliability	EP-Ehrenberg/ NBP-Blythe	20	Planned	4281	5/11/2020	5/14/2020
2020	L2000 Moreno Crossover Tie In. Reliability	Southern Zone	150	Planned	4282	5/11/2020	5/14/2020
2020	Blythe Compressor Station Maintenance. Reliability	EP-Ehrenberg/ NBP-Blythe	65	Planned	4292	5/11/2020	5/19/2020
2020	L2051 Pipeline Relocation.	EP-Ehrenberg/ NBP-Blythe	250	Planned	4319	6/22/2020	6/25/2020
2020	Upstream operational issues	TGN-Otay Mesa	400	Unplanned	4322	6/8/2020	6/22/2020
2020	Blythe Compressor Station Maintenance. Reliability	EP-Ehrenberg/ NBP-Blythe	145	Planned	4328	5/29/2020	6/11/2020
2020	L2001 PSEP Hydrotest	EP-Ehrenberg/ NBP-Blythe	215	Planned	4331	4/24/2020	6/16/2020
2020	L2051 Pipeline Relocation	Southern Zone	80	Planned	4335	6/22/2020	6/25/2020
2020	L2000 Moreno PSEP Replacement.	Southern Zone	150	Planned	4385	7/27/2020	8/8/2020
2020	N. Needles Compressor Reliability	TW-Needles/ QST- Needles	800	Planned	4387	6/29/2020	7/16/2020
2020	Unplanned repairs at Blythe Plant 3	EP-Ehrenberg	110	Unplanned	4391	7/17/2020	7/18/2020
2020	L2001 Phae 1&2 ILI. Compliance	EP-Ehrenberg/ NBP-Blythe	190	Planned	4395	7/17/2020	7/20/2020
2020	L2001 Phase 1 &2 ILI. Compliance	Southern Zone	140	Planned	4396	7/17/2020	7/20/2020
2020	Unplanned repairs at Blythe Plant 3	EP-Ehrenberg/ NBP-Blythe	300	Unplanned	4404	7/18/2020	7/21/2020
2020	Blythe Compressor Station Maintenance.	EP-Ehrenberg/ NBP-Blythe	130	Unplanned	4422	7/21/2020	8/7/2020
2020	L1013 pressure reduction	Southern Zone	150	Unplanned	4431	8/9/2020	8/12/2020
2020	L235-2 Pipeline remediation see Envoy critical notice for more information	Needles/ Topock Area Zone	170	Planned	4436	6/1/2020	8/17/2020
2020	L5000 Maintenance.	EP-Ehrenberg/ NBP-Blythe	105	Unplanned	4481	9/4/2020	9/4/2020
2020	L8109 Pipeline Relocation. Compliance	CP-Line 85	30	Planned	4495	8/28/2020	9/17/2020
2020	L2001 Pressure Reduction	EP-Ehrenberg/ NBP-Blythe	40	Unplanned	4507	9/17/2020	9/21/2020
2020	L2000 In Line Inspection-Compliance	EP-Ehrenberg/ NBP-Blythe	240	Planned	4508	9/14/2020	9/21/2020
2020	L2000 In Line Inspection - Compliance	Southern Zone	190	Planned	4515	9/14/2020	9/21/2020
2020	L3011 In Line Inspection-Compliance.	TGN-Otay Mesa	400	Planned	4529	9/29/2020	9/29/2020
2020	Wheeler Ridge Compressor Maintenance	Wheeler Ridge Zone	115	Planned	4537	10/12/2020	10/17/2020
2020	Wheeler Ridge Compressor Maintenance	PGE-Wheeler Ridge/ EH GOS- Wheeler Ridge	420		4538	10/12/2020	10/17/2020
2020	Newberry Compressor Station Compliance Repairs	Needles/ Topock Area Zone	270	Planned	4556	10/10/2020	10/11/2020
2020	L3011 In Line Inspection. Compliance	TGN-Otay Mesa	400	Planned	4580	11/9/2020	11/10/2020
2020	L2001 Necessary Remediation due to Safety Related Condition (SRC)	EP-Ehrenberg/ NBP-Blythe	180	Unplanned	4585	9/22/2020	10/23/2020
2020	Cat 1 Unit Maintenance	EP-Ehrenberg/ NBP-Blythe	180	Unplanned	4593	10/27/2020	10/28/2020
2020	Compressor Maintenance. Reliability.	EP-Ehrenberg/ NBP-Blythe	80	Unplanned	4598	10/27/2020	10/30/2020
2020	Compressor Maintenance. Reliability	EP-Ehrenberg/ NBP-Blythe	80	Unplanned	4611	11/2/2020	11/4/2020
2020	Station Maintenance. Compliance.	EP-Ehrenberg/ NBP-Blythe	230	Planned	4622	11/7/2020	11/7/2020
2020	Wheeler Ridge Station Maintenance. Compliance	Wheeler Ridge Zone	115	Planned	4629	11/16/2020	11/16/2020
2020	Wheeler Ridge Station Maintenance. Compliance	PGE-Wheeler Ridge/ EH GOS- Wheeler Ridge	400	Planned	4630	11/16/2020	11/16/2020
2020	L235-1 Safety-Related Condition. Compliance	TW-Needles/ QST- Needles	800	Unplanned	4640	11/17/2020	11/20/2020
2020	Wheeler Station Leak Repair. Compliance	Wheeler Ridge Zone	90	Unplanned	4659	12/12/2020	12/13/2020
2020	Wheeler Station Leak Repair. Compliance	Wheeler Ridge Zone	90	Planned	4677	12/20/2020	12/20/2020

2021	Compressor Maintenance. Reliability	EP-Ehrenberg/ NBP-Blythe	80	Unplanned	4727	1/15/2021	1/17/2021
2021	Compressor Station Maintenance. Compliance	EP-Ehrenberg/ NBP-Blythe	30	Unplanned	4751	1/30/2021	1/30/2021
2021	L800 Pipeline Remediation. Safety.	CP-Line 85	20	Unplanned	4777	2/11/2021	2/16/2021
2021	Line 3000 Phase 2B Internal Inspection. Compliance.	TW-Topock/ EP- Topock	200	Planned	4826	3/2/2021	3/5/2021
2021	Line 3000 Phase 2A Internal Inspection. Compliance.	TW-Topock/ EP- Topock	200	Planned	4875	3/15/2021	3/19/2021
2021	Compressor Station Maintenance. Compliance.	EP-Ehrenberg/ NBP-Blythe	395	Planned	4878	4/7/2021	4/14/2021
2021	Line 3000 Phase 1 Internal Inspection. Compliance.	EP-Topock	390	Planned	4894	3/25/2021	3/25/2021
2021	Line 3000 Phase 1 Internal Inspection. Compliance.	TW-Topock	300	Planned	4895	3/25/2021	3/25/2021
2021	L2001 Pipeline Relocation. Reliability.	EP-Ehrenberg/ NBP-Blythe	150	Planned	4897	3/23/2021	3/27/2021
2021	L85 Pipeline Maintenance - Compliance	CP-Line 85	20	Planned	4901	3/22/2021	3/29/2021
2021	L-4000 Necessary Remediation. Safety/Reliability.	Needles/ Topock Area Zone	90	Planned	4902	5/1/2021	9/30/2021
2021	L-4000 Necessary Remediation. Safety/Reliability.	Northern Zone	720	Planned	4903	5/1/2021	9/30/2021
2021	Compressor Station Maintenance. Compliance	PGE-Wheeler Ridge/ EH GOS- Wheeler Ridge	395	Planned	4962	4/7/2021	4/14/2021
2021	Compressor Station Maintenance. Compliance	Wheeler Ridge Zone	115	Planned	4963	4/7/2021	4/14/2021
2021	L-2001 Pipeline Maintenance. Compliance	EP-Ehrenberg/ NBP-Blythe	260	Planned	5019	5/25/2021	5/29/2021
2021	L-5000 Pipeline Replacement. Compliance	EP-Ehrenberg/ NBP-Blythe	380	Planned	5022	6/10/2021	6/16/2021
2021	L-2000 Pipeline Replacement. Reliability	Southern Zone	150	Planned	5027	6/7/2021	6/11/2021
2021	L-2001 Pipeline Maintenance. Compliance	Southern Zone	300	Planned	5042	5/26/2021	5/28/2021
2021	L-1011 Pipeline Remediation. Safety	CP-Line 85	30	Unplanned	5067	5/27/2021	6/11/2021
2021	Newberry Compressor Station Upgrades. Safety and Compliance	TW-Topock/ EP- Topock	350	Planned	5128	7/26/2021	9/10/2021
2021	L5000 Ph2 Internal Line Inspection. Compliance	EP-Ehrenberg/ NBP-Blythe	235	Planned	5133	7/15/2021	7/18/2021
2021	L5000 Ph2 Internal Line Inspection. Compliance	Southern Zone	65	Planned	5134	7/15/2021	7/18/2021
2021	Blythe Compressor Inspection. Reliability	EP-Ehrenberg/ NBP-Blythe	60	Unplanned	5166	8/6/2021	8/8/2021
2021	Blythe Compressor Maintenance.	EP-Ehrenberg/ NBP-Blythe	120	Unplanned	5245	7/21/2021	9/15/2021
2021	L3012 Pipeline Maintenance - Reliability	TGN-Otay Mesa	400	Planned	5290	10/11/2021	10/19/2021
2021	Line 800 Safety Related Condition	CP-Line 85	20	Critical	5291	9/27/2021	10/1/2021
2021	Blythe Compressor Maintenance - Reliability	EP-Ehrenberg/ NBP-Blythe	120	Unplanned	5295	9/27/2021	10/3/2021
2021	L2001 Pipeline maintenance - Reliability	Southern Zone	150	Planned	5338	10/20/2021	10/22/2021
2021	Line 5000. Pipeline Upgrades - Reliability.	NBP-Blythe	600	Planned	5360	11/5/2021	11/8/2021
2021	Compressor Repair - Reliability	EP-Ehrenberg/ NBP-Blythe	80	Unplanned	5374	11/10/2021	11/10/2021
2021	Line 85. Pipeline Upgrade - Reliability.	CP-Line 85	30	Planned	5375	11/8/2021	11/10/2021
2021	Compressor Station Maintenance. O&M. Compliance	PGE-Wheeler Ridge/ EH GOS- Wheeler Ridge	70	Planned	5392	11/17/2021	11/17/2021
2021	L2000 PSEP Hydrotest	Southern Zone	150	Planned	5403	10/25/2021	12/17/2021
2021	L2000 PSEP Hydrotest	Southern Zone	150	Planned	5471	12/18/2021	12/21/2021
2021	Line 3000 Safety Related Condition.	TW-Topock/ EP- Topock	350	Unplanned	5584	9/11/2021	3/4/2022
2021	L235 Operational Restrictions	Needles/ Topock Area Zone	285	Planned	6648	10/1/2021	11/6/2023
2021	L235 Operational Restrictions	Northern Zone	165	Planned	6649	10/1/2021	11/6/2023
2022	L-2000 Pipeline Relocation	Southern Zone	150	Planned	5604	4/15/2022	4/22/2022
2022	L-2000 Hydrotest	Southern Zone	150	Planned	5676	3/21/2022	4/6/2022
2022	L-2001 ILI	EP-Ehrenberg/ NBP-Blythe	210	Planned	5680	4/4/2022	4/9/2022
2022	Blythe Station Maintenance	EP-Ehrenberg/ NBP-Blythe	230	Planned	5753	5/18/2022	5/18/2022
2022	L7039 ILI	PGE-Wheeler Ridge/ EH GOS- Wheeler Ridge	115	Planned	5770	5/31/2022	5/31/2022
2022	L4000 Pipeline Class Location Change	Needles/ Topock Area Zone	480	Planned	5773	5/23/2022	5/26/2022
2022	L4000 Pipeline Class Location Change.	Northern Zone	380	Planned	5775	5/23/2022	5/26/2022
2022	L7039 ILI	PGE-Wheeler Ridge/ EH GOS- Wheeler Ridge	115	Planned	5779	5/27/2022	5/27/2022
2022	L4000 Pipeline Maintenance	Northern Zone	140	Planned	5788	5/31/2022	6/2/2022

2022	N. Needles Station Maintenance. Compliance.	TW-Needles/ QST-Needles	800	Planned	5796	5/26/2022	6/3/2022
2022	Otay Mesa Station Maintenance. Reliability.	TGN-Otay Mesa	400	Planned	5798	6/18/2022	6/24/2022
2022	Otay Mesa Station Maintenance. Reliability.	Southern Zone	230	Planned	5799	6/18/2022	6/24/2022
2022	L1185 Pipeline Maintenance	Northern Zone	20	Planned	5800	6/3/2022	6/4/2022
2022	L2000 Phase 6 ILI	Southern Zone	50	Planned	5803	6/7/2022	6/8/2022
2022	L225 Pipeline ILI Retrofit	Wheeler Ridge Zone	675	Planned	5811	6/6/2022	6/10/2022
2022	Compressor Station Maintenance. Reliability.	EP-Ehrenberg/ NBP-Blythe	380	Planned	5818	6/28/2022	6/30/2022
2022	Compressor Station Maintenance. Reliability.	Southern Zone	210	Planned	5819	6/28/2022	6/30/2022
2022	L225 ILI	Wheeler Ridge Zone	120	Planned	5859	7/15/2022	7/16/2022
2022	L225 ILI	Wheeler Ridge Zone	235	Planned	5860	7/12/2022	7/14/2022
2022	Station Maintenance. Reliability.	EP-Ehrenberg/ NBP-Blythe	280	Planned	5869	7/22/2022	7/24/2022
2022	Station Maintenance. Reliability	Southern Zone	110	Planned	5870	7/22/2022	7/24/2022
2022	L2001 Hydrtest	EP-Ehrenberg/ NBP-Blythe	200	Planned	5903	8/29/2022	9/2/2022
2022	L2001 Hydrotest	TW-Needles/ QST-Needles	200	Planned	5913	9/19/2022	1/31/2023
2022	L-235 East Phase 2 ILI	TW-Needles	600	Planned	5925	9/13/2022	9/22/2022
2022	L225 Class Location Change	Wheeler Ridge Zone	135	Planned	5964	10/16/2022	11/5/2022
2022	L225 Pipeline ILI Retrofit	Wheeler Ridge Zone	645	Planned	5984	10/10/2022	10/14/2022
2022	L225 Class Location Change	Wheeler Ridge Zone	135	Planned	6018	10/27/2022	10/30/2022
2022	L2000 Phase 6 ILI	Southern Zone	50	Planned	6027	11/1/2022	11/3/2022
2022	L2001 Necessary Remediation. Safety / Reliability.	EP-Ehrenberg/ NBP-Blythe	40	Unplanned	6033	10/7/2022	11/16/2022
2022	L225 Class Location Change	Wheeler Ridge Zone	55	Planned	6043	10/31/2022	11/12/2022
2022	L4000 Pipeline Repair. Safety / Reliability.	Needles/ Topock Area Zone	480	Unplanned	6078	12/4/2022	12/4/2022
2022	L2001 Necessary Remediation. Safety / Reliability.	EP-Ehrenberg/ NBP-Blythe	40	Planned	6093	11/17/2022	12/14/2022
2022	L2000 Hydrotest	Southern Zone	150	Planned	6098	11/7/2022	12/15/2022
2022	L4000 Pipeline Repair. Safety / Reliability.	Northern Zone	310	Unplanned	6109	12/20/2022	12/20/2022
2022	L2001 Hydrotest	EP-Ehrenberg/ NBP-Blythe	200	Planned	6143	9/19/2022	1/20/2023
2023	Blythe Compressor Repair	EP-Ehrenberg/ NBP-Blythe	190	Unplanned	6202	3/7/2023	3/11/2023
2023	L235 Necessary Remediation.	TW-Needles	800	Unplanned	6211	2/16/2023	3/17/2023
2023	L235 Necessary Remediation.	Northern Zone	280	Unplanned	6212	2/16/2023	3/17/2023
2023	L-4000 Class Location Change	Northern Zone	100	Planned	6213	3/13/2023	3/17/2023
2023	Compressor Repair. Reliability.	EP-Ehrenberg/ NBP-Blythe	100	Unplanned	6225	3/16/2023	3/24/2023
2023	L2051 Maintenance	EP-Ehrenberg/ NBP-Blythe	370	Planned	6226	3/29/2023	4/7/2023
2023	L2051 Maintenance	EP-Ehrenberg/ NBP-Blythe	370	Planned	6240	4/5/2023	4/6/2023
2023	L-4000 Class Location Change	Northern Zone	380	Planned	6243	3/18/2023	4/6/2023
2023	L-2051 In Line Inspection	EP-Ehrenberg/ NBP-Blythe	270	Planned	6258	4/10/2023	4/13/2023
2023	L5000 Remediation	EP-Ehrenberg/ NBP-Blythe	630	Planned	6287	4/17/2023	4/22/2023
2023	L4000 Maintenance	Northern Zone	375	Planned	6295	4/10/2023	4/28/2023
2023	L-3012 Replacement	TGN-Otay Mesa	400	Planned	6334	5/15/2023	5/18/2023
2023	L6905 In Line Inspection	KR/ MP-Kramer Junction	210	Planned	6391	6/19/2023	6/23/2023
2023	L-1185/4002 In Line Inspection	KR/ MP-Kramer Junction	235	Planned	6435	7/24/2023	7/25/2023
2023	L-3000 Remediation	TW-Topock/ EP-Topock	350	Planned	6448	7/17/2023	8/4/2023
2023	L225 Pipeline Repair. Safety / Reliability.	Wheeler Ridge Zone	720	Unplanned	6451	7/27/2023	8/7/2023
2023	L-2000 ILI Ph3	EP-Ehrenberg/ NBP-Blythe	300	Planned	6469	8/14/2023	8/18/2023
2023	L-2001 Hydrotest	EP-Ehrenberg/ NBP-Blythe	220	Planned	6473	5/18/2023	8/17/2023
2023	L-1030 Hydrotest	EP-Ehrenberg/ NBP-Blythe	190		6482	8/21/2023	8/21/2023
2023	L2001 Pipeline Repair. Safety / Reliability.	EP-Ehrenberg/ NBP-Blythe	200	Unplanned	6487	8/22/2023	8/23/2023
2023	L800 Pipeline Repair. Safety / Reliability.	CP-Line 85	30	Unplanned	6505	8/30/2023	8/31/2023
2023	L-1030 Hydrotest	EP-Ehrenberg/ NBP-Blythe	190	Planned	6515	8/24/2023	9/2/2023
2023	L-1185/L-4002 ILI	Northern Zone	235	Planned	6522	9/18/2023	9/22/2023

2023	L-1185/L-4002 ILI	KR/ MP-Kramer Junction	235	Planned	6525	9/18/2023	9/22/2023
2023	L-2000 Relocation	Southern Zone	150	Planned	6526	9/25/2023	10/2/2023
2023	L-2000 ILI Ph3	EP-Ehrenberg/ NBP-Blythe	130	Planned	6532	9/11/2023	9/13/2023
2023	L-2000 ILI Ph3	EP-Ehrenberg/ NBP-Blythe	60	Planned	6556	9/23/2023	9/23/2023
2023	L-2001 Remediation	EP-Ehrenberg/ NBP-Blythe	110	Planned	6586	10/2/2023	10/20/2023
2023	L2000/L2001 Pipeline Repairs. Safety / Reliability.	EP-Ehrenberg/ NBP-Blythe	200	Force Majeure	6596	9/2/2023	10/13/2023
2023	L-5000 ILI	EP-Ehrenberg/ NBP-Blythe	490	Planned	6599	10/30/2023	11/5/2023
2023	L133 Operational Restrictions	CP-Line 85	30	Planned	6607	10/16/2023	10/19/2023
2023	L-235 West Remediation	Northern Zone	175	Planned	6644	5/2/2023	11/4/2023
2023	L235 West Remediation	Needles/ Topock Area Zone	255	Planned	6645	6/12/2023	11/4/2023
2023	L-5000 ILI	EP-Ehrenberg/ NBP-Blythe	490	Planned	6646	10/30/2023	11/5/2023
2023	L-4000 ILI	Northern Zone	555	Planned	6651	11/6/2023	11/7/2023
2023	L-4000 ILI	Needles/ Topock Area Zone	620	Planned	6661	11/7/2023	11/10/2023
2023	L-2000 ILI Ph3	EP-Ehrenberg/ NBP-Blythe	390	Planned	6676	11/13/2023	11/17/2023
2023	L-1185 / L-4002 ILI	Northern Zone	225	Planned	6703	12/5/2023	12/7/2023
2023	L2000 Pipeline Repair. Safety / Reliability.	EP-Ehrenberg/ NBP-Blythe	30	Unplanned	6727	11/14/2023	12/27/2023
2024	L5000 Pipeline Repair. Safety / Reliability.	EP-Ehrenberg	650	Unplanned	6777	1/26/2024	2/2/2024
2024	L5000 Pipeline Repair. Safety / Reliability.	EP-Ehrenberg/ NBP-Blythe	650	Unplanned	6790	1/26/2024	1/29/2024
2024	L2000 Pipeline Repair. Safety/Reliability	EP-Ehrenberg/ NBP-Blythe	30	Unplanned	6814	2/8/2024	2/11/2024
2024	Compressor Maintenance	TW-Needles	160	Unplanned	6835	2/17/2024	2/23/2024
2024	L2000 Pipeline Repair. Safety/Reliability	EP-Ehrenberg/ NBP-Blythe	245	Unplanned	6859	2/12/2024	3/1/2024
2024	Compressor Maintenance	TW-Needles	160	Unplanned	6863	2/26/2024	3/4/2024
2024	SL38-504 In Line Inspection	CP-Line 85	60	Unplanned	6881	3/5/2024	3/9/2024
2024	L3000 Remediation	TW-Topock/ EP- Topock	350	Planned	6907	3/23/2024	4/12/2024
2024	L5000 New Installation	EP-Ehrenberg/ NBP-Blythe	365	Planned	6910	3/18/2024	3/19/2024
2024	L4000 Pipeline Repair. Safety / Reliability.	Needles/ Topock Area Zone	680	Unplanned	6946	2/22/2024	4/12/2024
2024	L4000 Pipeline Repair. Safety / Reliability.	Northern Zone	540	Unplanned	6948	2/22/2024	4/12/2024
2024	L2001 Remediation	EP-Ehrenberg/ NBP-Blythe	5	Planned	6973	4/22/2024	5/24/2024
2024	L5000 Pipeline Repair/Safety	EP-Ehrenberg/ NBP-Blythe	650	Unplanned	7018	3/20/2024	4/17/2024
2024	L2001 Maintenance. O&M. Safety	EP-Ehrenberg/ NBP-Blythe	310	Unplanned	7043	4/19/2024	5/8/2024
2024	L4000 Maintenance	Needles/ Topock Area Zone	60	Planned	7102	5/20/2024	5/24/2024
2024	L4000 Remediation	Needles/ Topock Area Zone	60	Planned	7125	6/17/2024	6/21/2024
2024	L4000 Hydrotest	Northern Zone	555	Planned	7126	6/24/2024	10/30/2024
2024	L4000 Hydrotest	Needles/ Topock Area Zone	555	Planned	7128	6/24/2024	10/30/2024
2024	L2001 PH4 ILI	EP-Ehrenberg/ NBP-Blythe	180	Planned	7140	6/10/2024	6/14/2024
2024	L235 East Remediation	Northern Zone	620	Planned	7144	4/15/2024	6/20/2024
2024	L235 East Remediation	TW-Needles	800	Planned	7145	4/15/2024	6/20/2024
2024	L4000 Remediation	Northern Zone	680	Planned	7151	6/17/2024	6/21/2024
2024	L2000 Remediation. Safety / Reliability	EP-Ehrenberg/ NBP-Blythe	230	Unplanned	7158	6/4/2024	6/26/2024
2024	L1030 Hydrotest	EP-Ehrenberg/ NBP-Blythe	160	Planned	7191	8/5/2024	10/11/2024
2024	L3000 Remediation	TW-Topock/ EP- Topock	350	Planned	7202	8/12/2024	10/25/2024
2024	L4000 Hydrotest	Northern Zone	295	Planned	7224	6/24/2024	8/13/2024
2024	L2000 Maintenance	EP-Ehrenberg/ NBP-Blythe	40	Planned	7246	9/9/2024	9/13/2024
2024	L1185 Maintenance	Needles/ Topock Area Zone	470	Unplanned	7310	9/26/2024	9/26/2024

2024	L235 W ILI	Needles/ Topock Area Zone	530	Planned	7323	9/30/2024	10/4/2024
2024	L225 Construction	Wheeler Ridge Zone	245	Planned	7343	10/21/2024	10/25/2024
2024	L235 East In Line Inspection	TW-Needles	550	Planned	7382	10/28/2024	11/1/2024
2024	L4000 Hydrotest PH2	Needles/ Topock Area Zone	680	Planned	7398	8/14/2024	11/13/2024
2024	L4000 Hydrotest PH2	Northern Zone	540	Planned	7399	8/14/2024	11/13/2024
2024	L8109 Maintenance	CP-Line 85	20	Unplanned	7857	5/15/2024	6/17/2025
2025	L225 Necessary Remediations	Wheeler Ridge Zone	610	Unplanned	7660	4/3/2025	4/7/2025
2025	L4000 In Line Inspection	Northern Zone	420	Planned	7703	5/5/2025	5/10/2025
2025	L235 West Necessary Remediation	Needles/ Topock Area Zone	540	Unplanned	7729	1/29/2025	5/1/2025
2025	L235 West Necessary Remediation	Northern Zone	175	Unplanned	7730	1/23/2025	5/1/2025
2025	L7000 In Line Inspection	CP-Line 85	20	Planned	7764	5/19/2025	5/27/2025
2025	L3010 In Line Inspection	TGN-Otay Mesa	400	Planned	7792	5/19/2025	5/22/2025
2025	Blythe Compressor Work	EP-Ehrenberg/ NBP-Blythe	310	Planned	7798	6/9/2025	6/10/2025
2025	L5000 and L2051 Remediation	EP-Ehrenberg/ NBP-Blythe	335	Planned	7821	5/1/2025	5/30/2025
2025	SL38-504 Assessment	CP-Line 85	20	Unplanned	7829	6/4/2025	6/4/2025
2025	Blythe Compressor Work	EP-Ehrenberg/ NBP-Blythe	610	Planned	7847	6/11/2025	6/12/2025
2025	L225 In Line Inspection	Wheeler Ridge Zone	265	Planned	7852	6/9/2025	6/13/2025
2025	L225 In Line Inspection	PGE-Wheeler Ridge/ EH GOS- Wheeler Ridge	420	Planned	7853	6/9/2025	6/13/2025
2025	L2001 Pipeline Repair. Safety / Reliability	EP-Ehrenberg/ NBP-Blythe	200	Unplanned	7883	6/19/2025	6/23/2025
2025	L2000 Maintenance	Southern Zone	200	Planned	7884	6/23/2025	6/23/2025
2025	L8109 Maintenance	CP-Line 85	20	Unplanned	7885	6/23/2025	Ongoing
2025	L7000 In Line Inspection	CP-Line 85	20	Planned	7903	6/24/2025	7/1/2025
2025	L2000 Remediation. Safety / Reliability	EP-Ehrenberg/ NBP-Blythe	200	Unplanned	7905	7/1/2025	7/8/2025
2025	L2001/2002/2003 In Line Inspection	Southern Zone	100	Planned	7933	7/9/2025	7/9/2025
2025	L2000 Remediation	EP-Ehrenberg/ NBP-Blythe	200	Planned	7934	7/9/2025	7/31/2025
2025	L225 In Line Inspection	PGE-Wheeler Ridge/ EH GOS- Wheeler Ridge	420	Planned	7939	7/8/2025	7/10/2025
2025	L225 In Line Inspection	Wheeler Ridge Zone	265	Planned	7941	7/8/2025	7/10/2025
2025	L225 In Line Inspection	PGE-Wheeler Ridge/ EH GOS- Wheeler Ridge	520	Planned	7943	7/10/2025	7/10/2025
2025	L225 In Line Inspection	Wheeler Ridge Zone	365	Planned	7947	7/10/2025	7/11/2025
2025	L225 In Line Inspection	PGE-Wheeler Ridge/ EH GOS- Wheeler Ridge	420	Planned	7948	7/10/2025	7/11/2025
2025	L2001/2002/2003 In Line Inspection	Southern Zone	100	Planned	7963	7/14/2025	7/14/2025
2025	L2001/2002/2003 In Line Inspection	Southern Zone	100	Planned	8000	8/7/2025	8/7/2025
2025	L235 West Safety and Reliability	Needles/ Topock Area Zone	605	Unplanned	8033	8/16/2025	8/19/2025
2025	L235 West Safety and Reliability.	Northern Zone	110	Unplanned	8034	8/16/2025	8/19/2025
2025	L235 West Necessary Remediation.	Needles/ Topock Area Zone	625	Unplanned	8052	8/20/2025	8/29/2025
2025	L235 West Necessary Remediation.	Northern Zone	95	Unplanned	8053	8/20/2025	8/29/2025
2025	L4000 and L4002 Operational Restrictions	Needles/ Topock Area Zone	405	Planned	8074	6/30/2025	9/4/2025
2025	L4000 and L4002 Operational Restrictions	Northern Zone	655	Planned	8075	6/30/2025	9/4/2025
2025	L5000 In Line Inspection	EP-Ehrenberg/ NBP-Blythe	70	Planned	8086	9/29/2025	10/3/2025
2025	L2001 Remediation	EP-Ehrenberg/ NBP-Blythe	200	Planned	8141	8/26/2025	10/1/2025
2025	L2001 Remediation	Southern Zone	150	Planned	8142	9/19/2025	10/3/2025
2025	L4000 Necessary Remediation	Northern Zone	620	Unplanned	8192	11/1/2025	12/18/2025
2025	L225 Necessary Remediation	Wheeler Ridge Zone	185	Unplanned	8193	11/1/2025	11/14/2025
2025	L3000 Remediation	TW-Topock/ EP- Topock	350	Planned	8201	6/30/2025	12/1/2025
2025	L225 Necessary Remediation	Wheeler Ridge Zone	715	Unplanned	8210	10/23/2025	10/31/2025

2025	L2000 Remediation	EP-Ehrenberg/ NBP-Blythe	30	Planned	8211	10/6/2025	10/31/2025
2025	L2001 Necessary Remediation	EP-Ehrenberg/ NBP-Blythe	80	Unplanned	8255	11/10/2025	11/21/2025
2025	L4000 Necessary Remediation	Northern Zone	620	Unplanned	8278	11/1/2025	12/4/2025
2025	L5000 Maintenance	EP-Ehrenberg/ NBP-Blythe	150	Unplanned	8299	12/8/2025	12/15/2025
2025	L225	Wheeler Ridge Zone	650	Force Majeure	8414	12/27/2025	8/1/2026
2026	L2000 Ph1 ILI	EP-Ehrenberg/ NBP-Blythe	240	Planned	8407	3/10/2026	3/11/2026
2026	L2000 Maintenance	Southern Zone	300	Planned	8507	4/27/2026	5/1/2026
2026	L2001/1030 In Line Inspection	EP-Ehrenberg/ NBP-Blythe	220	Planned	8523	4/20/2026	4/24/2026
2026	L2001/1030 In Line Inspection	Southern Zone	200	Planned	8526	4/20/2026	4/24/2026
2026	L3000 Necessary Remediation	TW-Topock/ EP- Topock	350	Unplanned	8550	1/27/2026	5/15/2026
2026	L3000 Maintenance	TW-Topock/ EP- Topock	350	Planned	8589	5/16/2026	10/30/2026
2026	L3010 In Line Inspection	TGN-Otay Mesa	400	Planned	8590	5/19/2026	5/25/2026
2026	L2000 In Line Inspection	Southern Zone	150	Planned	8607	5/4/2026	5/12/2026